

April 28, 2023

Ms. Linda Bridwell
Public Service Commission
P.O. Box 615
211 Sower Boulevard
Frankfort, Kentucky 40602-0615

RE: Administrative Case No. 2011-00450: Annual Distribution Reliability Report

Dear Ms Bridwell:

Please find enclosed a copy of the 2022 electric distribution utility annual reliability report for Nolin RECC, as well as a copy of Nolin RECC's vegetation management plan.

If you have any questions regarding the enclosed information, please contact me at (270) 765-6153 ext 2702 or dwoosley@nolinrecc.com

Regards,

seven c. wootley

Devon C. Woosley

Manager - Engineering

Nolin Rural Electric Cooperative Corporation

Enclosures

Kentucky Public Service Commission Electric Distribution Utility Annual Reliability Report

SECTION 1: CONTACT INFORMATION

UTILITY NAIVIE:	Nolin Recc
REPORT PREPARED BY:	Jordan Horsley
E-MAIL ADDRESS OF PREPARER:	jhorsley@nolinrecc.com
PHONE NUMBER OF PREPARER:	(270) 765-6153 ext 2716
<u>SECT</u>	ION 2: REPORTING YEAR
CALENDAR YEAR OF REPORT:	2022
SECTION 3	3: MAJOR EVENT DAYS (MED)
TMED:	3.40
FIRST DATE USED TO DETERMINE TMED:	1/1/2017
LAST DATE USED TO DETERMINE TMED:	12/31/2021
NUMBER OF MED IN REPORT YEAR:	5

NOTE: Per IEEE TMED should be calculated using the daily SAIDI values for the five prior years. If five years of data are not available, then utilities should use what is available until five years accumulated.

SECTION 4: SYSTEM RELIABILITY INFORMATION AND RESULTS

System-wide Information

TOTAL CUSTOMERS: 36,761 TOTAL CIRCUITS: 84

Excluding MED

5-YEAR AVERAGE (2017 - 2021) REPORTING YEAR

 SAIDI: 48.892
 SAIDI: 47.674

 SAIFI: 0.739
 SAIFI: 0.724

Including MED

5-YEAR AVERAGE (2017 - 2021) REPORTING YEAR

 SAIDI:
 190.359
 SAIDI:
 121.176

 SAIFI:
 1.206
 SAIFI:
 1.067

Notes:

- 1) All duration indices (SAIDI) are to be reported in units of minutes.
- 2) Reports are due on the first business day of May of each year.
- 3) Reports cover the calendar year ending in the December before the reports are due.
- 4) IEEE 1366 (latest version) is used to define SAIDI, SAIFI, and TMED.

CIRCUIT # 1	COLESBURG - 2		
1. SUBSTATION NAME AND NUMBER:	COLESBURG (1) HARDIN - HALL & BARDSTOWN RD		
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):			
3. CIRCUIT NAME AND NUMBER:		COLESBURG - 2	
4. CIRCUIT LOCATION	ELIZABET	HTOWN, KY - BARDSTOWN RD	, MOUNTAIN VIEW
(TOWN-ROAD-GENERAL AREA):	ESTATES RD		
5. TOTAL CIRCUIT LENGTH (MILES):	23.90		
6. CUSTOMER COUNT FOR THIS CIRCUIT:	465		
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	09/16		
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	0UTAGE M 28.83% 0.36% 5.36% 0.71% 48.41% 0.00%	INUTES (% OF TOTAL OUTAGE PUBLIC ACCIDENTS, OTHER SMALL ANIMALS OR BIRDS TREES WIND, HIGH WIND WEATHER	MINUTES): 0.00% 0.00% 16.33% 0.00% 0.00%
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):		80.46	
10. REPORTING YEAR (SAIDI):		37.67	
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):		0.77	
12. REPORTING YEAR (SAIFI):	1.55		
13. LIST OF CORRECTIVE ACTION, IF ANY,			
TAKEN OR TO BE TAKEN			

TREE CAUSE CODE BREAKDOWN

VEGETATION (I.E. VINES) 95.8% NO EQUIP CODE 4.2%

EQUIPMENT CAUSE CODE BREAKDOWN

PROTECTIVE DEVICE 100.0%

CIRCUIT # 2	GLENDALE - 1		
1. SUBSTATION NAME AND NUMBER: 2. SUBSTATION LOCATION	GLENDALE (3)		
(COUNTY-ROAD-TOWN):	HARDIN - E. GLENDALE HODGENVILLE RD - GLENDALE		
3. CIRCUIT NAME AND NUMBER:	GLENDALE - 1		
4. CIRCUIT LOCATION	GLENDALE, KY - W GLENDALE HODGENVILLE RD, MUD SPLASH		
(TOWN-ROAD-GENERAL AREA):	RD, ANDOVER RD		
5. TOTAL CIRCUIT LENGTH (MILES):	10.78		
6. CUSTOMER COUNT FOR THIS CIRCUIT:	210		
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	10/20		
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	3.28% SMALL ANIMALS OR BIRDS 1.27% 1.47% TREES 34.13% 0.13% WIND, HIGH WIND 0.00% 59.71% WEATHER 0.00%		
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	13.57		
10. REPORTING YEAR (SAIDI):	26.74		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.30		
12. REPORTING YEAR (SAIFI):	0.24		
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Review ROW conditions and vegetation management cycle.		

TREE CAUSE CODE BREAKDOWN

NO EQUIP CODE 100.0%

EQUIPMENT CAUSE CODE BREAKDOWN

CONDUCTOR 22.5% CONNECTOR/CLAMP/SPLICE/DEADEND 60.9% PROTECTIVE DEVICE 16.6%

CIRCUIT # 3	GLENDALE - 4	
1. SUBSTATION NAME AND NUMBER:	GLENDALE (3)	
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - E. GLENDALE HODGENVILLE RD - GLENDALE	
3. CIRCUIT NAME AND NUMBER:	GLENDALE - 4	
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	GLENDALE, KY - ROUNDTOP RD, LINCOLN PKWY	
5. TOTAL CIRCUIT LENGTH (MILES):	39.89	
6. CUSTOMER COUNT FOR THIS CIRCUIT:	285	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	10/20	
• •	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES):	
CONTRACTOR	0.00% PUBLIC ACCIDENTS, OTHER 0.00%	
EQUIPMENT / MATERIAL FAILURE	11.87% SMALL ANIMALS OR BIRDS 0.00%	
LIGHTNING	2.66% TREES 83.78%	
NO CAUSE CODE		
PLANNED OUTAGE POWER SUPPLIER	1.62% WEATHER 0.00% 0.00%	
POWER SOFFLIER	0.00%	
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	38.63	
10. REPORTING YEAR (SAIDI):	109.94	
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.71	
12. REPORTING YEAR (SAIFI):	0.60	
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Review ROW conditions and vegetation management cycle.	
TREE CAUSE CODE BREAKDOWN	DEAD TREE (IN-ROW) 90.9% DEAD TREE (OUT-OF-ROW) 9.1%	

EQUIPMENT CAUSE CODE BREAKDOWN CONNECTOR/CLAMP/SPLICE/DEADEND 95.8% PROTECTIVE DEVICE 4.2%

CIRCUIT # 4		HODGENVILLE-DONNIE PROF	PES - 2
SUBSTATION NAME AND NUMBER: SUBSTATION LOCATION		HODGENVILLE-DONNIE PROF	PES (4)
(COUNTY-ROAD-TOWN):	LARUE -	HWY 31E (NEAR WADDELL RD)- HODGENVILLE
3. CIRCUIT NAME AND NUMBER:		HODGENVILLE-DONNIE PROF	PES - 2
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	WHITE	CITY, KY - CAMPBELLSVILLE RD	, MT TABOR RD
5. TOTAL CIRCUIT LENGTH (MILES):		76.47	
6. CUSTOMER COUNT FOR THIS CIRCUIT:		766	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):		01/21	
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	0.00% 1.49% 1.77% 55.11% 33.17% 0.00%	NUTES (% OF TOTAL OUTAGE N PUBLIC ACCIDENTS, OTHER _ SMALL ANIMALS OR BIRDS _ TREES _ WIND, HIGH WIND _ WEATHER _	0.00% 0.05% 8.42% 0.00%
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):		56.08	
10. REPORTING YEAR (SAIDI):		91.42	
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.46		
12. REPORTING YEAR (SAIFI):		2.36	
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Feede	r inspection will identify areas	for correction.

TREE CAUSE CODE BREAKDOWN GREEN TREE FAILURE (OUT-OF-ROW) 10.1% NO EQUIP CODE 89.9%

EQUIPMENT CAUSE CODE BREAKDOWN

POLE/CROSSARM 6.7% CONDUCTOR 36.4%

CONNECTOR/CLAMP/SPLICE/DEADEND 5.5% PORCELAIN CUTOUT 43.7%

TRANSFORMER 6.5% PROTECTIVE DEVICE 1.2%

CIRCUIT # 5	HODGENVILLE-DONNIE PROPES - 3
1. SUBSTATION NAME AND NUMBER: 2. SUBSTATION LOCATION	HODGENVILLE-DONNIE PROPES (4) LARUE - HWY 31E (NEAR WADDELL RD)- HODGENVILLE
(COUNTY-ROAD-TOWN): 3. CIRCUIT NAME AND NUMBER:	HODGENVILLE-DONNIE PROPES - 3
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	TANNER, KY - LANDMARK DR, S LINCOLN BLVD, TANNER RD
5. TOTAL CIRCUIT LENGTH (MILES):	37.86
6. CUSTOMER COUNT FOR THIS CIRCUIT:	448
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	01/21
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	3.20% SMALL ANIMALS OR BIRDS 0.00% 0.00% TREES 0.00% 20.30% WIND, HIGH WIND 0.00% 2.73% WEATHER 0.00%
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	32.78
10. REPORTING YEAR (SAIDI):	25.92
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.20
12. REPORTING YEAR (SAIFI):	0.40
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Feeder inspection will identify areas for correction.

TREE CAUSE CODE BREAKDOWN

EQUIPMENT CAUSE CODE BREAKDOWN ARRESTER 3.4% PORCELAIN CUTOUT 31.0% PROTECTIVE DEVICE 65.6%

CIRCUIT # 6	HODGENVILLE-DONNIE PROPES - 5	
1. SUBSTATION NAME AND NUMBER: 2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HODGENVILLE-DONNIE PROPES (4) LARUE - HWY 31E (NEAR WADDELL RD)- HODGENVILLE	
3. CIRCUIT NAME AND NUMBER:	HODGENVILLE-DONNIE PROPES - 5	
4. CIRCUIT LOCATION	HODGENVILLE, KY - SHEPHERDSVILLE RD, CARTER BROTHERS	
(TOWN-ROAD-GENERAL AREA):	RD	
5. TOTAL CIRCUIT LENGTH (MILES):	20.77	
6. CUSTOMER COUNT FOR THIS CIRCUIT:	116	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	01/21	
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	72.91% SMALL ANIMALS OR BIRDS 12.80% 6.13% TREES 0.00% 0.00% WIND, HIGH WIND 0.00% 8.15% WEATHER 0.00%	
9. CIRCUIT 5 YEAR AVERAGE (SAIDI): 10. REPORTING YEAR (SAIDI): 11. CIRCUIT 5 YEAR AVERAGE (SAIFI): 12. REPORTING YEAR (SAIFI):	79.74 78.68 0.72 1.35	
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Feeder inspection to identify equipment for maintenance.	

TREE CAUSE CODE BREAKDOWN

EQUIPMENT CAUSE CODE BREAKDOWN

POLE/CROSSARM 87.5% TRANSFORMER 7.5% PROTECTIVE DEVICE 5.0%

CIRCUIT # 7	MAGNOLIA - 1		
1. SUBSTATION NAME AND NUMBER:	MAGNOLIA (5)		
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	LARUE - NEW JACKSON HWY - MAGNOLIA		
3. CIRCUIT NAME AND NUMBER:	MAGNOLIA - 1		
4. CIRCUIT LOCATION	MAGNOLIA, KY- JE JONES RD, MT SHERMAN, BAILEY		
(TOWN-ROAD-GENERAL AREA):	CROSSROADS, MT TABOR RD, HWY 210, HWY 61		
5. TOTAL CIRCUIT LENGTH (MILES):	92.87		
6. CUSTOMER COUNT FOR THIS CIRCUIT:	808		
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	02/21		
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	72.91% SMALL ANIMALS OR BIRDS 0.00% 3.25% TREES 0.00% 0.00% WIND, HIGH WIND 0.00% 0.64% WEATHER 0.00%		
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	99.52		
10. REPORTING YEAR (SAIDI):	89.67		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	1.26		
12. REPORTING YEAR (SAIFI):	1.58		
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Feeder inspection to identify equipment for maintenance.		

TREE CAUSE CODE BREAKDOWN

EQUIPMENT CAUSE CODE BREAKDOWN

CONDUCTOR 96.0% PORCELAIN CUTOUT 3.0% PROTECTIVE DEVICE 1.0%

CIRCUIT # 8		STEPHENSBURG - 1	_
1. SUBSTATION NAME AND NUMBER: 2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	STEPHENSBURG (6) HARDIN-LEITCHFIELD RD-STEPHENSBURG		
3. CIRCUIT NAME AND NUMBER:		STEPHENSBURG - 1	_
4. CIRCUIT LOCATION	GLENDALE,	KY - STAR MILLS EASTVIEW RD	, BACON CREEK RD,
(TOWN-ROAD-GENERAL AREA):	•	22, CECILIA SMITH MILL RD, PA	•
5. TOTAL CIRCUIT LENGTH (MILES):		42.11	
6. CUSTOMER COUNT FOR THIS CIRCUIT:		491	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):		04/19	
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	OUTAGE MII 0.00% 1.95% 32.23% 3.19% 61.45% 0.00%	NUTES (% OF TOTAL OUTAGE N PUBLIC ACCIDENTS, OTHER SMALL ANIMALS OR BIRDS TREES WIND, HIGH WIND WEATHER	0.00% 0.00% 0.18% 1.01% 0.00%
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):		54.86	
10. REPORTING YEAR (SAIDI):	107.57		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.87		
12. REPORTING YEAR (SAIFI):		1.27	
13. LIST OF CORRECTIVE ACTION, IF ANY,	Identify ne	w surge arrestor placement op	•
TAKEN OR TO BE TAKEN		overvoltage protection	

TREE CAUSE CODE BREAKDOWN

NO EQUIP CODE 100.0%

EQUIPMENT CAUSE CODE BREAKDOWN

CONNECTOR/CLAMP/SPLICE/DEADEND 52.2% PORCELAIN CUTOUT 1.0% TRANSFORMER 26.0% PROTECTIVE DEVICE 20.7%

CIRCUIT # 9	STEPHENSBURG - 2	
1. SUBSTATION NAME AND NUMBER: 2. SUBSTATION LOCATION	STEPHENSBURG (6)	
(COUNTY-ROAD-TOWN):	HARDIN-LEITCHFIELD RD-STEPHENSBURG	
3. CIRCUIT NAME AND NUMBER:	STEPHENSBURG - 2	
4. CIRCUIT LOCATION	WHITE HILLS, KY - W WHITE MILLS GLENDALE RD, S LONG	
(TOWN-ROAD-GENERAL AREA):	GROVE RD, MELROSE RD, SONORA HARDIN SPRINGS RD	
5. TOTAL CIRCUIT LENGTH (MILES):	46.41	
6. CUSTOMER COUNT FOR THIS CIRCUIT: 7. DATE OF LAST CIRCUIT TRIM (MM/YY):	<u>254</u> 04/19	
7. DATE OF LAST CIRCUIT TRIM (MINI/TT).	04/19	
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	75.85% SMALL ANIMALS OR BIRDS 3.49% 1.63% TREES 0.00% 0.00% WIND, HIGH WIND 0.00% 19.02% WEATHER 0.00%	
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	31.19	
10. REPORTING YEAR (SAIDI):	34.13	
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.55	
12. REPORTING YEAR (SAIFI):	0.22	
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Feeder inspection to identify equipment for maintenance.	

TREE CAUSE CODE BREAKDOWN

EQUIPMENT CAUSE CODE BREAKDOWN

CONDUCTOR 88.2% CONNECTOR/CLAMP/SPLICE/DEADEND 9.8% PROTECTIVE DEVICE 2.0%

CIRCUIT # 10	STEPHENSBURG - 4	
1. SUBSTATION NAME AND NUMBER:	STEPHENSBURG (6)	
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN-LEITCHFIELD RD-STEPHENSBURG	
3. CIRCUIT NAME AND NUMBER:	STEPHENSBURG - 4	
4. CIRCUIT LOCATION	EASTVIEW, KY -EASTVIEW RD, MEETING CREEK RD, SONORA	
(TOWN-ROAD-GENERAL AREA):	HARDIN SPRINGS RD	
5. TOTAL CIRCUIT LENGTH (MILES):	75.80	
6. CUSTOMER COUNT FOR THIS CIRCUIT:	577	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	02/19	
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	27.18% SMALL ANIMALS OR BIRDS 0.17% 0.00% TREES 61.60% 0.41% WIND, HIGH WIND 0.00% 2.22% WEATHER 0.00%	
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	43.71	
10. REPORTING YEAR (SAIDI):	63.49	
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.63	
12. REPORTING YEAR (SAIFI):	0.39	
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Review ROW conditions and vegetation management cycle.	
TREE CAUSE CODE BREAKDOWN	GREEN TREE FAILURE (OUT-OF-ROW) 86.7% DEAD TREE (OUT-OF-ROW) 8.8% NO EQUIP CODE 4.4%	
EQUIPMENT CAUSE CODE BREAKDOWN	CONDUCTOR 94.9% PORCELAIN CUTOUT 1.9% PROTECTIVE DEVICE 3.3%	

CIRCUIT # 11	VERTREES - 1		
1. SUBSTATION NAME AND NUMBER:	VERTREES (8)		
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - SALT RIVER RD VERTREES		
3. CIRCUIT NAME AND NUMBER:	VERTREES - 1		
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	VERTREES, KY - HARDINSBURG RD, CONSTANTINE RD		
5. TOTAL CIRCUIT LENGTH (MILES):	42.23		
6. CUSTOMER COUNT FOR THIS CIRCUIT:	304		
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	03/16		
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES): 0.00% PUBLIC ACCIDENTS, OTHER 7.42% 5.85% SMALL ANIMALS OR BIRDS 0.09% 0.00% TREES 83.88% 0.30% WIND, HIGH WIND 0.00% 2.46% WEATHER 0.00%		
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	24.03		
10. REPORTING YEAR (SAIDI):	155.39		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.27		
12. REPORTING YEAR (SAIFI):	0.92		
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Review ROW conditions and vegetation management cycle.		
TREE CAUSE CODE BREAKDOWN	GREEN TREE FAILURE (OUT-OF-ROW) 100.0%		

EQUIPMENT CAUSE CODE BREAKDOWN CONNECTOR/CLAMP/SPLICE/DEADEND 2.0% PROTECTIVE DEVICE 98.0%

CIRCUIT # 12		VERTREES - 4	
1. SUBSTATION NAME AND NUMBER: 2. SUBSTATION LOCATION		VERTREES (8)	
(COUNTY-ROAD-TOWN):		HARDIN - SALT RIVER RD VE	RTREES
3. CIRCUIT NAME AND NUMBER:		VERTREES - 4	
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	VERTI	REES, KY - HARDINSBURG RD, LC	ONG GROVE RD
5. TOTAL CIRCUIT LENGTH (MILES):		43.61	
6. CUSTOMER COUNT FOR THIS CIRCUIT:		502	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):		04/16	
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	OUTAGE M 0.00% 43.21% 0.00% 0.00% 56.34% 0.00%	INUTES (% OF TOTAL OUTAGE N PUBLIC ACCIDENTS, OTHER _ SMALL ANIMALS OR BIRDS _ TREES _ WIND, HIGH WIND _ WEATHER _	0.00% 0.00% 0.45% 0.00%
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):		26.32	
10. REPORTING YEAR (SAIDI): 11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.26		
•		0.30	
12. REPORTING YEAR (SAIFI): 13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Feeder i	nspection to identify equipment	t for maintenance.

EQUIPMENT CAUSE CODE BREAKDOWN

TREE CAUSE CODE BREAKDOWN

CONDUCTOR 61.0% PROTECTIVE DEVICE 39.0%

NO EQUIP CODE 100.0%

CIRCUIT # 13		VINE GROVE - 3	
1. SUBSTATION NAME AND NUMBER: 2. SUBSTATION LOCATION	VINE GROVE (9) HARDIN - ROGERSVILLE RD RADCLIFF		
(COUNTY-ROAD-TOWN):		VINE CROVE 2	
3. CIRCUIT NAME AND NUMBER:	VINE GROVE - 3		
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):		ROVE, KY - ROGERSVILLE RD,S LOGSDON PKWY, PEARMAN AVE, S & N WOODLAND DR	
5. TOTAL CIRCUIT LENGTH (MILES):		12.93	
6. CUSTOMER COUNT FOR THIS CIRCUIT:			
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	727 08/17		
7. DATE OF LAST CINCOTT TRINK (IVIIVI) 111.		00/17	
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	0.00% 41.37% 0.00% 0.00% 0.57% 0.00%	NUTES (% OF TOTAL OUTAGE MINUTES): PUBLIC ACCIDENTS, OTHER 0.00% SMALL ANIMALS OR BIRDS 0.13% TREES 57.94% WIND, HIGH WIND 0.00% WEATHER 0.00%	
9. CIRCUIT 5 YEAR AVERAGE (SAIDI): 10. REPORTING YEAR (SAIDI):		8.12 178.81	
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.13		
12. REPORTING YEAR (SAIFI):	2.03		
13. LIST OF CORRECTIVE ACTION, IF ANY,	Feeder inspection to identify equipment for maintenance.		
TAKEN OR TO BE TAKEN	Review ROW conditions and vegetation management cycle.		
•			

TREE CAUSE CODE BREAKDOWN

DEAD TREE (OUT-OF-ROW) 100.0%

EQUIPMENT CAUSE CODE BREAKDOWN

CONDUCTOR 99.4% CONNECTOR/CLAMP/SPLICE/DEADEND 0.2% TRANSFORMER 0.4%

	VINE GROVE - 6	
	VINE GROVE (9)	
	HARDIN - ROGERSVILLE RD I	RADCLIFF
	VINE GROVE - 6	
VINE GRO	OVE, KY - JOE PRATHER HWY, W	/INTERGREEN DR, S
	DIXIE BLVD	_
	7.20	_
	07/17	
0.00% 1.46% 0.00% 0.00% 4.10%	INUTES (% OF TOTAL OUTAGE PUBLIC ACCIDENTS, OTHER SMALL ANIMALS OR BIRDS TREES WIND, HIGH WIND WEATHER	0.00%
	13.99	
	0.37	
Review R	OW conditions and vegetation	management cycle.
	OUTAGE M 0.00% 1.46% 0.00% 4.10% 0.00%	HARDIN - ROGERSVILLE RD I VINE GROVE - 6 VINE GROVE, KY - JOE PRATHER HWY, W DIXIE BLVD 7.20 326 07/17 OUTAGE MINUTES (% OF TOTAL OUTAGE 0.00% PUBLIC ACCIDENTS, OTHER 1.46% SMALL ANIMALS OR BIRDS 0.00% TREES 0.00% WIND, HIGH WIND 4.10% WEATHER 0.00%

EQUIPMENT CAUSE CODE BREAKDOWN

TREE CAUSE CODE BREAKDOWN

PROTECTIVE DEVICE 100.0%

GROW IN 100.0%

CIRCUIT # 15		VINE GROVE - 7
SUBSTATION NAME AND NUMBER: SUBSTATION LOCATION	VINE GROVE (9)	
(COUNTY-ROAD-TOWN):	П	ARDIN - ROGERSVILLE RD VINE GROVE
3. CIRCUIT NAME AND NUMBER:		VINE GROVE - 7
4. CIRCUIT LOCATION	VINE GRO	VE, KY - DECKARD SCHOOL RD TO COUNTRY LN,
(TOWN-ROAD-GENERAL AREA):	BUR	NS RD, DUGGIN SWITCH RD, VILLA RAY DR
5. TOTAL CIRCUIT LENGTH (MILES):		17.24
6. CUSTOMER COUNT FOR THIS CIRCUIT:	304	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):		07/17
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	0.00% 0.00% 11.27% 15.26% 0.18% 0.00%	NUTES (% OF TOTAL OUTAGE MINUTES): PUBLIC ACCIDENTS, OTHER 0.00% SMALL ANIMALS OR BIRDS 0.00% TREES 73.29% WIND, HIGH WIND 0.00% WEATHER 0.00%
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):		11.04
10. REPORTING YEAR (SAIDI):		70.78
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.16	
12. REPORTING YEAR (SAIFI):	0.81	
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Review RC	OW conditions and vegetation management cycle.

DEAD TREE (IN-ROW) 11.5% GROW IN 2.3% GREEN TREE FAILURE (OUT-OF-

ROW) 86.2%

EQUIPMENT CAUSE CODE BREAKDOWN

TREE CAUSE CODE BREAKDOWN

CIRCUIT # 16	RADCLIFF - 3	
1. SUBSTATION NAME AND NUMBER:	RADCLIFF (10) HARDIN - HILL ST (NEAR W. LINCOLN TRAIL BLVD) - RADCLIFF	
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):		
3. CIRCUIT NAME AND NUMBER:	RADCLIFF - 3	
4. CIRCUIT LOCATION	RADCLIFF, KY - RED HILL RD NORTH OF GERONIMO CIR, HILL ST	
(TOWN-ROAD-GENERAL AREA):	NORTH OF SUBSTATION, EAST SIDE OF SAFARI TRL,	
5. TOTAL CIRCUIT LENGTH (MILES):	19.79	
6. CUSTOMER COUNT FOR THIS CIRCUIT:	1177	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	01/18	
8. LIST OF OUTAGE(S): CONTRACTOR	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES): 0.00% PUBLIC ACCIDENTS, OTHER 0.32%	
EQUIPMENT / MATERIAL FAILURE		
LIGHTNING		
NO CAUSE CODE		
PLANNED OUTAGE	13.21% WEATHER 0.00%	
POWER SUPPLIER	77.32%	
9. CIRCUIT 5 YEAR AVERAGE (SAIDI): 10. REPORTING YEAR (SAIDI):	61.73 67.84	
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	1.13	
12. REPORTING YEAR (SAIFI):	1.37	
13. LIST OF CORRECTIVE ACTION, IF ANY,	Nolin RECC to work with EKPC to review remedies for	
TAKEN OR TO BE TAKEN	transmission/substation reliability issues.	
TREE CAUSE CODE BREAKDOWN	VEGETATION (I.E. VINES) 3.2% GROW IN 68.0% NO EQUIP CODE 28.8%	
EQUIPMENT CAUSE CODE BREAKDOWN	PORCELAIN CUTOUT 49.9% TRANSFORMER 18.2% PROTECTIVE DEVICE 31.9%	

CIRCUIT # 17	RADCLIFF - 5	
1. SUBSTATION NAME AND NUMBER:	RADCLIFF (10)	
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - HILL ST (NEAR W. LINCOLN TRAIL BLVD) - RADCLIFF	
3. CIRCUIT NAME AND NUMBER:	RADCLIFF - 5	
4. CIRCUIT LOCATION	RADCLIFF, KY - W LINCOLN TRAIL BLVD, N LORRAINE ST, S	
(TOWN-ROAD-GENERAL AREA):	LORRAINE ST	
5. TOTAL CIRCUIT LENGTH (MILES):	3.68	
6. CUSTOMER COUNT FOR THIS CIRCUIT:	488	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	03/18	
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	0.00% SMALL ANIMALS OR BIRDS 0.00% 0.00% TREES 53.86% 26.83% WIND, HIGH WIND 0.00% 18.71% WEATHER 0.00%	
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	19.42	
10. REPORTING YEAR (SAIDI):	31.89	
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.32	
12. REPORTING YEAR (SAIFI):	0.38	
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Review ROW conditions and vegetation management cycle.	

TREE CAUSE CODE BREAKDOWN

GROW IN 100.0%

EQUIPMENT CAUSE CODE BREAKDOWN

CIRCUIT # 18	TUNNEL HILL 1 - 1	
1. SUBSTATION NAME AND NUMBER: 2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN): 3. CIRCUIT NAME AND NUMBER: 4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	TUNNEL HILL 1 (11)	
	HARDIN - TUNNEL HILL RD E-TOWN	
	TUNNEL HILL 1 - 1	
	ELIZABETHTOWN, KY - DOLPHIN RD, COMMERCE DR	
5. TOTAL CIRCUIT LENGTH (MILES):	7.98	
6. CUSTOMER COUNT FOR THIS CIRCUIT:	452	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	09/18	
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	16.76% SMALL ANIMALS OR BIRDS 0.50% 0.00% TREES 0.00% 0.00% WIND, HIGH WIND 0.00% 82.74% WEATHER 0.00%	
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	9.90	
10. REPORTING YEAR (SAIDI):	16.53	
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.12	
12. REPORTING YEAR (SAIFI): 13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	0.18	

TREE CAUSE CODE BREAKDOWN

EQUIPMENT CAUSE CODE BREAKDOWN

PROTECTIVE DEVICE 100.0%

CIRCUIT # 19	THARP 1 - 4		
SUBSTATION NAME AND NUMBER: SUBSTATION LOCATION	THARP 1 (12)		
(COUNTY-ROAD-TOWN):	HARDIN - ST. JOHN RD ETOWN		
3. CIRCUIT NAME AND NUMBER:	THARP 1 - 4		
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	ELIZABETHTOWN, KY - SAINT JOHN RD, THOMAS RD		
5. TOTAL CIRCUIT LENGTH (MILES):	67.32		
6. CUSTOMER COUNT FOR THIS CIRCUIT:	997		
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	12/15		
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	85.66% SMALL ANIMALS OR BIRDS 1.34%		
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	48.04		
10. REPORTING YEAR (SAIDI):	84.66		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.85		
12. REPORTING YEAR (SAIFI):	2.25		
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Feeder inspection to identify equipment for maintenance.		

TREE CAUSE CODE BREAKDOWN

DEAD TREE (IN-ROW) 57.4% GROW IN 42.6%

EQUIPMENT CAUSE CODE BREAKDOWN

INSULATOR 60.0% PORCELAIN CUTOUT 1.2% PROTECTIVE DEVICE 0.9% OVERLOAD 37.9%

CIRCUIT # 20	THARP 1 - 5	
1. SUBSTATION NAME AND NUMBER:	THARP 1 (12)	
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - ST. JOHN RD ETOWN	
3. CIRCUIT NAME AND NUMBER:	THARP 1 - 5	
4. CIRCUIT LOCATION	ELIZABETHTOWN, KY - SAINT JOHN RD, RING RD, WEST PARK	
(TOWN-ROAD-GENERAL AREA):	RD	
5. TOTAL CIRCUIT LENGTH (MILES):	1.60	
6. CUSTOMER COUNT FOR THIS CIRCUIT:	7	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	12/15	
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES): 0.00% PUBLIC ACCIDENTS, OTHER 91.34% 0.00% SMALL ANIMALS OR BIRDS 0.00% 0.00% TREES 0.00% 0.00% WIND, HIGH WIND 0.00% 8.66% WEATHER 0.00% 0.00%	
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	47.12	
10. REPORTING YEAR (SAIDI):	713.31	
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.59	
12. REPORTING YEAR (SAIFI):	2.29	
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Feeder inspection will identify areas for correction.	

TREE CAUSE CODE BREAKDOWN

EQUIPMENT CAUSE CODE BREAKDOWN

CIRCUIT # 21	SMITHERSVILLE 1 - 4	
1. SUBSTATION NAME AND NUMBER:	SMITHERSVILLE 1 (13)	
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN -S. WILSON & W.A. JENKINS RD E-TOWN	
3. CIRCUIT NAME AND NUMBER:	SMITHERSVILLE 1 - 4	
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	RINEYVILLE, KY - WILSON RD, BOONE RD, HUTCHERON RD	
5. TOTAL CIRCUIT LENGTH (MILES):	12.80	
6. CUSTOMER COUNT FOR THIS CIRCUIT:	876	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	05/20	
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	0.00% SMALL ANIMALS OR BIRDS 0.00% 0.00% TREES 0.00% 8.26% WIND, HIGH WIND 0.00% 37.89% WEATHER 0.00%	
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	18.13	
10. REPORTING YEAR (SAIDI):	4.44	
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.24	
12. REPORTING YEAR (SAIFI):	0.28	
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	One contractor outage was caused by telecommunications contractor	

TREE CAUSE CODE BREAKDOWN

EQUIPMENT CAUSE CODE BREAKDOWN

CIRCUIT # 22	SOUTH BOUNDARY - 2		
1. SUBSTATION NAME AND NUMBER:	SOUTH BOUNDARY (14)		
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - HWY 313 - RADCLIFF		
3. CIRCUIT NAME AND NUMBER:	SOUTH BOUNDARY - 2		
4. CIRCUIT LOCATION	RADCLIFF, KY - SOUTH BOUNDARY RD (N OF SUB) , WAGON		
(TOWN-ROAD-GENERAL AREA):	WHEEL TR , LIBERTY ST		
5. TOTAL CIRCUIT LENGTH (MILES):	4.68		
6. CUSTOMER COUNT FOR THIS CIRCUIT:	508		
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	03/18		
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	55.66% SMALL ANIMALS OR BIRDS 0.00% 0.00% TREES 2.49% 0.00% WIND, HIGH WIND 0.00% 41.85% WEATHER 0.00%		
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	14.68		
10. REPORTING YEAR (SAIDI):	8.16		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.15		
12. REPORTING YEAR (SAIFI):	0.20		
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Feeder inspection to identify equipment for maintenance.		

TREE CAUSE CODE BREAKDOWN

GROW IN 21.5% NO EQUIP CODE 78.5%

EQUIPMENT CAUSE CODE BREAKDOWN

PROTECTIVE DEVICE 76.6% OVERLOAD 23.4%

CIRCUIT # 23	SOUTH BOUNDARY - 3	
1. SUBSTATION NAME AND NUMBER:	SOUTH BOUNDARY (14)	
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - HWY 313 - RADCLIFF	
3. CIRCUIT NAME AND NUMBER:	SOUTH BOUNDARY - 3	
4. CIRCUIT LOCATION	RADCLIFF, KY - SOUTH BOUNDARY RD (N OF SUB), AUSTIN DR,	
(TOWN-ROAD-GENERAL AREA):	SHELBY AVE	
5. TOTAL CIRCUIT LENGTH (MILES):	16.21	
6. CUSTOMER COUNT FOR THIS CIRCUIT:	703	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	03/18	
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	85.24% SMALL ANIMALS OR BIRDS 0.00% 0.00% TREES 13.99% 0.13% WIND, HIGH WIND 0.00% 0.38% WEATHER 0.00%	
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	30.29	
10. REPORTING YEAR (SAIDI):	112.41	
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.67	
12. REPORTING YEAR (SAIFI):	2.16	
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Feeder inspection to identify equipment for maintenance.	
TREE CAUSE CODE BREAKDOWN	DEAD TREE (IN-ROW) 1.9% VEGETATION (I.E. VINES) 0.5% GROW IN 96.7% NO EQUIP CODE 0.9%	
EQUIPMENT CAUSE CODE BREAKDOWN	ARRESTER 0.1% CONNECTOR/CLAMP/SPLICE/DEADEND 0.7% INSULATOR 99.2%	

CIRCUIT # 24	SOUTH BOUNDARY - 5		
1. SUBSTATION NAME AND NUMBER:	SOUTH BOUNDARY (14)		
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - HWY 313 - RADCLIFF		
3. CIRCUIT NAME AND NUMBER:	SOUTH BOUNDARY - 5		
4. CIRCUIT LOCATION	ELIZABETHTOWN, KY - BATTLE TRAINING RD, BEWLEY HOLLOW		
(TOWN-ROAD-GENERAL AREA):	RD		
5. TOTAL CIRCUIT LENGTH (MILES):	20.44		
6. CUSTOMER COUNT FOR THIS CIRCUIT:	360		
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	03/18		
8. LIST OF OUTAGE(S):	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES):		
CONTRACTOR			
EQUIPMENT / MATERIAL FAILURE			
LIGHTNING NO CAUSE CODE			
PLANNED OUTAGE			
POWER SUPPLIER			
1 OWER SOLT EIER	0.0070		
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	46.09		
10. REPORTING YEAR (SAIDI):	271.99		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.71		
12. REPORTING YEAR (SAIFI):	3.21		
13. LIST OF CORRECTIVE ACTION, IF ANY,	Feeder inspection will identify areas for correction. Review		
TAKEN OR TO BE TAKEN	ROW conditions and vegetation management cycle.		
TREE CAUSE CODE BREAKDOWN	GROW IN 0.3% GREEN TREE FAILURE (OUT-OF-ROW) 67.5% NO EQUIP CODE 32.2%		

PROTECTIVE DEVICE 100.0%

EQUIPMENT CAUSE CODE BREAKDOWN

CIRCUIT # 25	KARGLE 2 - 5		
1. SUBSTATION NAME AND NUMBER:	KARGLE 2 (15)		
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - AUTO GLASS DR - ELIZABETHTOWN		
3. CIRCUIT NAME AND NUMBER:	KARGLE 2 - 5		
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	ELIZABETHTOWN, KY - AUTO GLASS DR		
5. TOTAL CIRCUIT LENGTH (MILES):	0.01		
6. CUSTOMER COUNT FOR THIS CIRCUIT:	1		
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	N/A		
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	100.00% SMALL ANIMALS OR BIRDS 0.00% 0.00% TREES 0.00% 0.00% WIND, HIGH WIND 0.00% 0.00% WEATHER 0.00%		
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	0.00		
10. REPORTING YEAR (SAIDI):	44.40		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.00		
12. REPORTING YEAR (SAIFI): 13. LIST OF CORRECTIVE ACTION, IF ANY,	1.00 One Equipment/material outage was caused by a failed		
TAKEN OR TO BE TAKEN	metering PT		

TREE CAUSE CODE BREAKDOWN

EQUIPMENT CAUSE CODE BREAKDOWN

NO EQUIP CODE 100.0%

CIRCUIT # 26	KARGLE 2 - 6
1. SUBSTATION NAME AND NUMBER:	KARGLE 2 (15)
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - AUTO GLASS DR - ELIZABETHTOWN
3. CIRCUIT NAME AND NUMBER:	KARGLE 2 - 6
 CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA): 	ELIZABETHTOWN, KY - AUTO GLASS DR
5. TOTAL CIRCUIT LENGTH (MILES):	0.80
6. CUSTOMER COUNT FOR THIS CIRCUIT:	3
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	N/A
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	0.00% SMALL ANIMALS OR BIRDS 0.00% TREES 0.00% UND, HIGH WIND 0.00% WEATHER 0.00%
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	0.00
10. REPORTING YEAR (SAIDI):	32.60
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.00
12. REPORTING YEAR (SAIFI): 13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	0.33

TREE CAUSE CODE BREAKDOWN

EQUIPMENT CAUSE CODE BREAKDOWN

CIRCUIT # 27	WILLIAMS - 3		
1. SUBSTATION NAME AND NUMBER:	WILLIAMS (16)		
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - BARDSTOWN RD E-TOWN		
3. CIRCUIT NAME AND NUMBER:	WILLIAMS - 3		
4. CIRCUIT LOCATION	ELIZABETHTOWN, KY - SPRINGFIELD RD, LOCUST GROVE RD,		
(TOWN-ROAD-GENERAL AREA):	MIDDLE CREEK RD, FORD HWY, VALLEY CREEK RD, MILLER RD,		
5. TOTAL CIRCUIT LENGTH (MILES):	47.27		
6. CUSTOMER COUNT FOR THIS CIRCUIT:	767		
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	03/22		
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	50.81% SMALL ANIMALS OR BIRDS 4.42% 14.39% TREES 20.61% 0.57% WIND, HIGH WIND 0.00% 6.68% WEATHER 0.00%		
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	48.21		
10. REPORTING YEAR (SAIDI):	28.41		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.82		
12. REPORTING YEAR (SAIFI):	1.17		
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Feeder inspection to identify equipment for maintenance.		
TREE CAUSE CODE BREAKDOWN	DEAD TREE (IN-ROW) 88.4% VEGETATION (I.E. VINES) 2.6% GROW IN 3.6% NO EQUIP CODE 5.4%		
EQUIPMENT CAUSE CODE BREAKDOWN	ARRESTER 0.8% CONDUCTOR 80.1% CONNECTOR/CLAMP/SPLICE/DEADEND 1.8% PORCELAIN CUTOUT 0.1% PROTECTIVE DEVICE 17.2%		

CIRCUIT # 28	WILLIAMS - 4
1. SUBSTATION NAME AND NUMBER:	WILLIAMS (16)
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - BARDSTOWN RD E-TOWN
3. CIRCUIT NAME AND NUMBER:	WILLIAMS - 4
4. CIRCUIT LOCATION	ELIZABETHTOWN, KY - BARDSTOWN RD, N MULBERRY ST EAST
(TOWN-ROAD-GENERAL AREA):	OF I-65, BETH CT,
5. TOTAL CIRCUIT LENGTH (MILES):	13.60
6. CUSTOMER COUNT FOR THIS CIRCUIT:	459
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	03/17
8. LIST OF OUTAGE(S):	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES):
CONTRACTOR	
EQUIPMENT / MATERIAL FAILURE	
LIGHTNING	
NO CAUSE CODE	
PLANNED OUTAGE	
POWER SUPPLIER	R 0.00%
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	35.25
10. REPORTING YEAR (SAIDI):	55.41
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.46
12. REPORTING YEAR (SAIFI):	0.46
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Review ROW conditions and vegetation management cycle.
TREE CAUSE CODE BREAKDOWN	DEAD TREE (IN-ROW) 65.5% VEGETATION (I.E. VINES) 0.3% GROW IN 14.2% OVERHANG 11.6% NO EQUIP CODE 8.4%

EQUIPMENT CAUSE CODE BREAKDOWN ARRESTER 1.5% CONDUCTOR 9.1% PROTECTIVE DEVICE 89.4%

CIRCUIT # 29	LOGSDON - 3		
1. SUBSTATION NAME AND NUMBER:	LOGSDON (18)		
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - HILL ST (NEAR ETHAN CT) - VINE GROVE		
3. CIRCUIT NAME AND NUMBER:	LOGSDON - 3		
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	RADCLIFF, KY -W CROCUS DR , ELM RD , N LOGSDON PKWY		
5. TOTAL CIRCUIT LENGTH (MILES):	15.05		
6. CUSTOMER COUNT FOR THIS CIRCUIT:	1010		
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	10/17		
8. LIST OF OUTAGE(S):	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES):		
CONTRACTOR			
EQUIPMENT / MATERIAL FAILURE			
LIGHTNING			
NO CAUSE CODE			
PLANNED OUTAGE POWER SUPPLIER			
POWER SUPPLIER	R 0.00%		
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	23.66		
10. REPORTING YEAR (SAIDI):	32.35		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.33		
12. REPORTING YEAR (SAIFI):	1.30		
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Feeder inspection to identify equipment for maintenance.		
TREE CAUSE CODE BREAKDOWN	VEGETATION (I.E. VINES) 13.5% GROW IN 46.5% NO EQUIP CODE 40.1%		
EQUIPMENT CAUSE CODE BREAKDOWN	NO EQUIP CODE 86.5% PORCELAIN CUTOUT 4.8% PROTECTIVE DEVICE 1.7% OVERLOAD 7.1%		

CIRCUIT # 30	LOGSDON - 5		
1. SUBSTATION NAME AND NUMBER:	LOGSDON (18)		
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - HILL ST (NEAR ETHAN CT) - VINE GROVE		
3. CIRCUIT NAME AND NUMBER:	LOGSDON - 5		
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	RADCLIFF, KY - W VINE ST, S LOGSDON PKWY		
5. TOTAL CIRCUIT LENGTH (MILES):	7.27		
6. CUSTOMER COUNT FOR THIS CIRCUIT:	526		
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	10/17		
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	16.18% SMALL ANIMALS OR BIRDS 6.38% 0.00% TREES 48.59% 21.90% WIND, HIGH WIND 0.00% 6.95% WEATHER 0.00%		
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	11.11		
10. REPORTING YEAR (SAIDI):	17.00		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.14		
12. REPORTING YEAR (SAIFI):	0.55		
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Review ROW conditions and vegetation management cycle.		

TREE CAUSE CODE BREAKDOWN

VEGETATION (I.E. VINES) 26.2% GROW IN 73.8%

EQUIPMENT CAUSE CODE BREAKDOWN

CONDUCTOR 12.6% CONNECTOR/CLAMP/SPLICE/DEADEND 0.5% TRANSFORMER 72.6% PROTECTIVE DEVICE 14.3%

CIRCUIT # 31	TUNNEL HILL 2 - 2		
1. SUBSTATION NAME AND NUMBER: 2. SUBSTATION LOCATION	TUNNEL HILL 2 (19) HARDIN - TUNNEL HILL RD E-TOWN		
(COUNTY-ROAD-TOWN): 3. CIRCUIT NAME AND NUMBER:	TUNNEL HILL 2 - 2		
4. CIRCUIT LOCATION	ETOWN, KY - TUNNEL HILL RD, N MILES ST TO COLONIAL DR		
(TOWN-ROAD-GENERAL AREA):	<u> </u>		
5. TOTAL CIRCUIT LENGTH (MILES): 6. CUSTOMER COUNT FOR THIS CIRCUIT:	9.16 497		
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	01/19		
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES): 0.00% PUBLIC ACCIDENTS, OTHER 27.85% 33.32% SMALL ANIMALS OR BIRDS 0.00% 0.00% TREES 38.38% 0.00% WIND, HIGH WIND 0.00% 0.45% WEATHER 0.00%		
POWER SUPPLIER			
9. CIRCUIT 5 YEAR AVERAGE (SAIDI): 10. REPORTING YEAR (SAIDI): 11. CIRCUIT 5 YEAR AVERAGE (SAIFI): 12. REPORTING YEAR (SAIFI): 13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	5.25 11.79 0.07 0.16 Feeder inspection to identify equipment for maintenance. Review ROW conditions and vegetation management cycle.		
TREE CAUSE CODE BREAKDOWN	GROW IN 15.6% GREEN TREE FAILURE (OUT-OF-ROW) 84.4%		

EQUIPMENT CAUSE CODE BREAKDOWN

CONDUCTOR 83.8% PROTECTIVE DEVICE 16.2%

CIRCUIT # 32	TUNNEL HILL 2 - 3		
1. SUBSTATION NAME AND NUMBER:	TUNNEL HILL 2 (19)		
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - TUNNEL HILL RD E-TOWN		
3. CIRCUIT NAME AND NUMBER:	TUNNEL HILL 2 - 3		
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	ETOWN, KY - TUNNEL HILL CHURCH RD, SAINT JOHN RD		
5. TOTAL CIRCUIT LENGTH (MILES):	62.83		
6. CUSTOMER COUNT FOR THIS CIRCUIT:	1076		
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	12/19		
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES): 0.00% PUBLIC ACCIDENTS, OTHER 31.15% 42.94% SMALL ANIMALS OR BIRDS 0.49% 0.39% TREES 21.80% 2.25% WIND, HIGH WIND 0.00% 0.99% WEATHER 0.00% 0.00%		
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	59.76		
10. REPORTING YEAR (SAIDI):	90.44		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	1.04		
12. REPORTING YEAR (SAIFI):	1.44		
13. LIST OF CORRECTIVE ACTION, IF ANY,	Feeder inspection to identify equipment for maintenance.		
TAKEN OR TO BE TAKEN	Feeder inspection will identify areas for correction.		

TREE CAUSE CODE BREAKDOWN

DEAD TREE (IN-ROW) 19.3% GROW IN 80.7%

NO EQUIP CODE 0.1% CONDUCTOR 86.7% EQUIPMENT CAUSE CODE BREAKDOWN CONNECTOR/CLAMP/SPLICE/DEADEND 0.1% PORCELAIN CUTOUT 7.5% PROTECTIVE DEVICE 5.6%

CIRCUIT # 33	RINEYVILLE - 3
1. SUBSTATION NAME AND NUMBER:	RINEYVILLE (21)
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - OWSLEY RD - RINEYVILLE
3. CIRCUIT NAME AND NUMBER:	RINEYVILLE - 3
4. CIRCUIT LOCATION	RINEYVILLE, KY - BERRYTOWN RD, RINEYVILLE BIG SPRINGS RD,
(TOWN-ROAD-GENERAL AREA):	RINEYVILLE SCHOOL RD
5. TOTAL CIRCUIT LENGTH (MILES):	20.36
6. CUSTOMER COUNT FOR THIS CIRCUIT:	466
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	05/17
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	8.21% SMALL ANIMALS OR BIRDS 0.00% 1.33% TREES 63.68% 0.00% WIND, HIGH WIND 0.00% 26.78% WEATHER 0.00%
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	5.34
10. REPORTING YEAR (SAIDI):	16.01
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.09
12. REPORTING YEAR (SAIFI):	0.14
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Review ROW conditions and vegetation management cycle.
TREE CAUSE CODE BREAKDOWN	GROW IN 1.5% GREEN TREE FAILURE (OUT-OF-ROW) 98.5%

CONDUCTOR 10.3% TRANSFORMER 30.9% PROTECTIVE DEVICE 58.9%

EQUIPMENT CAUSE CODE BREAKDOWN

CIRCUIT # 34	RINEYVILLE - 4		
1. SUBSTATION NAME AND NUMBER: 2. SUBSTATION LOCATION	RINEYVILLE (21)		
(COUNTY-ROAD-TOWN):		HARDIN - OWSLEY RD - RINEYVILLE	
3. CIRCUIT NAME AND NUMBER:	RINEYVILLE - 4		
4. CIRCUIT LOCATION	RINEYVILLE, KY - BERRYTOWN RD, BLUE BALL RD, SALT RIVER		
(TOWN-ROAD-GENERAL AREA):	RD		
5. TOTAL CIRCUIT LENGTH (MILES):		51.88	
6. CUSTOMER COUNT FOR THIS CIRCUIT:		428	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	04/17		
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	OUTAGE MI 0.00% 72.87% 2.16% 2.61% 1.46% 0.00%	NUTES (% OF TOTAL OUTAGE MINUTES): PUBLIC ACCIDENTS, OTHER 0.73% SMALL ANIMALS OR BIRDS 0.00% TREES 20.16% WIND, HIGH WIND 0.00% WEATHER 0.00%	
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):		45.12	
10. REPORTING YEAR (SAIDI):	65.89		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.42		
12. REPORTING YEAR (SAIFI): 13. LIST OF CORRECTIVE ACTION, IF ANY,	0.73		
TAKEN OR TO BE TAKEN	Feeder inspection to identify equipment for maintenance.		

TREE CAUSE CODE BREAKDOWN

GREEN TREE FAILURE (OUT-OF-ROW) 100.0%

EQUIPMENT CAUSE CODE BREAKDOWN

POLE/CROSSARM 43.9% CONDUCTOR 52.4% PORCELAIN CUTOUT 2.1% PROTECTIVE DEVICE 1.5%

CIRCUIT # 35	RINEYVILLE - 5		
1. SUBSTATION NAME AND NUMBER: 2. SUBSTATION LOCATION	RINEYVILLE (21) HARDIN - OWSLEY RD - RINEYVILLE		
(COUNTY-ROAD-TOWN):			
3. CIRCUIT NAME AND NUMBER:	RINEYVILLE - 5		
4. CIRCUIT LOCATION	RINEVILLE, KY - OWSLEY RD, RINEYVILLE RD, HARGAN RD,		
(TOWN-ROAD-GENERAL AREA):	Р	ICKERELL LN, BENNET RD, BLACKBURN RD	
5. TOTAL CIRCUIT LENGTH (MILES):	29.43		
6. CUSTOMER COUNT FOR THIS CIRCUIT:		521	
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	05/17		
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	0.00% 48.44% 0.00% 0.00% 0.57% 0.00%	PUBLIC ACCIDENTS, OTHER 45.99% SMALL ANIMALS OR BIRDS 0.94% TREES 4.02% WIND, HIGH WIND 0.00% WEATHER 0.03%	
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):		26.28	
10. REPORTING YEAR (SAIDI):	144.97		
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.52		
12. REPORTING YEAR (SAIFI):	2.28		
13. LIST OF CORRECTIVE ACTION, IF ANY,	Feeder inspection to identify equipment for maintenance.		
TAKEN OR TO BE TAKEN	Feeder inspection will identify areas for correction.		

TREE CAUSE CODE BREAKDOWN

GROW IN 97.6% NO EQUIP CODE 2.4%

EQUIPMENT CAUSE CODE BREAKDOWN

CONNECTOR/CLAMP/SPLICE/DEADEND 0.2% INSULATOR 84.8% PORCELAIN CUTOUT 5.3% TRANSFORMER 0.1% PROTECTIVE DEVICE 9.5%

CIRCUIT # 36	THARP 2 - 3
1. SUBSTATION NAME AND NUMBER:	THARP 2 (22)
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	HARDIN - ST. JOHN RD ETOWN
3. CIRCUIT NAME AND NUMBER:	THARP 2 - 3
4. CIRCUIT LOCATION	ELIZABETHTOWN, KY - SAINT JOHN RD, RING RD, WEST PARK
(TOWN-ROAD-GENERAL AREA):	RD
5. TOTAL CIRCUIT LENGTH (MILES):	1.01
6. CUSTOMER COUNT FOR THIS CIRCUIT:	1
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	05/15
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES): 0.00% PUBLIC ACCIDENTS, OTHER 100.00% 0.00% SMALL ANIMALS OR BIRDS 0.00% 0.00% TREES 0.00% 0.00% WIND, HIGH WIND 0.00% 0.00% WEATHER 0.00% 0.00%
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	14.40
10. REPORTING YEAR (SAIDI):	39.60
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.40
12. REPORTING YEAR (SAIFI):	2.00
13. LIST OF CORRECTIVE ACTION, IF ANY, TAKEN OR TO BE TAKEN	Feeder inspection will identify areas for correction.

TREE CAUSE CODE BREAKDOWN

EQUIPMENT CAUSE CODE BREAKDOWN

CIRCUIT # 37	ROANOKE - 1
SUBSTATION NAME AND NUMBER: SUBSTATION LOCATION	ROANOKE (23)
(COUNTY-ROAD-TOWN):	LARUE - GRAY RD - ROANOKE
3. CIRCUIT NAME AND NUMBER:	ROANOKE - 1
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	HODGENVILLE, KY - RIVER RD, LAFOLLETTE RD
5. TOTAL CIRCUIT LENGTH (MILES):	8.77
6. CUSTOMER COUNT FOR THIS CIRCUIT:	96
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	10/22
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES): 0.00% PUBLIC ACCIDENTS, OTHER 0.00% 9.91% SMALL ANIMALS OR BIRDS 0.00% 0.00% TREES 0.00% 0.00% WIND, HIGH WIND 0.00% 1.52% WEATHER 0.00% 88.58%
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	83.33
10. REPORTING YEAR (SAIDI):	84.92
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.86
12. REPORTING YEAR (SAIFI):	1.04
13. LIST OF CORRECTIVE ACTION, IF ANY,	Nolin RECC to work with EKPC to review remedies for
TAKEN OR TO BE TAKEN	transmission/substation reliability issues.

TREE CAUSE CODE BREAKDOWN

EQUIPMENT CAUSE CODE BREAKDOWN CONDUCTOR 1.8% PORCELAIN CUTOUT 17.2% PROTECTIVE DEVICE 81.0%

CIRCUIT # 38	ROANOKE - 2
1. SUBSTATION NAME AND NUMBER:	ROANOKE (23)
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	LARUE - GRAY RD - ROANOKE
3. CIRCUIT NAME AND NUMBER:	ROANOKE - 2
4. CIRCUIT LOCATION	HODGENVILLE, KY - DAN DUNN RD,SLACK RD,MARTIN
(TOWN-ROAD-GENERAL AREA):	RD,SPENCER SCHOOL RD,CISSAL HILL RD
5. TOTAL CIRCUIT LENGTH (MILES):	22.65
6. CUSTOMER COUNT FOR THIS CIRCUIT:	182
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	09/22
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES): 0.00% PUBLIC ACCIDENTS, OTHER 0.00% 8.49% SMALL ANIMALS OR BIRDS 0.29% 0.00% TREES 18.27% 0.00% WIND, HIGH WIND 0.00% 0.60% WEATHER 7.28%
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	47.27
10. REPORTING YEAR (SAIDI):	118.71
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	0.69
12. REPORTING YEAR (SAIFI):	1.49
13. LIST OF CORRECTIVE ACTION, IF ANY,	Nolin RECC to work with EKPC to review remedies for
TAKEN OR TO BE TAKEN	transmission/substation reliability issues.

TREE CAUSE CODE BREAKDOWN

EQUIPMENT CAUSE CODE BREAKDOWN PORCELAIN CUTOUT 11.2% TRANSFORMER 4.8% PROTECTIVE DEVICE 84.0%

GROW IN 3.5% GREEN TREE FAILURE (OUT-OF-ROW) 96.5%

CIRCUIT # 39	ROANOKE - 3
1. SUBSTATION NAME AND NUMBER:	ROANOKE (23)
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	LARUE - GRAY RD - ROANOKE
3. CIRCUIT NAME AND NUMBER:	ROANOKE - 3
4. CIRCUIT LOCATION (TOWN-ROAD-GENERAL AREA):	HODGENVILLE, KY - DAN DUNN RD
5. TOTAL CIRCUIT LENGTH (MILES):	26.80
6. CUSTOMER COUNT FOR THIS CIRCUIT:	251
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	07/22
8. LIST OF OUTAGE(S): CONTRACTOR EQUIPMENT / MATERIAL FAILURE LIGHTNING NO CAUSE CODE PLANNED OUTAGE POWER SUPPLIER	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES): 0.00% PUBLIC ACCIDENTS, OTHER 0.00% 0.13% SMALL ANIMALS OR BIRDS 0.00% 0.00% TREES 25.08% 0.00% WIND, HIGH WIND 0.00% 1.73% WEATHER 0.00% 73.06%
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	98.52
10. REPORTING YEAR (SAIDI):	102.21
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	1.03
12. REPORTING YEAR (SAIFI):	1.11
13. LIST OF CORRECTIVE ACTION, IF ANY,	Nolin RECC to work with EKPC to review remedies for
TAKEN OR TO BE TAKEN	transmission/substation reliability issues.

TREE CAUSE CODE BREAKDOWN

NO EQUIP CODE 100.0%

EQUIPMENT CAUSE CODE BREAKDOWN

ARRESTER 57.4% PORCELAIN CUTOUT 42.6%

CIRCUIT # 40	ROANOKE - 4
1. SUBSTATION NAME AND NUMBER:	ROANOKE (23)
2. SUBSTATION LOCATION (COUNTY-ROAD-TOWN):	LARUE - GRAY RD - ROANOKE
3. CIRCUIT NAME AND NUMBER:	ROANOKE - 4
4. CIRCUIT LOCATION	HODGENVILLE, KY - GRAY RD, VALLEY CREEK RD
(TOWN-ROAD-GENERAL AREA): 5. TOTAL CIRCUIT LENGTH (MILES):	34.28
6. CUSTOMER COUNT FOR THIS CIRCUIT:	478
7. DATE OF LAST CIRCUIT TRIM (MM/YY):	11/22
8. LIST OF OUTAGE(S):	OUTAGE MINUTES (% OF TOTAL OUTAGE MINUTES):
CONTRACTOR	
EQUIPMENT / MATERIAL FAILURE	0.11% SMALL ANIMALS OR BIRDS 10.47%
LIGHTNING	0.00% TREES 53.12%
NO CAUSE CODE	0.00% WIND, HIGH WIND 2.35%
PLANNED OUTAGE	1.83% WEATHER 0.00%
POWER SUPPLIER	32.13%
	424.22
9. CIRCUIT 5 YEAR AVERAGE (SAIDI):	131.32
10. REPORTING YEAR (SAIDI):	240.11
11. CIRCUIT 5 YEAR AVERAGE (SAIFI):	<u> </u>
12. REPORTING YEAR (SAIFI): 13. LIST OF CORRECTIVE ACTION, IF ANY,	Nolin RECC to work with EKPC to review remedies for
TAKEN OR TO BE TAKEN	transmission/substation reliability issues. Circuit was trimmed
	,
TREE CAUSE CODE BREAKDOWN	GREEN TREE FAILURE (OUT-OF-ROW) 99.1% NO EQUIP CODE 0.9%

EQUIPMENT CAUSE CODE BREAKDOWN CONNECTOR/CLAMP/SPLICE/DEADEND 48.1% PORCELAIN CUTOUT 51.9%

SECTION 6: VEGETATION MANAGEMENT PLAN REVIEW INCLUDE CURRENT VEGETATION MANGEMENT PLAN

See attached "Vegetation Management Program" PDF file
SECTION 7: UTILITY COMMENTS