



Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James Gardner
Vice Chairman

Charles R. Borders
Commissioner

August 19, 2011

Todd R. Briggs
1301 Clear Springs Trace
Suite 205
Louisville, KY 40223

RE: Case No. 2011-00281
New Cingular Wireless PCS, LLC dba AT&T Mobility, PCS

The Commission staff has reviewed your application in the above case and finds that it meets the minimum filing requirements. Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502/564-3940.

Sincerely,

A handwritten signature in cursive script that reads "Linda Faulkner".

Linda Faulkner
Filings Division Director

LF/ke
Enclosure

BRIGGS LAW OFFICE, PSC

1301 Clear Springs Trace | Suite 205 | Louisville, Kentucky 40223

Telephone [502] 412-9222 | Facsimile [866] 333-4563

todd@briggslawoffice.net

TODD R. BRIGGS

also admitted in Colorado

FILED

AUG 16 2011

PUBLIC SERVICE
COMMISSION

August 15, 2011

Via FedEx Overnight Delivery

Kentucky Public Service Commission
Attn: Linda Faulkner
Director, Division of Filings
211 Sower Boulevard
Frankfort, KY 40602

RECEIVED

AUG 16 2011

PUBLIC SERVICE
COMMISSION

**RE: Application to Construct Wireless Communications Facility
Case Number: 2011-00281**

Dear Ms. Faulkner,

On behalf of my client, New Cingular Wireless PCS, LLC, we are hereby submitting an original and five (5) copies of an Application for Certificate of Public Convenience and Necessity to Construct a Wireless Communications Facility.

Please contact me if you require any further documentation or have any questions concerning this application.

Sincerely,



Todd R. Briggs
Counsel for New Cingular Wireless PCS, LLC

Enclosures