



Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James W. Gardner
Vice Chairman

May 22, 2013

Paul Reynolds
Garrard County Water Association, Inc.
P.O. Box 670
Lancaster, Kentucky 40444

RE: Case No. 2013-00189
Garrard County Water Association, Inc.

The Commission staff has reviewed **Garrard County Water Association, Inc.** application in the above case and finds that it met the minimum filing requirements upon receipt of the original on May 16, 2013 and has been accepted for filing.

Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

A handwritten signature in cursive script that reads "Linda Faulkner".

Linda Faulkner
Filings Division Director

LF/tw

Garrard County Water Association, Inc

P.O. BOX 670 315 LEXINGTON ROAD

LANCASTER, KY 40444-0670

(859) 792-4501 TTY: 800-648-6056

FAX: (859) 792-1671

RECEIVED

MAY 16 2013

PUBLIC SERVICE
COMMISSION

May 14, 2013

RECEIVED

MAY 16 2013

PUBLIC SERVICE
COMMISSION

Mr. Jeff Derouen, Executive Director
Public Service Commission
P.O. Box 615
Frankfort, KY 40602-0615

Dear Mr. Derouen:

2013-189

Please find enclosed the Association's request for a purchased water rate adjustment. This adjustment request is due to the increased cost of wholesale water from the City of Lancaster and an increase in the Kentucky River Authority Withdrawal Fee that will be effective on July 10, 2013. Exhibit "B" is attached to the application showing this agreed to rate increase.

Also, enclosed is a revised tariff sheet reflecting the eight cent per thousand gallons adjustment.

The Association will notify its customers of the rate adjustment before rendering the first customer statement reflecting the increase.

If additional information should be required, please advise.

Sincerely,



Paul B. Reynolds
President/Executive Director

Enclosures