



Allen Anderson, Head Coach & CEO

925-929 North Main Street
Post Office Box 910
Somerset, KY 42502-0910
Telephone 606-678-4121
Toll Free 800-264-5112
Fax 606-679-8279
www.skrecc.com

November 24, 2008

Ms. Stephanie L. Stumbo, Executive Director
Kentucky Public Service Commission
211 Sower Boulevard
Post Office Box 615
Frankfort, Kentucky 40602

RECEIVED

NOV 26 2008

PUBLIC SERVICE
COMMISSION

RE: CASE NO. 2008-00371

Dear Ms. Stumbo:

Enclosed you will find an original and ten (10) copies of the response to the Commission Staff's second data request on the application of South Kentucky RECC's certificate of convenience and necessity to construct a new headquarters facility in Somerset, Kentucky.

Should you require further information, please let us know.

Sincerely,

SOUTH KENTUCKY RECC

A handwritten signature in cursive script that reads 'Allen Anderson'.

Allen Anderson
President & CEO

AA:cgw

F: CaseNo 2008-00374

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

RECEIVED

NOV 26 2008

PUBLIC SERVICE
COMMISSION

In the Matter of:

APPLICATION OF SOUTH KENTUCKY)
RURAL ELECTRIC COOPERATIVE)
CORPORATION FOR A CERTIFICATE) CASE NO.
OF CONVENIENCE AND NECESSITY) 2008-00371
TO CONSTRUCT A NEW HEADQUARTERS)
FACILITY IN SOMERSET KENTUCKY)

RESPONSE TO COMMISSION STAFF'S
SECOND DATA REQUEST

Comes South Kentucky Rural Electric Cooperative Corporation ("South Kentucky" or "SKRECC") and files with the Commission an Original and ten (10) copies of the attached response to the Commission Staff's Second Data Request to South Kentucky Rural Electric Cooperative Corporation dated and served on November 14, 2008. Each copy has been placed in a bound volume with each item separately tabbed.

CERTIFICATION

The undersigned, Allen Anderson, stated that he is the President and Chief Executive Officer of South Kentucky Rural Electric Cooperative Corporation; that he supervised the preparation to the within response; and certifies that the within response is true and accurate to the best of his knowledge, information and belief formed after reasonable inquiry.

Allen Anderson

ALLEN ANDERSON
PRESIDENT & CEO
SOUTH KENTUCKY RURAL ELECTRIC
COOPERATIVE CORPORATION
SOMERSET, KENTUCKY 42501
(606) 451-4123

Darrell Saunders

DARRELL L. SAUNDERS
ATTORNEY FOR SOUTH KENTUCKY
RURAL ELECTRIC COOPERATIVE
CORPORATION
700 MASTER STREET
P.O. BOX 1324
CORBIN, KENTUCKY 40702
(606) 523-1720 TELEPHONE
(606) 523-1372 FACSIMILE

CERTIFICATE OF SERVICE

I hereby certify that the original and ten (10) copies true and correct copies of the above and foregoing were on this 24th day of November, 2008, personally delivered to the Public Service Commission, 211 Sower Blvd., P.O. Box 615, Frankfort, KY 40602-0615. I further certify that I have received no notice from the Public Service Commission that any other party is involved in this action.

+

Darrell Saunders

ATTORNEY FOR SOUTH KENTUCKY RURAL
ELECTRIC COOPERATIVE CORPORATION

RESPONSE TO COMMISSIONS STAFF'S SECOND DATA REQUEST

Question

Refer to South Kentucky's Responses to Commission Staff's First Data Request, Item 8. The chart depicting forecasted consumer growth rates that, by 2025, South Kentucky would need approximately 224 employees to support a projected load of 84,103 MW. Explain how many of the 224 employees will perform their primary work function routinely within the new headquarters building. In the explanation, identify the number of non-office employees, or restate the number of "inside" and "outside" employees.

Response

Provided below is the requested breakdown. Inside employees will work the majority of their time inside the building while the outside employees will be away most of the time.

	<u>Current Employee</u>		<u>Future Employee</u>	
	<u>Inside</u>	<u>Outside</u>	<u>Inside</u>	<u>Outside</u>
1 President & CEO	1			
2 Administrative Assistant	1			
3 VP Finance	1			
4 Accounting Team Leader	1			
5 Accounts Payable Accountant	1			
6 General Ledger Accountant	1			
7 Payroll Accountant	1			
8 Accounting Assistant	1		1	
9 Warehouse Team Leader	1			
10 Warehouse Workers	3			
11 IT Team Leader	1			
12 End User Analyst			1	
13 IT Tech Support	2			
14 WAN Technician			1	
15 LAN Technician			1	
16 Consumer Accounts Team	3			
17 Financial Analyst	1			
18 VP Member Services & Public Relations	1			
19 Service Center Team Leader	1			
20 Center Group Leader	1			
21 Call Center Representatives	5		5	
22 Cashier Group Leader	1			
23 Cashiers	4		2	
Subtotal	32	0	11	0

RESPONSE TO COMMISSIONS STAFF'S SECOND DATA REQUEST

	<u>Current Employee</u>		<u>Future Employee</u>	
	<u>Inside</u>	<u>Outside</u>	<u>Inside</u>	<u>Outside</u>
24 Service Center Group Leader	1			
25 Large Power Account Representative	1			
26 Member Service Representatives	3			
27 Capital Credits Clerk	1			
28 Buildings & Grounds Team Leader		1		
29 Buildings & Grounds Maintenance Tech		1		2
30 Communications Coordinator Team Leader	1			
31 Human Resources Team Leader	1			
32 Benefits Administrator	1			
33 HR Specialist			1	
34 Secretarial Team	3			
35 Marketing & Member Services Team Leader	1			
36 Business Accounts Representative	1			
37 Energy Advisor	1			
38 Marketing Records Coordinator	1			
39 Renewable & Alternative Energy Spec	1			
40 VP Engineering & Operations	1			
41 Dispatch/Technical Services Team Leader	1			
42 Dispatchers	5			
43 Computer Mapping Technician	1			
44 Computer Mapping Assistant	1			
45 Electronics Technician			1	
46 Engineering Team Leader	1			
47 Special Projects Engineers	2			
48 Staking Engineer		1		
49 Design Engineer	1			
50 Materials Coordinator	1			
51 Work Order Clerk	1			
52 Inspectors		4		2
53 Construction Team Leader	1			
54 Service Technicians		3		2
55 Construction Crew Leaders				6
56 Line Technicians		14		9
Subtotal	33	24	2	21

and Jim Adkins
RESPONSE TO COMMISSIONS STAFF'S SECOND DATA REQUEST

	<u>Current Employee</u>		<u>Future Employee</u>	
	<u>Inside</u>	<u>Outside</u>	<u>Inside</u>	<u>Outside</u>
57 Construction Contractor Coordinator	1			
58 Right of Way Team Leader		3		2
59 Right of Way Trimmers		3		
60 Meter Technical Team Leader		1		
61 Meter Technicians		2		2
62 Safety Team Leader	1			
63 Safety Coordinator	1			
64 Safety Compliance Administrator			1	
65 Staking Team Leader		1		
66 Staking Technicians				2
67 Staking Engineers		3		
68 Line Inspector Administrator		1		
69 Transportation Team Leader	1			
70 Mechanics	2		2	
Subtotal	6	14	3	6
Total SKRECC Employees	71	38	16	27
Contract Employees	3	9		
Total Needs	74	47	16	27

RESPONSE TO COMMISSION STAFF'S SECOND DATA REQUEST

Question

Has South Kentucky compared the size of its proposed building to that of other recently constructed cooperative headquarters?

- a. Provide a comparison, which should include the number of employees, the number of customers served by each cooperative, the date constructed, and the cost of the new headquarters facilities (total cost and cost per square foot).
- b. Does South Kentucky anticipate hiring additional employees in the next five years? If yes, provide the number of employees and their titles.
- c. Assume no additional employees would be hired for the next five years. Explain why South Kentucky would need a new headquarters at this time.
- d. Provide a narrative based on your best judgment as to the consequences of delaying construction of a new headquarters facility for an additional five years.
- e. Describe the evaluation process employed by South Kentucky in selecting the building design submitted in this application. Were other proposals submitted for consideration? If so, provide a detailed description of all other proposals including construction cost, square footage, and the number of employees to be accommodated.

Response

South Kentucky has not specifically compared its cost with the cost for similar types of facilities for other cooperatives in Kentucky.

- a South Kentucky was able to obtain the below listed information for one cooperative.

<u>Cooperative</u>	<u>Cost</u>	<u>Sq. Feet</u>	<u>Cost per Sq. Foot</u>
Owen Electric	\$ 8,191,400	59,900	136.751
Date Constructed:	2003		
Number of Customers:	56,700 approximately		

RESPONSE TO COMMISSION STAFF'S SECOND DATA REQUEST

- b. South Kentucky has not specifically defined the number or type of new positions that it may need in the next five years. It would be extremely hard to provide such an estimated.
- c. South Kentucky needs a new headquarters facility even if no additional employees were hired. A new facility is needed under current circumstances. The current facility was constructed in the early 1950s with several additions since then. It is overcrowded, in a flood plane, and does not meet ADA criteria. It is a maze of hallways, steps and make shift offices, Additionally, it cannot be updated properly for the new technologies. A full listing of its inadequacies is presented in other parts of the original application.
- d. In the original application, a letter from the General Contractor stated that any delays in the commencement of this project would increase the cost by approximately one percent (1%). This estimate carried forward for five years would lead to a very large increase in the cost of the project. Since the bids were received on this project and even more so recently, the economic conditions have changed dramatically. With this change, South Kentucky may see some change in the construction costs for this project that could be favorable. Additionally, South Kentucky has its financing application being processed by RDUP and does not foresee any problems with obtaining it.
- d. The design process employed by South Kentucky was a very simple one. The Facilities Analysis specified the size needed based on the number of employees forecasted and the working conditions and space needs of the employees to do their job. The size of the building was then designed around the property it was to be placed on and the terrain of that property. No other proposals were considered. The building design submitted met the needs of the Cooperative as identified in the Facility Analysis and the terrain of the property purchased.

RESPONSE TO COMMISSION STAFF'S SECOND DATA REQUEST

Question

In the final Order granting South Kentucky's request for a Certificate of Public Convenience and Necessity ("CPCN") for the construction of its district offices in Russell Springs and Albany, the Commission expressed concerns over South Kentucky's aggressive spending on non-revenue producing and non-reliability related capital construction projects in light of South Kentucky's need for another rate increase so shortly after its 2006 rate increase. South Kentucky was placed on notice that in its next request for a CPCN for an office facility, it would be required to justify the immediate need for the construction and show that it would not significantly harm its member-owners. With this current application, justify in detail the immediate need for the headquarters construction and establish that such a significant construction project would not have a negative impact on South Kentucky's member-owners.

Response

South Kentucky fully understands and appreciates the Commission concerns. However, if the truth were known, the Commission would be placing South Kentucky on notice or censoring South Kentucky as to why it had not make the necessary corrections and or modifications to its headquarters facilities. South Kentucky has most likely stayed in its current headquarters facilities ten to twenty years longer than it should have. These corrections and modifications needed include but not limited to these are the following ones:

- 1 The facilities have exceeded their useful life with no land available for expansion or improvements
- 2 Fire regulations would preclude any renovation or expansion
- 3 Facilities are located in a flood plane.
- 4 Limited customer parking
- 5 Restroom facilities are inadequate for employees and customers
- 6 The layout of the facilities cause it to have many stairs and narrow hall ways making it difficult to move records and office equipment and more importantly creating a safety hazard especially in an emergency situation.
- 7 Space for business meetings is very limited
- 8 Storage space is exhausted
- 9 Traffic jams can exist due to customers attempting to use drive-thru facilities.
- 10 Space is fragmented which may reduce efficiency and productivity.
- 11 Impractical to retrofit the building for most new, technological applications.

RESPONSE TO COMMISSION STAFF'S SECOND DATA REQUEST

The potential impact of this proposed facility includes several positive ones and one major, negative one. The positive impacts include a better and safer working conditions for South Kentucky's employees which will result in a more efficient and productive workforce. These facts should result in better and quicker service for member-owners of South Kentucky. All of this should result in some cost savings in the future. It is not possible to measure these potential cost savings in the future.

The major negative impact of this proposed building is the fact that the cost of power to South Kentucky's member-owners would be higher in the near future. The additional per customer would be approximately \$33.25 per customer per year in 2012 and declines over time as cost differential declines and the number of customers increase.

RESPONSE TO COMMISSION STAFF'S SECOND DATA REQUEST

Question

Refer to Exhibit 7 of the Application

- a. Provide an estimate of the impact the rate increase will have on customer bills for all rate classes for both scenarios presented in Exhibit 7. The analysis should include current rates, new rates resulting from the rate increases, and the percentage change.
- b. Do the financial forecasts provided reflect the acquisition of the Monticello Electric Plant Board's assets? If not, provide updated forecasts reflecting the acquisition.

Response

- a. The rate classes that are utilized in this financial forecast are based on the ones used in the Rural Development Utilities Program ("RDUP") Form 7 reporting by South Kentucky. These same rate classes are also the ones utilized in the load forecast that is developed by South Kentucky and these classes are listed below:

- Residential
- Commercial and Industrial less than 1,000 kVA
- Commercial and Industrial greater than 1,000 kVA
- Public Street and Highway Lighting
- Sales to Public Authorities

Additionally, the revenues for the forecast are based on revenue per kWh amount multiplied by the forecasted kWh. Provided on Page 2 of this response are the rates for the financial forecasts provided in Exhibit 7 of the Application.

The primary focus of the forecast is the level of total revenue needed to cover the costs that are incurred to provide service and power to the members. The rate level or the rate design for any of the individual rate classes is not a point of emphasis.

RESPONSE TO COMMISSION STAFF'S SECOND DATA REQUEST

Forecasted Rates

	Base Forecast		
	<u>2008</u>	<u>2012</u>	<u>% Increase</u>
Residential	\$ 0.08787	\$ 0.09227	5.0%
Comm & Indust greater than 1000 KVA	\$ 0.08732	\$ 0.09172	5.0%
Comm & Indust less than 1000 KVA	\$ 0.06264	\$ 0.06704	7.0%
Public St. & Hwy Lighting	\$ 0.10775	\$ 0.11215	4.1%
Sales to Public Authorities	\$ 0.08938	\$ 0.09378	4.9%

Forecasted Rates with New Building

	Forecast w/New HQ Bldg		
	<u>2008</u>	<u>2011</u>	<u>% Increase</u>
Residential	\$ 0.08787	\$ 0.09507	8.2%
Comm & Indust greater than 1000 KVA	\$ 0.08732	\$ 0.09452	8.2%
Comm & Indust less than 1000 KVA	\$ 0.06264	\$ 0.06984	11.5%
Public St. & Hwy Lighting	\$ 0.10775	\$ 0.11495	6.7%
Sales to Public Authorities	\$ 0.08938	\$ 0.09658	8.1%

Difference in Rates

	Base	Rates	
	Rates	New Bldg	
	<u>2012</u>	<u>2011</u>	<u>% Increase</u>
Residential	\$ 0.09227	\$ 0.09507	3.0%
Comm & Indust greater than 1000 KVA	\$ 0.09172	\$ 0.09452	3.1%
Comm & Indust less than 1000 KVA	\$ 0.06704	\$ 0.06984	4.2%
Public St. & Hwy Lighting	\$ 0.11215	\$ 0.11495	2.5%
Sales to Public Authorities	\$ 0.09378	\$ 0.09658	3.0%

The end result is that the new headquarters building would increase rates slightly more than 3%.

b. The purchase of the Monticello Electric Plant Board has been factored into the development of these financial forecasts.

RESPONSE TO COMMISSION STAFF'S SECOND DATA REQUEST

Question

Has South Kentucky made its members aware of the proposed new headquarters facility? If so, in what manner was the notification done? What reaction and feedback have been received from the cooperative's members.

Response

Attached to this response are copies of articles, annual reports to members and press releases which mention South Kentucky's new office buildings including those at the district offices and the new headquarters facilities in Somerset.

SKRECC: BUILDING FOR THE FUTURE...

In this year's annual report, South Kentucky Rural Electric Cooperative has a major announcement to make: the co-op is moving.

All five South Kentucky RECC buildings, including the central office in Somerset and the district offices in Whitley City, Russell Springs, Monticello, and Albany, will be replaced over the next 18 months or so by new, more modern, and more convenient facilities—*built in the same communities*—that will carry the co-op into the dynamic years of growth and technological advancement that lie ahead.

The decision to undertake a project that includes purchasing real estate, building new structures, and moving staff in five places did not come easily. However, once the board of directors and co-op management had examined growth trends and indicators for the co-op's future, the conclusion was irrefutable: inevitably, South Kentucky RECC must grow to serve a membership that is rapidly increasing, and expansion of the current facilities no longer is feasible.

The main office in Somerset was constructed in 1951. There have been seven additions to the building since then, and the co-op has also developed the yard to accommodate more trucks, more storage space for more equipment, more parking for staff, and a higher volume of traffic at the drive-up windows. The Somerset property

has simply run out of room.

The district offices face similar problems on a smaller scale. Plus, demands on those buildings have increased as SKRECC has decentralized services in order to be more responsive to the needs of members throughout the 13-county territory. Line-construction and line-maintenance workers, material warehouse facilities, pole yards, transformer docks, member services representatives, and billing clerks now can be found in the district offices.

In summary, growth for South Kentucky RECC is a fact of life, and the co-op must upgrade and modernize to keep up with the demands.

The space problem has been gradually worsening for years, but to get a better sense of what the future holds, the board of directors hired a consultant in October 2002 from the National Rural Electric Cooperative Association in Arlington, Virginia. The consultant analyzed the co-op's history, and applied regional demographic information to project membership growth over the coming 20 years. He then compared the results with present staffing and office resources.

Here's the story they told.

In 1951, when South Kentucky RECC moved into its headquarters on Main Street in Somerset, co-op membership stood at 10,178 farms, homes, schools, stores, and businesses. Fifty years later (2001), Lake Cumberland had made south-

Design of the proposed new South Kentucky RECC office to be located in Somerset.



central Kentucky something of a destination area, there was more industry in the area, and population had expanded. The co-op had grown by more than 500 percent, to include 56,857 members. SKRECC employed 156 full-time workers.

The consultant then projected forward to 2018.

"The consultant's report says that by then we'll have 82,000 consumers and 205 to 215 full-time employees," says South Kentucky CEO Allen Anderson. "The present facility wasn't even designed to accommodate a company of the size we are today. We've stretched our usage here as far as we can stretch it, and we've got a lot of growth ahead of us."

Growth isn't the only reason that the co-op needs new offices. Technology has changed. In 1951 it was telephones and typewriters. Today it's multiple phone lines and extensions, scores of computer stations, Internet and intranet cable, and the technology that supports advanced systems like global positioning (GPS) and South Kentucky's state-of-the-art outage-management system, which was installed in 2003.

"With older facilities like we have, it's harder and harder to adapt them to new technologies," says Anderson. "They're not wired for it, and not laid out and constructed in a way that you can keep adding more systems and connections."

These technologies are not frivolous investments. They are necessary for the co-op to provide the electric services and rapid response modern consumers expect. This isn't the South Kentucky RECC of 1951—and just

as important, today's co-op isn't the South Kentucky RECC we will see in 2018. That was an important part of the board's thinking.

"We are not only responsible for the co-op's operations today, but we're responsible to the co-op and its members in the years ahead," says Anderson. "We're member-owned, and we're not going anywhere. These new facilities represent a strong affirmation of our commitment to our communities to be a cornerstone in these communities and our commitment to continue improving services for our members."

The new buildings will also improve South Kentucky's ability to perform one of its oldest, most traditional functions: providing community rooms that are available to local groups and organizations.

"We've provided this service for about as long as the co-op has existed," says Anderson. "It reflects our vision of the

co-op as being a functioning, central part of the community, rather than just a business that happens to be located here. But these rooms have become inadequate for many of the functions people want to use them for, and the parking isn't adequate. Consequently we've had to restrict those rooms to after-business use.

"That's one of the many things that will change for the better as we move into new facilities."

Financing the project

Purchasing real estate in five locations and constructing five office/warehouse complexes will be a costly investment. The board of directors has projected total costs at about \$15 to \$18 million. Some savings will be realized through efficiencies, by doing the projects all at once.

An undetermined portion of project costs will eventually be recouped by selling the current properties. These include not just the buildings in Somerset, Monticello, Russell Springs, Albany, and Whitley City, but the 65-acre co-op "farm" in Pulaski County where

South Kentucky RECC holds its popular annual meetings. There will be enough acreage at the new Somerset site to stage the family-oriented annual meeting there, as well as being available year-round for community use and other outdoor events.

"Financially," says Anderson, "we felt this was the best time to get this project under way, because interest rates are unusually low, and we must plan ahead to service future needs."

South Kentucky RECC has not raised members' electric rates since 1989. No rate increases are anticipated for at least two years, and possibly longer. The debt structure, money recouped from property sales, and the co-op's financial health will enable the co-op to undertake this project with minimal impact on consumers.

Look for ongoing information on the co-op's construction projects in public places, such as libraries, in *Kentucky Living Magazine*, and in local newspapers. SKRECC has held community meetings in recent months, which included informing people about this newly planned and important project, and will continue to do so. As this project progresses, members will be given the opportunity

**"We are not only responsible for the co-op's operations today, but we're responsible to the co-op and its members in the years ahead"
--Allen Anderson, CEO**

T O D A Y

to see what has taken place and will also be given the opportunity to comment on the project.

Groundbreaking at all five locations is expected this summer. District offices may actually be completed in 2004. Completion of the main office and warehouse complex is expected sometime in 2005.

The People Fund

February saw the introduction of a new program for South Kentucky RECC—The People Fund, which provides co-op members a way to contribute, with just the smallest of sacrifices, to the well-being of their communities.

The People Fund pools voluntary contributions from co-op members to make grants to non-profit organizations doing humanitarian or charitable work in South Kentucky RECC's service territory. Local organizations will apply to an eight-member board that will administer the fund, and the board members will choose where the grants might have the greatest impact. Certain rules govern the board's decisions. For example, the fund will not make contributions toward people's electric bills; and all contributions will go to local causes. (While fund recipients normally will be community groups or organizations, the board will consider donations to families or individuals who have suffered a catastrophic illness or household disaster.)

Perhaps the most appealing aspect of the fund is the way co-op members can contribute to it. They can do so merely by authorizing South Kentucky RECC to "round-up" their monthly electric bills to the next-higher dollar. In some months, that could be as little as a penny. For example, if the normal tally for your electricity usage came to \$78.99, the co-op would send you a bill for \$79 and donate the extra penny to The People Fund.

At most, your contribution in any month would be 99 cents. Most contributions would fall closer to the middle.

The beauty of this system is that if enough South Kentucky RECC members join The People Fund program,

their small, almost unnoticeable contributions can add up. With a co-op membership now approaching 60,000, monthly contributions to the fund could reach some \$15,000 if only half the members joined up (assuming an average contribution of 50 cents). Even with the relatively small grants contemplated by The People Fund board—perhaps \$5,000 at most—it's enough money to make a difference in people's lives.

That's why the slogan for The People Fund is "Change for Change."

"Great things can be accomplished for less than the price of a cup of coffee each month," says Ruby Patterson, South Kentucky's Member Services and Marketing Team Leader, who sits on the fund's eight-member board.

Local, charitable giving is a practice encouraged by Touchstone Energy, a national alliance of rural electric cooperatives, which South Kentucky RECC joined in 1997. It is also central to the Cooperative Principles adopted in 1995 by the International Cooperative Alliance.

The first South Kentucky RECC member to sign up for The People Fund was CEO Allen Anderson. The co-op's board of directors and more than 100 co-op employees quickly followed suit.

Says Anderson, "We feel we have a special responsibility that goes beyond our main purpose, which is providing low-cost, reliable electric service. The People Fund is an excellent way to help those in need. None of the money collected for The People Fund goes into operations. The administrative and operational costs of the program are covered by SKRECC through its already internal overhead. Every dime of that money will go back into our communities."

The co-op established a non-profit tax-exempt corporation, the South Kentucky Rural Electric Trust, to administer the program (donations to the fund are tax-deductible). The directors of the Trust include several South Kentucky RECC member-services representatives, whose jobs at the co-op provide them insight each day into things that are happening in the community.

It will take time for word to get out about the fund, for its membership to grow, and to accumulate significant resources. Once established, fund directors will meet quarterly to review grant applications and approve donations.

Members interested in signing up for The People Fund are encouraged to contact South Kentucky RECC. Organizations that believe they might qualify as grant recipients are encouraged to inquire.

Your Co-op Electric Rates

When industry officials coined the term "too cheap to meter" in the 1960s, they were talking about nuclear-generated electricity. As everyone knows, nuclear energy never lived up to the claim.

Electricity is not free, and cannot be. The infrastructure required to generate power, transport it long distances over high-voltage transmission lines, reduce the voltage at substations, and distribute it to homes, farms, schools, businesses, and factories represents a massive public and private investment. (In September and October of 2003, South Kentucky RECC presented a two-part series in *Kentucky Living*



Auburn Cook, Marketing Records Coordinator, enters some of the nearly 1,200 People Fund forms received in the past month.

titled "Where Power Comes From," which described the enormous job of making sure the system is ready when you flick on your lights)

Time and experience have shown that the best deal, financially, for electric power is not nuclear energy, but coal. And the places with ready access to this fuel are the places with the lowest-cost power.

More than anywhere else in the country, that place is Kentucky. The Bluegrass State has the lowest electric rates in the United States.

At last count (and depending how you count) there were some 34 electric utilities operating in Kentucky, including rural electric co-ops, investor-owned utilities, and municipal utilities. The average residential electricity rate among all those utilities, as of August 2003, was 5.8 cents per kilowatt-hour (kWh). No other state was lower than 6 cents/kWh (the lowest were Washington and West Virginia, both at 6.2 cents).

But what about South Kentucky RECC? Where do its rates fall, in comparison to Kentucky's 30-some other utilities?

Your co-op's present residential rate average is 5.6 cents/kWh, which ranks South Kentucky in the lower one-third of electric cooperatives in the state. This represents a significant accomplishment, because it is hard for a rural electric utility to maintain low rates. Building and maintaining an electric distribution system in rough and remote terrain, where rights-of-way go across mountains and through forests, where power lines are highly susceptible to damage, and where there are fewer farms, homes, and businesses to defray the costs, puts co-ops at a financial disadvantage. On the other hand, co-ops don't have to build in a profit margin for investors.


South Kentucky RECC, therefore, provides residential electricity at rates that compare favorably within Kentucky. And Kentucky has the lowest rates in the nation.

This is why, when people express concern about their electric bills, South Kentucky RECC has two responses. The first is to ask people to consider their consumption. The second is to offer home energy audits to help members figure out whether they are inadvertently wasting power because of deficiencies or problems in their home energy systems.

Consumption: The average co-op member today uses 35 times as much electric power as our predecessors in 1940. This is not surprising, considering the many new uses we have for electricity. In 1940 the average South Kentucky RECC member consumed 32 kWh per month. By 2003 average monthly residential usage had climbed to 1,130 kilowatt-hours.

Kentucky's Residential Electric Rates Rank Lowest In The Nation*

THE NATIONAL AVERAGE IS 50% HIGHER THAN KENTUCKY'S



*Source: U.S. Department of Energy Data, Estimated U.S. Electric Average Revenue per Kilowatt-hour, August 2003

South Kentucky RECC has not had a rate increase since 1989. Growth is the main reason the co-op has been able to hold the line against rate increases.

What has not increased, in the last 15 years, are South Kentucky RECC's electric rates. They have held fast since 1989. "It's not the price of electricity that's gone up," says CEO Anderson. "It's the consumption of electricity." Care and conservation in electricity usage can help people lower their electric bills.

Energy audits. South Kentucky RECC performs approximately 500 free energy audits each year. Audits frequently are triggered when someone calls to voice concern about a high electric bill. At other times people ask specifically for the service. The co-op employs four energy advisors, who visit homes (when invited) to examine the structure itself and the electrical equipment, talk to residents about their energy usage, and make recommendations.

South Kentucky RECC also offers the Button-Up program to help qualifying members make weatherization improvements, and Tune-Up, for refurbishing electric heating systems.

Even in Kentucky electricity costs money. As a member-owned cooperative, South Kentucky RECC is not interested in selling more power to increase profits, because "profits" don't exist for co-ops. Instead, the goal is to provide the best service at the lowest rates, and where possible, help members reduce their electric bills.

"We're trying to be the best stewards of our members' money that we can be," says Anderson. "That's been our role since the cooperative was founded in Wayne County in 1938."

It will continue to be South Kentucky RECC's goal for the years ahead.

It has been an eventful year for South Kentucky Rural Electric Cooperative Corporation—a year that reveals we have much to be thankful for. Our neighbors in Louisiana and Mississippi suffered a devastating storm, Hurricane Katrina, which claimed hundreds of lives, destroyed thousands of homes, separated family members, cost people their jobs and livelihoods, and reduced their electric systems to tangled piles of poles and wires.

Meanwhile, we at South Kentucky RECC got through our 68th year as a rural electric co-op without so much as a major outage-causing storm.

We sent help to the stricken Gulf Coast area. Two different crews, a total of 23 men, and a three-man chainsaw crew spent two weeks each in Taylorsville, Mississippi, helping Southern Pines Electric Power Association put its system back together. Southern Pines is a co-op of 60,000 members, some 40,000 of whom were without power following the storm. Of course volunteers of all kinds, from all over the country, went to the aid of the people and communities battered by Katrina. But

ops, to add a new environmental surcharge to the monthly bill of every resident, farm, store, school, factory, or office served by those 16 Kentucky co-ops. This new charge is in addition to the fuel adjustment clause, which has been a part of your electric bill since the 1970s.

These charges were fairly significant—around \$13.00 per month, on average, for the residential consumer. But we live in Kentucky, which customarily has either the lowest or the second-lowest electric rates in the country (that distinction sometimes changes back and forth between Kentucky and West Virginia), and so \$13 is a larger percentage of the average electric bill here where base rates are lower than they would be in other states where base rates are higher.

Yet those are costs that must be paid. To meet mandated federal clean air standards, EKPC has invested more than \$200 million in technology to decrease sulfur, nitrogen, and particulate emissions from the burning of coal. The company, which is cooperatively owned by South Kentucky RECC and the other distribution co-ops it serves, has installed precipitators to capture and contain ash before it can escape

2005: A Year of Helping Our Neighbors, Working Safely, and Building for the Future

electric co-ops are uniquely prepared to help each other because they generally build to the same standards, using comparable equipment and techniques, as required by the federal Rural Utilities Service. So the hurricane tragedy touched our lives here at South Kentucky, as it did in one way or another for most Americans.

But we also must acknowledge in this annual report events in the past year, and in the coming year, that will have a more direct effect upon our members. These “events” have to do with your monthly electric bill. Compared to hurricanes and floodwaters, an increase in electric costs is a totally different kind of concern. We all know that electricity is a necessity in modern life and it is critically important for us to keep electric rates as low as possible while providing good reliable service.

That was the case in 2005, when the Kentucky Public Service Commission (PSC) authorized East Kentucky Power Corporation (EKPC), which provides wholesale power to South Kentucky RECC and 15 other electric distribution co-

through the flue stacks at all three of its coal-burning plants—including, locally, the John Sherman Cooper Power Station in Burnside—and advanced technologies such as selective catalytic reduction (SCR) units for reducing nitrogen oxide emissions. But further investments will be necessary.

Power-generation companies in Kentucky have had the option of imposing the environmental surcharge, subject to PSC approval, since 1993. EKPC resisted, until continuing to absorb these costs became unmanageable. So as of August, the new environmental charge began appearing on the electric bills of the 474,000 retail customers in 89 Kentucky counties (plus a few in Tennessee) served by the co-ops that get EKPC power. For the co-ops, including South Kentucky RECC, the charges are a “pass-through,” which means that this charge is forwarded, in its entirety, to EKPC.

However, that is not the case with the next increase you will see. In November, South Kentucky RECC reached the painful conclusion that we had no choice but to ask for a rate increase, after holding steady for an amazing 17 years witho

Page 7 of 27

an increase This increase, too, will be modest – 9% for residential members. We know, first-hand, what this will mean to our members, because all of the directors of this co-op, and the vast majority of its employees, are South Kentucky members, too, and pay the same electric rates as everyone else.

If the regulatory process proceeds as expected, the new rates will show up on members' bills at the end of the summer, possibly August or September

Business costs multiply

No one with bills to pay needs to be told how the cost of everything has gone up since 1989—everything, that is, except retail electricity if you are a member of South Kentucky RECC. Two of the major cost-increase categories for our co-op are property taxes (on buildings, lots, and electric infrastructure in 13 counties), which have risen 624 percent since 1989, and insurance (property and liability insurance, vehicle insurance, and workers compensation), up 500 percent between 1989 and 2004. Diesel costs for SKRECC's truck fleet are now 548 percent greater than in 1989.


All these increases include load growth, so a better example may be to share the unit price increases on the major components of your electrical service. For example, power poles have doubled in price, wire costs 63 percent more than in 1989, and transformers at least 25 percent more. We have been very fortunate to have experienced a lot of growth, which is great for the future, but expensive initially. By the end of 2005 our membership had grown to 61,696. Serving more people, and serving them better, requires building more electric infrastructure (poles and wires) and improving all our office facilities in Whitley City, Monticello, Albany, Somerset, and Russell Springs, so that we can provide more efficient and responsive services to folks in the outermost reaches of our service territory. But it is this growth that has helped us avoid a rate increase for 17 years because it lowered our per-capita overhead costs.

One major component of your cost is purchased (or wholesale) power. While wholesale power cost has been increasing to SKRECC, the cost we charge our members has remained the same since 1989, helping to create the need now for the rate adjustment.

So last fall your Board of Directors concluded the time had become necessary to file for a rate increase. As South Kentucky RECC CEO Allen Anderson put it, "We're proud that in this day and time, with all prices of everything skyrocketing, we were able to go 17 years without asking for any base-rate increase. This is an accomplishment that not many companies can say; we managed the co-op carefully and delayed seeking an increase for as long as we possibly could, because we know how difficult it is for our members, both from a financial and competitiveness standpoint. But we have an obligation to run this co-op in a businesslike fashion, and we have responsibilities to our creditors. We've reached a point in time where we have no choice but to ask the state Public Service Commission for a rate adjustment."

How much will the increase be?

There will be two components to the coming electric-bill increase: a higher "customer charge," and rate increases



South Kentucky RECC sent several crews to Taylorsville, Mississippi, to help with restoration efforts following Hurricane Katrina in 2005.

(your cost per kilowatt-hour of usage) for nearly all rate classes.

All electric accounts have a monthly customer charge. The flat monthly customer charge may vary from one rate class to another, but everyone within a rate class pays exactly the same customer charge each month. It reflects a return on the investment of the basic costs of providing the equipment necessary to get power from the electric lines to the customer's meter. Since 1989 that charge for a residential account has been \$5.60. The co-op now proposes to raise it to \$8, an increase of \$2.40 per month.

The kilowatt-hour (kWh) increase will be different for different classifications of service. Utilities divide their customers into several classes, such as residential (which include farms), small commercial, and large power. Some of these classes are divided into further sub-classes.

By far the biggest class served by South Kentucky RECC is residential. Ninety-two percent—or 56,955 of the co-op's nearly 62,000 meters—fit into this category. For them, the cost of a kWh of power will increase from .06111 cents (just over six cents) to .06461 cents (just under six-and-a-half cents per kWh). The average South Kentucky residential member uses 1,119 kWh per month. That member will pay, under the new rates, about \$3.91 more for the same amount of electric power.

The full increase will be a combination of these two factors: the \$2.40 customer-charge increase and the less-than-half-a-cent kWh increase. If the PSC approves the adjustments SKRECC has requested, the total impact on an average residential consumer including school tax and the environmental surcharge will be around \$7.00 per month or approximately 23 cents more per day.

It took the co-op four months to compile the documentation required by the Public Service Commission to make application for a rate increase. That included a meticulously researched cost-of-service study for each rate class so that the exact cost to serve each rate class could be determined. The research was conducted with the assistance of an outside consultant to ensure an objective analysis.

In the end, the PSC will allow rates that enable SKRECC to recover its costs and enough margins to pay the interest on the debt two times or a TIER of two. In keeping with the co-op's status as a consumer or member-owned nonprofit cooperative, your Board of Directors honors a present agreement with the PSC to return all revenues of the co-op in excess of a Two TIER to the members as a patronage refund each year.

In other words, profit is not built into South Kentucky's rates.

SKRECC formally filed its application with the PSC on March 17. The approval process usually takes about six months.

Helping our members save

We understand that any time cost increases everyone must reshuffle their budgets. Any increase makes it tough on all of us, but especially on those with low or fixed incomes. This is why we urge people to check with South Kentucky RECC on how to reduce their electricity usage and how to utilize electricity more efficiently. This practice can ease the impact of any increases on anyone's budget.

Energy-efficiency programs like Button-Up and Tune-


Up, and home energy audits, have helped hundreds of co-op members use less electricity while making their homes more comfortable.

The Button-Up program is designed for making electrically heated homes more efficient and comfortable. This program accomplishes this purpose through payment of incentives to the member to add insulation to their home. When you Button-Up, South Kentucky RECC will pay an incentive of \$20 for every 1,000 BTUs your heating load is lowered.

Tune-Up is another home efficiency program for SKRECC members who have electric heat pumps and furnaces. It is offered at a cost of \$35 to qualifying members. Tune-Up consists of air-infiltration testing, sealing ductwork, cleaning indoor and outdoor coils, changing filters, measuring airflow, checking the accuracy of your thermostat, and checking the compressor operation. The tests we do may also show you things you can do to your home to lower your energy costs. Results from tests of this program showed Tune-Up can produce a savings of \$170/year in heating and cooling costs. Of course, your exact savings will vary according to your home and heating system.

For people who have an especially hard time paying higher bills in certain seasons, levelized billing is available. Levelized billing is based on the average number of kilowatt-hours used in the past 12 months. This means that the payment amount will be only slightly different each month. Members' accounts can be set up on levelized billing any time the account has a zero balance, and unlike other types of accounts there is no settlement month.

The co-op also sells electric thermal storage heaters—highly insulated units that retain and distribute heat over a long period of time. Because of their heat-storage capacity, these units use less-expensive off-peak power, and the co-op



A rendering of the Whitley City office by Taylor-Whitney Architects

passes those savings on to you. Not only do you receive a 40% discount on the electricity used by the heater, but you will receive a \$50 per KW installation rebate from South Kentucky RECC.

There are any number of ways to reduce electricity consumption and costs. Please call the co-op to ask for help, which can often be provided cost-free. And tell your neighbors if you think these opportunities would benefit them.

Call center

Your co-op is always on the lookout for ways to improve our service to members. We abide by cost constraints (or else we couldn't have operated for 17 years without a rate increase), but we know that some investments make an enormous difference for our members.

In that spirit, we will soon be rolling out our new call center, which will enable us to provide comprehensive, personal service to people with questions about billing, electric usage, maintenance, and most inquiries without being placed on hold or being transferred. The call center will also separate the functions of telephone calls from "walk-in" service, which has traditionally been provided by the same personnel.

This new member service is based on an expanded computer data bank, and telephone attendants trained to operate it while on the phone with co-op members. They will take incoming calls and have the resources to respond to virtually any inquiry without switching the call to another employee and risk losing the caller in a maze of recordings and message systems. You'll speak to a real person when you call South Kentucky RECC. Usually, you already do, but our call center technology will provide more efficient and responsive telephone transactions.

And meanwhile, other member-services representatives will be free to wait on walk-in members without interruptions from the telephone.

The call center equipment is being installed this summer, and should be ready for operation early in the fall.

New construction

The 2003 annual report announced that South Kentucky RECC was building for the future; it told that all five of SKRECC's offices would be replaced by new facilities in those communities.

Construction began in 2005 with the Whitley City district office, with completion expected at the end of June.

CEO Allen Anderson said there were several factors that led to the construction of that office first.

"The Whitley City office that we occupy now was opened in the 1960s. In 40 years we have experienced a lot of growth, making our current facility inadequate, with no room to expand. And, the new construction on Highway 27 took a large portion of that facility's parking area, making it even more difficult for our members to do business there.

"We are excited that this process has gotten under way, and we look forward to continuing it in our other communities. The new buildings will help us be able to provide better service to our members, and that is what it is all about—serving our members as reliably and efficiently as possible."

Construction on the other district offices—in Albany, Monticello, and Russell Springs—is slated to get under way shortly after the Whitley City office is completed, probably in early July.

Our safety accomplishment

We began this report by acknowledging that South Kentucky RECC has much to be thankful for, despite the necessity of a rate increase. One thing to be thankful for, and proud of, is our safety record – and that may be one of our most important accomplishments of all. Working with electricity involves risks, and the only way to minimize them is with constant attention to safety.

Our co-op completed 2005 with zero lost-time accidents. When added to the consecutive safe hours of 2004 and early 2006, that gave South Kentucky 450,000 man-hours of work without lost time due to accident or injury. If we achieve 500,000 hours we will qualify for a Governor's Award. Look for an update in a future *Kentucky Living* issue.

"It's something to be proud of," said CEO Allen Anderson, "especially considering that we sent 23 of our employees to help in Mississippi after the hurricane. Working among destruction and in unfamiliar surroundings, people can be exposed to potentially unknown dangerous situations. But safety—public safety and safety for our employees—is something we constantly stress in our organization. The big thing is—all employees going home to their family each night without injury."

As our 68th year ends and our 69th begins, by working safe and as a team, we stand ready to meet our members' growing needs.

"We are excited that this process has gotten under way, and we look forward to continuing it in our other communities."

SKRECC CEO Allen Anderson on the construction of the new buildings

Annual Report 2006: South Kentucky RECC Covers "New Ground" With Office Construction Projects and a Possible Expansion

Page 10 of 24

Rural electric cooperatives like South Kentucky RECC were created during the 1930s for one specific and important purpose: to provide electric power to rural Americans, who were not being served by the electric companies of the day because it wasn't profitable to build power lines into the countryside for the comparatively few customers who lived there. Consequently, many rural Americans were still living very much as they had lived in the 1800s, and the American dream was passing them by.

Cooperatively-owned utilities proved to be the answer, because they removed the profit motive. Rural electric co-ops are free to concentrate on providing reliable electric service, at rates members can afford to pay.

Times have changed since 1938, when South Kentucky RECC was founded. Yet one thing hasn't changed: financially, it is still easier to operate an electric utility when the costs of building, repairing, maintaining and improving power lines and the rights-of-way surrounding them are shared among a greater number of residents.

That's one reason for excitement, as we present this 2006 Annual Report to the members of South Kentucky RECC. The co-op has been in very productive and amicable negotiations with the Monticello Electric Plant Board (MEPB) and the city of Monticello, which could allow South Kentucky RECC an opportunity to purchase the assets of the Monticello utility and taking in its 3,500 customers as new co-op members before the end of 2007.

The parties involved in the negotiations thus far have concluded that this transaction would have long-term benefits for everyone. Here's how:

- South Kentucky RECC would add to its predominantly rural service territory the city of Monticello, thus gaining greater average density (calculated as the number of electric consumers per mile of line). It would also acquire several commercial loads, which typically purchase more electricity than residences (system-wide, SKRECC is about 92 percent residential); the revenue from those accounts would help the co-op stabilize its costs for everyone.

- SKRECC's present members, no matter where they live, stand to benefit because of these advantages to their electric cooperative. Remember, in a member-owned non-profit cooperative, decisions are not made or driven by profit. The goals are made to enhance the co-op's financial stability, improve services, and spread costs, which also allows for overall better service to the members. Coming off a year (2006) when South Kentucky RECC had to raise its electric rates for the first time since 1989, members can appreciate a move that could help forestall the need for future increases.

- The City of Monticello would receive a total of \$4 686 million from the sale of its municipally-owned utility. The city would receive this money from annual payments with interest spread over a 30-year period (assets include the electric distribution system, territorial rights, a substation, real estate, transportation equipment, office equipment, and furniture). This capital presumably would benefit all taxpayers by delaying the need for possible tax increases for the citizens of Monticello and allow the city to accomplish the things that would have a positive impact on their community. They also could benefit from the co-op's economic development office, which has successfully attracted industry and jobs to other communities in South Kentucky's service area.

- Monticello's electric consumers would become members of South Kentucky RECC with the \$25 membership fee being paid for each Monticello Electric Plant Board customer by the city of Monticello. Members of MEPB would have access to many more resources than are available through their present power provider. SKRECC being a much larger company can bring economies of scale to the provision of electricity, especially important during power failures. South Kentucky RECC has emergency aid agreements with all of the Kentucky cooperatives, as well as all other Touchstone Energy® cooperatives across the country. SKRECC has better access to a continuous flow of electrical supplies through its association with United Utility Supply and the Kentucky Association of Electric Cooperatives. Plus, SKRECC offers a number of services for its members, such as providing electrical inspections and advice through its five-member inspection department, home energy audits to help people use electricity more efficiently, and provide guidance for new construction projects in terms of efficient heating systems and insulation levels, and more. The city's residents would become full members of the co-op, entitled to have a vote and have a voice in any membership business meeting and to earn patronage capital each year that SKRECC earns margins (profits) over its costs.

◦ Monticello's electric employees—12 in number—would not have anything to lose in this acquisition and much to gain. The skills of these employees would be welcome, as the co-op faces the impending retirement of a number of senior employees in coming years. This is one of the things that make the timing of this opportunity so crucial. The Monticello Electric Plant Board employees are actually needed and will become part of a much larger, growing company that will offer many more opportunities for their future growth and development.

Origins of the proposal

Like co-ops, municipal utilities are a form of public power. In this region, most municipals, in the past, have purchased their power exclusively from the Tennessee Valley Authority (TVA). However, as of November 2003, MEPB's TVA contract allowed an option for utilities being presently served by the power supplier, upon a 5-year notice, to discontinue service with them.

The Monticello Electric Plant Board took the TVA up on the offer to explore their options for power by giving the 5-year notice to TVA. In November 2003, MEPB sent out Requests for Proposals (RFPs) to other potential power providers. This attracted the interest of South Kentucky RECC. The co-op serves about 62,000 members including the rural areas surrounding Monticello, and because of growth, the need for more substations, a plan for a new district office, employee needs, and co-op interest in the Monticello community, SKRECC CEO Allen Anderson began sharing the co-op needs and interests with MEPB Superintendent Gary Dishman. Both parties began seeing the many synergies with the possibility of the two companies coming together.

The parties undertook negotiations, and in January 2007 the MEPB Board of Directors voted unanimously in favor of presenting the city of Monticello with a resolution outlining the sale of MEPB to South Kentucky RECC for \$4.686 million to be paid to the city with interest over a 30 year period. In February 2007, the Monticello City Council unanimously agreed to the proposal, which included the amount and stipulated conditions.

That leaves it up to the citizens of Monticello, and how they will vote on the issue on the November 6, 2007 ballot. The Kentucky Public Service Commission (PSC) must also approve the transaction. Primarily, the PSC will focus on the question of whether the co-op would be subsidizing the Monticello purchase with its membership's money. To be approved, South Kentucky RECC's investment must be economically viable and pay for itself, and co-op officials believe that is the case.

By this time next year we hope to report that South Kentucky RECC is serving its second small town located in the county where South Kentucky RECC was founded in 1938 (the co-op already serves Albany). That will mark a new and promising era for the 69-year-old cooperative.

Homecoming

It was there and then in Monticello, Wayne County, that a visionary group of farmers, rural merchants, and business folks, in places like Slat, Susie, Mill Springs, and Touristville, recruited sometimes-doubtful local residents to participate in this seemingly risky scheme—cooperative ownership of a

company that would put power poles on their property and electric lights in their homes. People had to put up a hard-earned minimum of \$2.50 a month to join.

It was a difficult sell. But the incorporators—Lloyd Dunnington, Walter Dalton, Ray Oats, G.P. Rice, John D. McKechnie, A.V. Stearns, Herschel Henninger, and Foxie Dunagan—were successful, and the papers were signed above the Monticello Bank on October 8, 1938. Article III of the incorporation papers made it official: "The principal office of the Corporation [was to be located at] Monticello, in the County of Wayne, Commonwealth of Kentucky."

During the 1940s the co-op migrated to Somerset, although SKRECC has remained the power provider for Susie and Slat and the rest of rural Wayne County. So somehow it seems right that South Kentucky RECC may have the opportunity to serve the good citizens of Monticello, and their families, schools, and businesses located within Wayne County.


New central and district buildings

Another major development to give an updated report on is the progress on the planned construction of new office/warehouse facilities throughout SKRECC's territory. These new facilities will replace the current facilities in Somerset, Russell Springs, Albany, and Whitley City.

The Whitley City office was completed in August 2006 and is now operational. A new facility to serve Wayne County members has been put on hold, pending the outcome of the Monticello Electric Plant Board proposal. If that is successful, the co-op will utilize the current MEPB office avoiding the need for construction in Monticello—another potential benefit of that transaction.

The Russell Springs and Albany facilities are both under construction with an expected completion date of August and November 2007 respectively. The Somerset facility is well into the design stage with an expected completion date of 2009.

The current facilities date from the 1950s and '60s, and have become inadequate for today's growing needs. Despite modifications, none are fully handicap-accessible, which is required under the Americans with Disabilities Act. The drive-through windows are heavily utilized, and are intended



The new Whitley City office was completed in August 2006. All the new South Kentucky RECC district offices will be the same floor plan and size.

for the convenience of our members. Through growth and poor design of the drive-through windows, we are experiencing longer lines causing the service to be less than desirable by the co-op. In most cases, the offices are not as inviting or designed to be as "customer-friendly" as the co-op insists they be.

Above all, though, the co-op has outgrown these spaces. When they were constructed South Kentucky RECC served about 10,000 members total throughout its 13-county service area. Its membership now exceeds 62,000. Creating adequate working space to accommodate the employees, parking, equipment, new technology, and resources needed to serve a growing membership that size will make for a more well-organized company, that is much more convenient and accessible to the member.

All the new sites will combine office and warehouse space, improving inter-departmental communication and efficiencies. They will provide indoor shelter for higher cost vehicles and equipment, protecting them and prolonging their lifespan. District facilities will be fully stocked with materials and equipment to serve local demand, enabling prompt response and reducing transportation costs and "windshield time."

The co-op recognized the need for this project quickly approaching several years ago, and hired a consulting firm to do a needs assessment, objectively evaluate the current facilities, project future co-op growth, and provide a second opinion as to where facilities should be located and even if new facilities were the best decision. The decision was that the district offices should remain in their host communities, where each equitably serves about 10,000-12,000 members (the Somerset office serves 20,000-25,000). These locations, better equipped, will advance the co-op's goal of providing members everywhere with the same quality of service. The decision also was that building all new facilities and selling the existing ones would be the most economic approach.

The Kentucky Public Service Commission has already approved the individual construction projects that have come before it, including the Whitley City, Russell Springs, and Albany facilities construction projects, ensuring that expenditures were fully justified and that the co-op's needs to serve the membership for the next 30 years were acceptable. All district office facilities will be the same floor plan and the same size.

The status of the projects is as follows.
McCreary County. The office that serves the southeast part of our territory remains in Whitley City, very close to the former SKRECC facilities. Construction is complete, and the facility became operational August 2006.

Russell County. The district office in the northwest will be moved from Russell Springs to a new location on Highway 127 between Russell Springs and Jamestown, just north of Russell County High School. Construction began in March 2007 with plans to be completed by August 2007.

Clinton County. The new southwestern office site excavation started in April 2007 with a


planned completion date of November 2007. The office warehouse will be north of downtown Albany at the intersection of Highway 127 and Snow Road.
Pulaski County. Relocating South Kentucky RECC's main office in Somerset to a new site on the outskirts of town—the new and as-yet uncompleted Highway 27—will be the biggest part of the project. Plans are to make application to the PSC for approval for the need to construct a new Somerset facility with hopes of having that final approval and ground broken before the end of 2007. Construction could take up to two years. The Somerset office design, as well as all of the new district offices, includes a large, modern community room which like the present room can be used not only for co-training and conference purposes but by members and the general public as well.

Eventually, South Kentucky RECC will have valuable assets to sell—its present properties, including the former farmland used for the annual membership meeting. (The new headquarters will have sufficient property to hold the event on-site.) They are considered quite marketable, which will allow the co-op to recoup some of its investment in the buildings that should house South Kentucky RECC for 30 years into the future.

Call Center a major benefit to member services

Here's a much-needed improvement your co-op made in 2006 without waiting for the completion of new buildings. It launched its "call center," an improved telephone and computer system that provides quick, comprehensive service to South Kentucky RECC members, with a corresponding savings in time and efficiencies for employees whose primary job responsibilities are to meet the needs of all our walk-in members and also those that prefer to do business by phone.

The days of calling the co-op with questions about anything—your bill, a service problem, requests for home energy audits, new service connections, energy-related products, etc.—and waiting to be transferred to the right department, are over. Now, the "right department" is the c



South Kentucky RECC's new call center was put into place August 2006. It provides quick, comprehensive service to co-op members who telephone with questions or want to make a payment by phone or anything else they may call for.

center itself. Trained call center employees operate a computer data system that enables them to respond to most inquiries for the convenience of our members.

SKRECC has always limited its use of automated phone systems, but this call center utilizes our professional employees and takes that effort to the next level. Callers do receive an initial automated answer that enables them to go directly to the dispatch center to report an outage, or dial their party's extension. Otherwise, though, they stay on the line and are quickly connected to a professional South Kentucky RECC call center employee who helps them from beginning to end without the need to transfer the call in most situations.

The call center was one of SKRECC's signal accomplishments in 2006, improving information and communication with its members, to reduce the number of busy signals, and to ensure our members get the service they deserve. It has also yielded other benefits. Calls are easily transferred among all five South Kentucky RECC offices, so if an office is experiencing a high volume of incoming calls attendants at another office can relieve the burden, usually without the caller even being aware. (If a caller wants to speak to someone at his or her district SKRECC office, that connection, of course, can be made.)

Launched last June in Somerset, the call center was gradually expanded to the other district offices as more employees were trained and the installation completed. It was fully up and running by August, when it became operative at Whitley City.

Funding for daily work

And, finally, South Kentucky RECC has commenced operations under its new three-year work plan.

America's rural electric co-ops sustain their systems through operations loans provided by the federal Rural Utilities Service (RUS). Each three-year plan requires extensive research and careful drafting by the operations staff to ensure that the RUS will approve the work proposals and

money request. South Kentucky launched its \$29 million, 2007-2009 plan in January.

There are no new special projects in the work plan—the "special" things on SKRECC's plate, such as moving into new offices and relocating power lines to accommodate highway construction, lie outside the work plan's scope. But a glance at the plan provides insight into what "normal" operations are like for this growing, 63,000-member, 13-county co-op.

Forty-two percent of the \$29 million will go to new service extensions, as people build homes and businesses in co-op territory. SKRECC will upgrade 153 miles of power line—replacing old copper wire in some places, switching to larger conductor (wire) elsewhere to carry additional load, and going from single-phase to three-phase power (look for three wires on the poles instead of one) where that higher level of service is needed. Line upgrades will cost about \$66 million.


The plan also covers testing, replacing, and improving line equipment—the transformers, voltage regulators, capacitors, and fuses that maintain power quality and sectionalize the system to confine outages to smaller areas. The work plan foresees replacing some 2,400 poles over the course of three years, at a cost of \$3 million.

It takes diligence, dedication, and expertise to run an electric system as large as SKRECC's. Unfortunately, it is costly to meet the growing needs of our members, and we must continue to make upgrades to the system for better reliability. Our costs have drastically risen over the past 17 years, and with our commitment to continue to improve service, these are some of the reasons why the co-op finally had to resort to the 8.4-percent rate increase the Public Service Commission approved in 2006 and which SKRECC instituted in September.

That increase ended the co-op's 17-year run of maintaining steady retail electric prices, but anyone would be hard pressed to find another cost that stayed the same over that period. SKRECC is very proud of those 17 years without an increase and now we are dedicated in building another good run. We know how critically important it is to our members to keep rates as low as possible.

South Kentucky RECC will now continue its quest to be a good steward of our members' money and assets while remaining very committed to making the necessary investments in facilities, equipment, growth expansion, and employees. These investments will help the co-op give members the best electric service at the most stable prices possible.

South Kentucky RECC's mission remains being "for people, not profit" and to provide reliable service to its members at an affordable cost and be committed to the growth of local communities.



A large portion of South Kentucky RECC's new work plan is for new service extensions. Here, an SKRECC construction crew begins setting poles and establishing service in a new Wayne County subdivision.

South Kentucky RECC Opens New Office

South Kentucky RECC is pleased to announce the opening of its newest office in Russell County. The new facility, located at 2405 North Main Street, Jamestown, Kentucky, will maintain the same office hours of 7:30 a.m. through 5:00 p.m., Monday through Friday.

SKRECC CEO Allen Anderson said, "There were many things that led the board and management to the decision that a new facility was needed. The first consideration we had was that we are here to serve the members, and this co-op is for the member and not for profit. We want to keep local offices open and serve our members with local people. We feel the greatest thing we have to offer is service, and we want to do the best we possibly can, because our members deserve it. Secondly, there was a study conducted by a consultant with the National Rural Electric Cooperative Association (NRECA) that projected South Kentucky RECC's membership

to be 82,090 by 2018. Our previous facility in Russell Springs has served our Russell County South Kentucky RECC members well for most of the past 30 years, but is becoming more and more inadequate to meet the growth of today and into the future. All of our offices receive a great deal of member walk-in traffic and drive-through window traffic, which we appreciate, but with the growth we've had, it becomes more and more difficult for our members to easily gain access to the services they are seeking. The new facility also meets all Americans with Disabilities Act requirements."

In addition, Anderson said the previous facility was not easily equipped for today's technology.

"Our older buildings are old enough that it is difficult to try to upgrade them to the latest technology, and we are constantly striving to keep South Kentucky RECC on the cutting edge of technology in order to provide better service to our members."


Anderson added that the new office also has a great deal more needed warehouse storage to help provide faster service to the Russell County area and to be more efficient in limiting the need to transport material from Somerset.

He said another major point is that the new building has a modern community room that is doubled in size of the previous one, adding that the public-use community rooms are an important part of all the new facilities.

The Russell County office is the second phase of South Kentucky RECC's construction project. A new building in Whitley City was the first phase, completed in September 2006. The third phase of construction has begun in Albany, with the new facility expected to be completed in April 2008.

Plans are for construction to be completed at all sites, including Monticello and Somerset, by the first quarter of 2010.

DSK



South Kentucky RECC's new Russell County office is open for business at 2405 North Main Street, Jamestown.

New Facility Features:

- Office—5,200 sq. ft.
- Warehouse—9,450 sq. ft.
- Community Room—1,350 sq. ft.
- Total—16,000 sq. ft.

Total Parking—71 spaces


Total Acreage—8.845 acres

Energy Efficiency Measures—
Geothermal Heating/Cooling, Blown Foam Insulation, Efficient Windows, Newest Technology in Fluorescent Lighting

Wired for Modern Technologies

Fully Secured with Card Reader Entries

Meets ALL ADA Requirements



Allen Anderson, Head Coach & CEO

925-929 North Main Street
Post Office Box 910
Somerset, KY 42502-0910
Telephone 606-678-4121
Toll Free 800-264-5112
Fax 606-679-8279
www.skrecc.com

For Immediate Release
November 13, 2007

For more information, contact:
Joy Bullock

South Kentucky RECC Opens New Russell County Office:

South Kentucky RECC is pleased to announce the opening of its newest office in Russell County. The new facility, located at 2405 North Main Street, Jamestown, Kentucky, will maintain the same office hours of 7:30 a.m. through 5:00 p.m., Monday through Friday.

SKRECC CEO Allen Anderson said, "There were many things that led the board and management to the decision that a new facility was needed. The first consideration we had was that we are here to serve the members, and this co-op is for the member and not for profit. We want to keep local offices open and serve our members with local people. We feel the greatest thing we have to offer is service, and we want to do the best we possibly can, because our members deserve it. Secondly, there was a study conducted by a consultant with the National Rural Electric Cooperative Association (NRECA) that projected South Kentucky RECC's membership to be 82,090 by 2018. Our previous facility in Russell Springs has served our Russell County South Kentucky RECC members well for most of the past 30 years, but is becoming more and more inadequate to meet the growth of today and into the future. All of our offices receive a great deal of member walk-in traffic and drive-through window traffic, which we appreciate, but with the growth we've had, it becomes more and more difficult for our members to easily gain access to the services they are seeking. The new facility also meets all Americans with Disabilities Act requirements."

In addition, Anderson said the previous facility was not easily equipped for today's technology.

"Our older buildings are old enough that it is difficult to try to upgrade them to the latest technology, and we are constantly striving to keep South Kentucky RECC on the cutting edge of technology in order to provide better service to our members."

Anderson added that the new office also has a great deal more needed warehouse storage to help provide faster service to the Russell County area and to be more efficient in limiting the need to transport material from Somerset.

He said another major point is that the new building has a modern community room that is doubled in size of the previous one, adding that the public-use community rooms are an important part of all the new facilities.

The Russell County office is the second phase of South Kentucky RECC's construction project. A new building in Whitley City was the first phase, completed in September 2006. The third phase of construction has begun in Albany, with the new facility expected to be completed in April 2008.

Plans are for construction to be completed at all sites, including Monticello and Somerset, by the first quarter of 2010.

Photo Caption: South Kentucky RECC's new Russell County office opened for business as of October 22. The new office, located at 2405 North Main Street, Jamestown, will continue with the same office hours of 7:30 a.m. to 5:00 p.m., Monday through Friday.

South Kentucky RECC member Kimberly Owens of Russell Springs was the first to take advantage of the new facility. She made her electric bill payment to long-time SKRECC employee Teresa Bledsoe.

Page 11 of 27



Allen Anderson, Head Coach & CEO

925-929 North Main Street
Post Office Box 910
Somerset, KY 42502-0910
Telephone 606-678-4121
Toll Free 800-264-5112
Fax 606-679-8279
www.skrecc.com

For Immediate Release
June 6, 2008

For More Information, contact:
Joy Bullock

The 70th edition of South Kentucky RECC's Annual Membership Meeting held on June 5 was a hot one and not just because the temperatures soared into the 90s. There were about 16,000 people in attendance and more than 4,100 members registered.

As with years past, there were educational and informative exhibits for those in attendance to visit, including health booths, civic organizations, local industry and businesses; car displays; and many others. In addition, members were treated to some wonderful entertainment this year with opening act Crossroads Quartet and the featured entertainment Tracy Lawrence, who has had several hits including "Paint Me a Birmingham," "If the World had a Front Porch," "Time Marches On," and last year's number one "You Find Out Who Your Friends Are."

A new highlight to this year's annual meeting was the presentation of the flags of the United States and state of Kentucky. Each year at annual meeting, the flags are presented and the National Anthem sang, however, this year it was presented in a most unique way. Five SKRECC linemen, Barney Singleton, Robbie Miller, Mark Wilson, Jon Slavey, and Nick Leger climbed a pole set in the middle of the grounds and handed the flags up and displayed them at the top followed by the National Anthem. It was quite a moving experience.

The primary purpose for the Annual Meeting is the business meeting, which started around 7 p.m. The cooperative's bylaws provide that each year there shall be an Annual Membership Meeting for the presentation of reports from SKRECC officers and leadership. Re-elected to four year terms on the co-op board were Glen Massengale, District 4, and Tom Estes, District 7.

Allen Anderson, CEO of South KY RECC, reported to the membership that the co-op had an overall good year in 2007 with a \$1.6 million positive net margin, and that the co-op does not anticipate any rate increase in the near future. He did indicate that there may be a need for East Kentucky Power, SKRECC's provider of wholesale power, to increase rates by 2% late 2008 or early 2009. If and when this occurs, SKRECC would only pass on to the members this exact amount.

Anderson said that as with all businesses and South Kentucky's membership, the co-op is very concerned about the state of the economy, and assured members that the co-op is doing everything it can to manage costs without sacrificing service. He said that coal is the primary source of power in Kentucky, helping the state maintain its ranking as having the fourth lowest electricity costs in the nation. However, on a political level, coal is being looked at negatively, and Anderson said all of us need to encourage our leaders to keep coal as a viable power source and to allow Kentucky co-ops to

continue to invest in clean coal technologies so we can continue using this more economical source to create power and keep our Kentucky advantage with low cost power.

Anderson also told members that South Kentucky RECC's building program is nearly complete with the replacement of the co-op's 50-year old facilities in the districts. The first new facility in McCreary County was opened in 2006, the Russell County office opened in 2007, and the Albany office has just recently opened with a ribbon cutting and open house scheduled for June 26. The new Somerset office is in the planning and review stages.

Anderson spoke of the many positive things that have been taking place including South Kentucky RECC's involvement with Somerset Community College, Somerset/Pulaski County Development Foundation, Pulaski County Fiscal Court, Lake Cumberland Area Development District, All Kentucky Electric Cooperatives, Utility Contractors, and all other Utilities on the new Regional High Growth Training Center (Lineman Training School). The facility, currently under construction, is located in the technology park off Hwy. 461 in Pulaski County. He said this facility will provide career opportunities for our young people in Kentucky that have interest in a career in the utility business, and another purpose of this facility is to support the needs of all utilities across the nation that are faced with an aging work force with no experienced replacement. This facility is projected to be operational in late 2008.


Another area Anderson touched on was reliability of service provided by South Kentucky RECC. According to Anderson, the co-op in 2007 had an overall reliability rate of 99.957%, meaning the average co-op member had power more than 99.9% of the time. While this is an excellent rate, Anderson said the co-op will continue to try to improve on the reliability, saying that there are some areas in the system that do not have as great reliability, for the most part due to the rugged terrain.

An additional way to improve the co-op's reliability will be to install a new automated answering service. Anderson said this should improve response, particularly during high outage situations. While dispatchers, the in-house call center, and the off-site call center will remain in place, the automated service will assist in handling the overflow of calls and will greatly reduce the busy signals and failure of members to make contact with the co-op in emergency outage situations.

Finally, Anderson said South Kentucky RECC offers many services to members to help them use electricity more efficiently and help reduce their costs; things like the compact fluorescent light bulbs (CFLs) that each registering member received from the co-op at annual meeting, which will save about \$13.50 per year in electricity costs for each bulb used; free in-home energy audits to help members find and correct heat gain/loss areas in their home; tune-ups on heat pumps; button-ups on their homes, which includes increasing insulation; and many others. In addition, Anderson announced that South Kentucky RECC is looking at several new programs, such as Direct Load Control, that members should be able to take advantage of in the near future.

After the Business Meeting, South KY RECC recognized the Washington Rural Electric Youth Tour recipients and also awarded \$11,000 in scholarships to 11 high school seniors in the service area as part of the Senior Scholarship Program.

South KY RECC believes that investing in our youth has a profound effect on the improvement of the quality of life in the communities we serve, which fulfills our mission. South KY RECC's Mission Statement reads "South Kentucky RECC was formed for people not profit. Its mission is to reliably provide electricity and related services to its members at a competitive price, and to improve the quality of life in their communities."



Allen Anderson, Head Coach & CEO

925-929 North Main Street
Post Office Box 910
Somerset, KY 42502-0910
Telephone 606-678-4121
Toll Free 800-264-5112
Fax 606-679-8279
www.skrecc.com

For Immediate Release
June 8, 2006

For More Information, contact:
Joy Bullock

The 69th edition of South Kentucky RECC's Annual Membership Meeting held on June 7 was a hot one and not just because the temperatures soared into the 90s. There were about 15,000 people in attendance and nearly 4,000 members registered.

As with years past, there were more than 50 educational and informative exhibits for those in attendance to visit, including health booths, civic organizations, local industry and businesses; car displays; and many others. In addition, members were treated to some wonderful entertainment this year with opening act Southern Harmony and the featured entertainment Chris Cagle, who has had a several hits including "Chicks Dig It," "Miss Me Baby," "What a Beautiful Day," and "Wal-Mart@ Parking Lot."

The primary purpose for the Annual Meeting is the business meeting, which started around 7 p.m. The cooperative's bylaws provide that each year there shall be an Annual Membership Meeting for the presentation of reports from SKRECC officers and leadership. Re-elected to four year terms on the co-op board were Charles Gore, District 2, Jerry Purcell, District 3, and Richard Stephens, District 6.

Allen Anderson, CEO of South KY RECC, reported to the membership that the coop has been working toward the acquisition of the Monticello Electric Plant Board. On January 12 MEPB's board voted unanimously for the sale of its assets to the co-op. Then on January 23, the city council voted in favor of the proposed sale, and it will now appear on the November 6 general election ballot for the citizens of Monticello to vote their preference. Anderson said there are many positives for the merger, including:

- The MEPB System would create an immediate revenue stream to South Kentucky RECC at a cost per member that is nearly ½ the cost for us to build to a new member
- The City of Monticello, its Citizens, and Wayne County would benefit from the revenue received from the sell over a 30 year period.
- MEPB System is in the city having more customers per mile of line (higher density than SKRECC)
- MEPB has more commercial industrial customers per mile of line

- MEPB has a higher load factor
- MEPB has a new office facility & SKRECC needs a new office in Monticello
- The two systems jointly would have stronger buying power
- The two systems would gain efficiency from eliminating duplication of services
- The two systems would have improved reliability and service restoration in time of emergencies

Anderson also told members that South Kentucky RECC's building program is well underway and the first new facility in McCreary County is open, with the Russell County office slated to open in September. The Albany office will be next and should open by the end of the year. The new Somerset office is in the planning stages and is expected in 2009.

Anderson spoke of the many positive things that have been taking place including South Kentucky RECC's involvement with Somerset Community College, Somerset/Pulaski County Development Foundation, Pulaski County Fiscal Court, Lake Cumberland Area Development District, All Kentucky Electric Cooperatives, Utility Contractors, and all other Utilities on the new Regional High Growth Training Center. This facility will be located behind the technology park off hwy 461 in Pulaski County. The facility will cost approximately 3.5 Million Dollars – which has been funded primarily through Federal, State, and Local Grants, and 0% Interest Loans. Anderson said South Kentucky RECC's contribution to this effort has only been in providing labor assistance in helping to pull all the resources together, but we feel very proud to be part of this group effort. He said this facility will provide career opportunities for our young people in Kentucky that have interest in a career in the utility business, and another purpose of this facility is to support the needs of all utilities across the nation are faced with an aging work force with no experienced replacement. SKRECC could lose up to 40% of its skilled employees in the next five years to retirement added Anderson. This facility is projected to be operational in late 2008.


Another area Anderson touched on was reliability of service at an affordable cost. He said SKRECC visually inspects 3,000 plus miles of line each year which allows us to cover the entire system every 2 years. This allows for the correction of possible problems before they occur. According to Anderson, the co-op continues placing a lot of resources into improving reliability. Due to these efforts, in 2006 reliability was 99.9%. This is extremely good for a system the size of South Kentucky RECC, which manages 6,540 miles of line.

Finally, Anderson reported that South Kentucky RECC had its first rate increase in 17 years in October 2006. It was an 8.2% average increase. He stated that this increase along with expected

growth in the future should make the necessary improvements to SKRECC margins and allow the co-op to meet its obligations. He said he was pleased to report that Kentucky has the LOWEST rates in the nation combining all categories, and Kentucky still has the 4th lowest residential rates in the nation. He added that South Kentucky RECC continues to closely monitor all costs, while not sacrificing quality of service and/or reliability to do so.

After the Business Meeting, South KY RECC recognized the Washington Rural Electric Youth Tour recipients and also awarded \$12,000 in scholarships to 12 high school seniors in the service area as part of the Senior Scholarship Program.

South KY RECC believes that investing in our youth has a profound effect on the improvement of the quality of life in the communities we serve, which fulfills our mission. South KY RECC's Mission Statement reads "South Kentucky RECC was formed for people not profit. Its mission is to reliably provide electricity and related services to its members at a competitive price, and to improve the quality of life in their communities."



Allen Anderson, Head Coach & CEO

925-929 North Main Street
Post Office Box 910
Somerset, KY 42502-0910
Telephone 606-678-4121
Toll Free 800-264-5112
Fax 606-679-8279
www.skrecc.com

For Immediate Release
June 10, 2005

For More Information, contact:
Joy Bullock

The 67th edition of South Kentucky RECC's Annual Membership Meeting held on June 9 will be remembered for years to come. There was a record crowd with about 20,000 people in attendance and nearly 5,000 members registered.

As with years past, there were more than 50 educational and informative exhibits for those in attendance to visit, including health booths, civic organizations, local industry and businesses; car displays; a chainsaw sculptor; and many others. In addition, members were treated to some wonderful entertainment this year with opening act The Blakey's Gospel Group and the featured entertainment Blake Shelton, who is currently on the charts with his song "Goodbye Time."

The primary purpose for the Annual Meeting is the business meeting, which started around 7 p.m. The cooperative's bylaws provide that each year there shall be an Annual Membership Meeting for the election of directors and for reports from SKRECC officers and leadership. The following Directors were re-elected in their perspective districts without opposition. They were: John Pruitt, Jr., District one, representing part of Pulaski County, and William Shearer, District five, representing Clinton County.

Allen Anderson, CEO of South KY RECC, reported to the membership that the coop will for the 16th year have no rate increase. The co-op has not had a rate increase since 1989. He said one of the main reasons we've been able to keep our rates among the lowest in the nation and not have rate increases all these years has been the tremendous growth that we've experienced on our system in both membership and consumption of electricity. However, since 911, growth and consumption have both increased at a much, much slower rate. Anderson added that South Kentucky RECC hopes to be able to hold the line again in 2006, but it will depend on the rate of this growth.

And, while South Kentucky RECC hasn't raised rates, Anderson did explain to members that they will notice a change in their bills beginning in August. An environmental surcharge has been approved by the Kentucky Public Service Commission, which will be added to members' bills. The surcharge reflects the costs of measures taken by our power producer, East Kentucky Power Cooperative, which are required under the federal Clean Air Act. These measures include equipment to reduce air-pollution emissions at our power-producing plants like Cooper Station in Burnside. This is a pass-through for South Kentucky RECC, which means the money we collect from this item on your bill will not be kept by us, but sent on to East Kentucky Power for them to use for the cost of owning, operating and maintaining the equipment to reduce emissions.

Anderson also discussed the construction of new facilities in each of its five major service centers: Russell Springs, Albany, Monticello, Whitley City, and Somerset. According to Anderson, the co-op is nearing ground breaking for the Whitley city office.

After the Business Meeting, South KY RECC recognized the Washington Rural Electric Youth Tour recipients and also awarded \$11,000 dollars in scholarships to 11 high school seniors in the service area as part of the Senior Scholarship Program.

South KY RECC believes that investing in our youth has a profound effect on the improvement of the quality of life in the communities we serve, which fulfills our mission. South KY RECC's Mission Statement reads "South Kentucky RECC was formed for people not profit. Its mission is to reliably provide electricity and related services to its members at a competitive price, and to improve the quality of life in their communities."

RESPONSE TO COMMISSION STAFF'S SECOND DATA REQUEST

Question

On page 32 of the Facilities Analysis, Exhibit 1 of the Application, the estimated cost of the building is state to be \$20,040,000. In Exhibit 6 of the Application, the estimated cost of the building is stated to be \$19,389,635. Fully explain the reason for the difference and indicate which estimate is correct for the purpose of this application.

Response

The cost estimate provided in Exhibit 1 is an estimate provided by the author of the Facilities Analysis. This estimate has been presented on the basis of average prices applied to the appropriate building area. It is not a detailed estimate based on bid specifications that may be a part of a Request for Proposal ("RFP"). It's purpose was to provide a ball park on the expected cost of the project.

The cost estimate presented in Exhibit 6 is based on actual bids received by the general contractor from potential subcontractors.

RESPONSE TO COMMISSION STAFF'S SECOND DATA REQUEST

Question

In Case No. 2006-00402, South Kentucky estimated that the cost of a new headquarters building would be \$13,940,000. Was the building design used for that estimate the same as the design included in this Application. If not, provide a description of how the designs differ, including square footage, and the number of employees the building is designed to accommodate.

Response

The estimate provided in Case No. 2006-00402 for the Somerset headquarters facilities was a projection made on the basis of the square foot cost for the Albany and Russell Springs district offices applied to the size estimate of the facilities at that time. The \$13,940,000 was based on an area of 84,900 square feet with an estimated average cost per square foot of \$164.00. The current estimate has an increase in size for 91,900 square feet with an average cost per square foot of approximately \$210.00

RESPONSE TO COMMISSION STAFF'S SECOND DATA REQUEST

Question

Refer to your response to question 4 of Commission Staff's First Data Request.

- a. Explain in detail how the general contractor was selected.
- b. Did South Kentucky send a Request for Proposal ("RFP") for a general contractor to construct the new headquarters?
 - (1) If yes, provide a copy of the RFP and the list to whom it was sent. Also provide a copy of all responses.
 - (2) If no, explain why an RFP is not necessary.
- c. Explain whether South Kentucky sent an RFP for the construction of the proposed new headquarters instead of using a general contractor who will break the project into 16 different segments. Provide a copy of the RFP and all the responses.

Response

- a. South Kentucky RECC established in 2003 a Board Building Committee ("Committee") made up of members of South Kentucky. The purpose of this Committee was to establish a process for the completion of these construction projects. This Committee decided to use a general contractor approach in building the new district offices at Whitley City, Albany, and Russell Springs and the new headquarters in Somerset.

Five contractors were selected for interview by the Committee. To receive an interview, the contractors must have demonstrated the ability to complete projects of this magnitude. Five general contractors were interviewed and their names are listed below:

Branscum Construction Co.
CDS
Denham and Blythe
Wilburn Construction
Lucas Construction

SOUTH KENTUCKY RECC
CASE NO. 2008-00371

Item no. 8
Page 2 of 196
Witness: Allen Anderson

RESPONSE TO COMMISSION STAFF'S SECOND DATA REQUEST

CDS was initially selected to do the construction for the Whitley City district office. But after the initial design of this office, the board rejected the cost projections of CDS. CDS was replaced by Taylor Whitney and Branscum Construction provided the general contractor work at Whitley City.

South Kentucky duplicated the Whitley City district office at Albany and Russell Springs by bidding these projects. All previous parties to the Whitley City project were no longer a process. The general contractor on these two construction projects was Sexton Construction.

Since Sexton Construction was determined not to be large enough to do the Somerset headquarters facilities, a new general contractor was selected. Wilburn Construction, who had been one of the initial general contractors interviewed by the Committee and had been a strong second choice, was chosen as the general contractor for the Somerset headquarters.

- b. Please see a description of the selection process outlined in Item a above.
- c. Attached you will find a copy of the RFP sent out by Wilburn along with a copy of all the responses received.

D. W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, Kentucky 40509
(859) 263-2720
FAX (859) 263-5692

November 19, 2008

Amy Acton
South Kentucky Rural Electric Cooperative Corp.
925-929 N. Main Street
Somerset, KY 42503

RE: South Kentucky RECC Corporate Administration & Operations Facility

Dear Ms. Acton:

This letter is being sent in response to your e-mail request dated today for information needed for your responses to PSC for the 2nd Request for Information. Attached you will find a copy of our cover letter dated May 21, 2008 sent to your office with our bid information as well as all the backup documentation noted in the letter. The subcontractors who chose to bid the project are listed in column two of the bid recap sheet. This is not a complete listing of subcontractors who were sent information and invited to bid on this project but only a listing of those vendors who chose to bid.

I feel this documentation answers the questions posed in your e-mail. Please contact me should you have additional questions regarding this matter.

Sincerely,
D. W. Wilburn, Inc.



Doug Wilburn
President

South KY RECC New Building Complex

Division One	Sub-Contractor/Supplier	Notes & Comments	Bid Day Quotes	Used Quotes
General Requirement	DWW	Total Package	\$443,388.00	\$443,388.00
Division Two				
Earthwork/Storm	Weddle Enterprises	Total Package	\$1,498,750.00	\$1,498,750.00
	McGowan Excavation	Total Package	\$1,588,639.00	
	Kay & Kay	Total Package	\$1,795,000.00	
Asphalt and Curb	Hinkle	Total Package	\$1,149,604.00	\$1,149,604.00
	Kay & Kay	Total Package	\$1,164,000.00	
Earthwork for Concrete	DWW	Total Package	\$229,437.00	\$229,437.00
Concrete Pavement	DWW	Total Package	\$313,447.00	\$313,447.00
Concrete Sidewalks	DWW	Total Package	\$66,083.00	\$66,083.00
Termite Control	Heritage Pest	Total Package	\$10,500.00	\$10,500.00
	Blackdiamond	Total Package	\$10,975.95	
		(wrong sqft, used their unit price with correct sqft)		
Landscape	Miracle Lawn	Total Package	\$356,125.00	\$356,125.00
	East Tennessee Lawn	Total Package	\$360,000.00	
	Hillenmeyer Landscape	Total Package	\$523,704.82	
Fence	Geddes Fence	Total Package	\$179,180.00	\$186,680.00
		(Add dumpster gate \$7,500 to final price)		
	Flener Brothers	Total Package	\$159,500.00	
		(No dumpster gate, chainlink fence at warehouse)		
Site Furnishing	Atlas	Total Package	\$2,167.00	\$2,167.00
Division Three				
Blding/Concrete	DWW	Total Package	\$1,707,712.00	\$1,707,712.00
		(price includes I.C.F material quote)		
I.C.F Material	Holdfast	Total Package	\$93,004.40	
		(Used, due to their installation cost)		
	Reward Wall Systems	Incomplete Package	\$91,942.50	

7/6/96
 Page 4 of 196
 ATEN
 S.N. WELT

		(wrong sqft)		
	Dixie ICF, LLC	Total Package	\$95,232.00	
Division Four				
Masonry	Southerland Masonry	Total Package	\$556,636.00	\$556,636.00
	Roger Carmicle	Total Package	\$586,636.00	
	Burton Masonry	Total Package	\$596,136.00	
	Houston Barger	Total Package	\$638,142.00	
Division Five				
Metal	Fab Steel Inc.	Total Package	\$545,372.00	\$545,372.00
	G & G Contracting	Total Package	\$608,650.00	
		(addition quotes coming Friday)		
Railings	Designer Pallets	Total Package	\$117,240.00	\$117,240.00
Steel Trusses	Grayhawk	Total Package	\$269,821.00	\$269,821.00
	Tri-State	Total Package	\$283,157.00	
Metal Column Cover	Out to Bid	Total Package	\$1,985.00	\$1,985.00
Division Six				
Custom Cabinets	Kentucky Caseworks	Total Package	\$38,400.00	\$38,400.00
	Kitchen/Breakroom	Out to Bid roughly	\$42,295.00	\$42,295.00
Heavy Timber Decking	Gaylon Lumber	Total Package	\$10,143.00	\$10,143.00
Rough Carpentry	DWW	Total Package	\$77,700.00	\$77,700.00
Division Seven				
Roofer's	Isaacs Specialty	Total Package	\$608,300.00	\$608,300.00
	Dixie Roofing	Total Package	\$623,600.00	
	JBK Roofing	Total Package	\$638,500.00	
	JC Industries	Total Package	\$735,000.00	
	Kerkin Roofing	Total Package	\$772,874.00	
Caulking	ABG Caulking	Total Package	\$57,350.00	\$57,350.00
	South Central Caulking	Incomplete Package	\$5,135,000.00	
Spray Insulation	Omni	Total Package	\$344,900.00	\$344,900.00
	Priority 1 Construction	Total Package	\$350,000.00	
Air Barrier	DWW	Total Package	\$827.00	\$827.00

7/14/16
 Page 5 of 19
 7/14/16

Water Repellent	DWW	Total Package	\$22,000.00	\$22,000.00
Division Eight				
Doors, Frames, Hardware	Atlas	Total Package	\$129,249.00	\$164,429.00
		(final price includes dw labor cost)		
Overhead Coiling Doors	Overhead Doors	Total Package	\$136,470.00	\$136,470.00
	Door Authority	Total Package	\$154,175.00	
	Somerset -Burnside	Total Package	\$154,528.00	
Glazing	Stanford Glass	Total Package	\$207,000.00	\$207,000.00
	Bluegrass Doors	Total Package	\$232,300.00	
	Rogers Aluminum	Total Package	\$263,500.00	
	Green River Glass	Incomplete Package	\$258,000.00	
		(no glass entrance, sunshades, or mirrors)		
Division Nine				
Gyp, Ceiling, Flooring	Bennett's Carpet	Total Package	\$768,000.00	\$768,000.00
	Wilder Enterprises	Total Package	\$837,400.00	
	C K Construction	Incomplete Package	\$776,194.00	
		(No, sheet Carpet, resilient carpet)		
	House of Carpet	Incomplete Package	\$78,400.58	
		(No, Gyp, ceiling, and cork rubber tile)		
Ceramic Tile and Terrazzo	Martina Bros	Total Package	\$75,728.00	\$75,728.00
	Rosa Mosaic	Total Package	\$93,663.00	
Painting	Fox Painting	Total Package	\$148,100.00	\$148,100.00
	Boggs Painting	Total Package	\$262,400.00	
		(additional quotes Friday)		
Division Ten				
Specialties	Atlas	Total Package	\$115,248.00	\$115,248.00
	Division X Specialties	Incomplete Package		
		(doesn't include outside signage)		
	New Line	Incomplete Package		
		(doesn't include outside signage)		
	Pole Tech	Just Flagpole		
	Smith Architectural	Just Flagpole		
Division Eleven				
Banking Equipment	Quality Service Installation	Total Package	\$25,440.00	\$25,440.00
Dock Leveler	Overhead Doors	Total Package	\$14,098.00	\$14,098.00

Dock Bumper	Atlas	Total Package	\$301.00	\$301.00
Division Twelve				
Floor Mats	Atlas	Total Package	\$2,925.00	\$2,925.00
	C/S Group	Total Package	\$3,872.00	
	Kadee Industries	Total Package	\$3,985.00	
Roller Shades	Dixie Lite-Trol Company	Total Package	\$44,240.00	\$44,240.00
Division Thirteen				
Office, Maintenance building	G&G Contracting Co	Total Package	\$1,156,577.00	\$1,234,903.00
	Ceco Building Systems	Material Only	\$852,261.00	
	(Fleet Canopy excluded by DW)			
Division Fourteen				
Conveying Systems	D-C Elevator Company	Total Package	\$44,590.00	\$44,590.00
Division Fifteen				
Mechanical	Foster Heating	Total Package	\$2,429,570.00	\$2,429,570.00
	FREI Plumbing	Total Package	\$2,546,650.00	
	Epperson	Incomplete Package	\$2,654,831.00	
	(added outside package 335,330)			
Fire Protection	Rough Estimate	Total Package	\$2,929,570.00	\$500,000.00
	(budget number only: design not complete)			
Division Sixteen				
Electrical	Diamond Electrical Inc	Total Package	\$1,874,132.00	\$1,874,132.00
	Fayette Electrical Service	Total Package	\$2,050,420.00	
	F.I.E Electrical Inc	Incomplete Package	\$1,625,675.00	
	(Incomplete light package)			
Bond/Insurance				\$233,577.00
Design Fee's				\$333,240.00
5% Contractor's Fee				\$909,577.00
Total Budget				\$18,523,430.00
5% Contingency				\$366,264.00

Item No. 8
Page 7 of 194

D. W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, Kentucky 40509
(859) 263-2720
FAX (859) 263-5692

May 21st, 2008

South Kentucky RECC
925-929 N. Main Street
Somerset, Kentucky 42503

ATTN: Allen Anderson

RE: South Kentucky RECC Corporate Administration & Operations Facility

Please find attached two copies of the recap of the bids for the above project from last Thursday. Please note that the spreadsheet outlines who bid, the amount bid and any notes and comments, as well as copies of the bids themselves.

After your review I would like to have a meeting with you to discuss the bids. I have further recommendations and comments regarding certain phases and portions of the work. These bids are good for 60 days, however, I understand that you have an approval process involving your board and the PSC. Having said this, even though the bids came in within budget, there are areas where the costs can be improved to help offset any price escalation should there be any extended period of time before the building process begins.

I would recommend that the site work begin as soon as possible due to the time of the year and price escalation.


I will call you no later than Thursday to arrange a time to meet with you to discuss these issues. As always, should you have any additional questions or concerns, feel free to contact me.

Sincerely,
D. W. Wilburn, Inc.



Doug Wilburn
President

Item No. 8
Page 9 of 196



DATE 4-25-08

ATTN: D.W. WILBUN, DOUG WILBURN
SOUTH KENTUCKY RECC

WEDDLE ENTERPRISES WILL FURNISH ALL EQUIPMENT, MATERIAL AND LABOR FOR THE SITE WORK, STORM DRAINAGE, AND EROSION CONTROL FOR THE NEW CORPORATE OFFICE FACILITIES FOR SOUTH KENTUCKY RURAL ELECTRIC COOPERATIVE CORPORATION IN SOMERSET KY.

EARTHWORK AND EROSION CONTROL SCOPE

1. STRIP AND STOCKPILE TOPSOIL FROM ALL DISTURBED AREAS
2. CUT, FILL AND COMPACT TO SUBGRADE DESIGN ELEVATIONS PER REVISED DRAWING AND SPECS SD 3.0 DATED 3-28-08
3. ALL COMPACTION TESTING ASSOCIATED WITH EARTHWORK AND FILL OPERATIONS UNDER BUILDINGS AND PAVED AREAS
4. REPLACE AND FINE GRADE TOPSOIL IN AREAS TO RECEIVE GRASS.
5. EROSION CONTROL PER DRAWINGS AND SPECS SD 2.0 THRU 2.5 CONSISTING OF WIRE SILT FENCE, TEMP CONSTRUCTION ENTRANCE, TEMP INLET PROTECTION, ROCK CHECK DAMS, AND SEDIMENT BASINS.
6. ALL LAYOUT ASSOCIATED WITH SITEWORK

STORM DRAINAGE SCOPE

Item No. 8
Page 10 of 196


1. ALL PIPE, CURB INLETS, DRAIN INLETS, DROP BOXES AND HEADWALLS ASSOCIATED WITH STORM PIPE PER DRAWING SD 3.3 AND 3.2
2. 67 CAST IRON DOWNSPOUT BOOTS AND ALL ASSOCIATED UNDERGROUND PIPE.
3. 21 ZERN-1400 HD CAST IRON CLEANOUTS AND ALL ASSOCIATED PIPE.
4. ALL LAYOUT ASSOCIATED WITH STORM WORK.

FOR A TOTAL OF \$1,498,750

DOES NOT INCLUDE VALUE ENGINEERING VOLUNTARY DEDUCT FOR EROSION CONTROL.

THANK YOU FOR THE OPPORTUNITY TO PROVIDE THIS QUOTE, ANY QUESTIONS PLEASE CALL.

SHANE WEDDLE
1-606-678-4057



Item No. 8
Page 11 of 196

McGowan Excavating, Inc.

Royce McGowan, President

285 Richardson Rd.
Nancy, KY 42544

606-871-7445
606-451-9392
Fax: 606-871-9407

TO: D.W. Wilburn, Inc.
DATE: April 25, 2008
RE: Bid for the Corporate Office Facilities, South KY RECC
Somerset, KY

We respectfully submit the following:

Lump sum bid for Erosion Control (Sheet #SD-2.0), Storm Drainage (Sheet #SD-3.2), and Overall Site Grading plan (Sheet #SD-3.0), per latest revision of plans dated March 28, 2008, Project #07120.

All work will be performed in accordance with plans and specifications as submitted by D.W. Wilburn, Inc., for the Corporate Office Facilities, South KY RECC, Somerset, KY.

Total lump sum bid \$1,588,639.00

(One million five hundred eighty-eight thousand six hundred thirty-nine dollars and no cents)

We appreciate the opportunity to bid your job and look forward to possibly working with you on this project.

Sincerely,
Royce McGowan
Royce McGowan
President

*See other side
for questions
and answers*

Item No. 8
Page 12 of 196

KAY & KAY CONTRACTING, LLC
1355 KEAVY ROAD
LONDON, KY 40744
PHONE 606-864-7384
FAX 606-878-9225

FACSIMILE TRANSMISSION

To:	FROM: Jamie Proffitt, Graduate Engineer
Chris Cornett	
Company:	Fax Number:
Dw Wilburn	859-263-5692
Date:	# Pages Sent Including Cover Sheet
25 April 08	4

Message:

SKPECC Bid

(606) 231-1130

Item NO. 8
Page 13 of 196

KAY & KAY CONTRACTING, LLC
1355 Keavy Road
London KY 40744
606-864-7384; Fax 606-878-9225
"An Equal Opportunity Employer M/F/H/V/D"

TRANSMITTAL LETTER

Date: April 25, 2008

TO: Chris Cornett

PROJECT: SKRECC Bid

FROM: Jamie Proffitt

Please find enclosed the following information for the referenced project:

Lump Sum Bid for proposed site work.

If additional information is needed, please feel free to contact me.

SUBMITTED BY: - Jamie Proffitt

Item No. 8
Page 14 of 196

Kay & Kay Contracting, LLC

1355 KEAVY ROAD
LONDON, KY 40744-8803

WILLIAM ROBINSON, PRESIDENT
RON PFAFF, VICE PRESIDENT

PHONE 606-864-7384
FAX 606-878-9225

QUOTATION
SOUTH EAST KENTUCKY RURAL ELECTRIC
PULASKI COUNTY, KY
APRIL 25, 2008
2:00 P.M. EST

DIVISION 2: SITE WORK

A.	Earthwork Includes clearing & grubbing, topsoil stripping and replacing, site excavation (unclassified) and embankment.	\$ <u>1,166,000⁰⁰</u>
B.	Concrete a. Curb & Gutter	\$ <u>118,000⁰⁰</u>
C.	Storm Drainage	\$ <u>384,000⁰⁰</u>
D.	Asphalt & Aggregate Paving	\$ <u>1,046,000⁰⁰</u>
E.	Erosion Control & Sediment Controls	\$ <u>245,000⁰⁰</u>
	<u>TOTAL BID</u>	\$ <u>2,959,000⁰⁰</u>

Item No 8
Page 15 of 196

The following notes are applicable to this quotation:

1. Asphalt paving prices are firm for the duration of the project.
2. No seeding, erosion control blanket, or landscaping is included.
3. We exclude sanitary sewer.
4. We exclude any water lines.
5. Any connection fees required by local utilities are not included.
6. Concrete paving is not included.
7. Chain link fence, ornamental fencing and gates are not included.
8. Termite control is not included.
9. Staking for our portion of work only is included.
10. Traffic control for our work only is included; no signalization is included.
11. Spoil from other subcontractors to be placed at location determined by Kay & Kay, if they are to be removed.
12. Quotation includes remediation of two sink holes.

Thank you for the opportunity to quote this project. If additional information is required, please feel free to contact me.

Sincerely,

KAY & KAY CONTRACTING, LLC



Ron L. Pfaff
Vice President

yes - layout ? **staking**
yes - Eng. and/or Testing?
- Downspout Boots ? **attach to ground.**

yes - **Breastless or Stone Paving**
to the Sewer
Treatment.

?
Edge Key -
Concrete Flanges -
Striping -

Item No. 8
Page 16 of 196

KAY & KAY CONTRACTING, LLC
1355 Keavy Road
London KY 40744
606-864-7384; Fax 606-878-9225
"An Equal Opportunity Employer M/F/H/V/D"

TRANSMITTAL LETTER

Date: May 1, 2008
TO: Mr. Chris Cornett
PROJECT: SKRECC Bid – Alternate Deduct
FROM: Jamie Proffitt

Based on the information provided in Addendum 1, dated April 28, 2008 a deduct is in order for the aggregate paving of the roadway to the proposed lift station. With this we supply a deduct of \$5,000.

In addition to this deduct we propose an additional deduct providing DW Wilburns approval. Under the condition that an escalation for Liquid Asphalt be included for amounts in excess of \$395/Ton we propose a deduct of \$60,000. If approved this would allow compensation for Kay & Kay if the price of Liquid Asphalt exceeded \$395/Ton. Conversely, if the price of Liquid asphalt falls below \$395/Ton Kay & Kay would issue a credit to DW Wilburn for the difference in amount. Please contact our office for further discussion on this issue.

SUBMITTED BY: - Jamie Proffitt

Item NO. 8
Page 17 of 190

KAY & KAY CONTRACTING, LLC
1355 KEAVY ROAD
LONDON, KY 40744
PHONE 606-864-7384
FAX 606-878-9225

FACSIMILE TRANSMISSION

To:	FROM: Jamie Proffitt, Graduate Engineer
Chris Cornett	
Company:	Fax Number:
DW Wilburn	859-263-5692
Date:	# Pages Sent Including Cover Sheet
5-1-08	2

Message: SKRECC

Re: Addendum 1 Deduct

Item No. 8
Page 19 of 196



CONTRACTING CORPORATION
POST OFFICE BOX 455
BURNSIDE, KENTUCKY 42519-0455

SCOPE OF WORK AND BID QUOTATION

BID DATE: April 25, 2008

PROJECT: Corporate Office Facilities
South Kentucky Rural Electric Cooperative Corporation
Somerset, Kentucky

Hinkle Contracting Corporation is pleased to provide a bid quotation to furnish material, labor, equipment, and other items necessary to perform the scope of work identified herein, as part of the above subject project. Information used to derive pricing was obtained from plans and specifications provided by D. W. Wilburn, Inc. Quotation below includes the following per plans and specifications: Heavy Duty Asphalt Paving, Light Duty Asphalt Paving, Concrete Curb & Gutter, Concrete Curb Flumes, Stone Paving - Package Treatment Plant Road, Stone Paving - Pole Storage Area, Pavement Markings and Curb Stops, Construction Staking for Quoted Items and Quality Control. The sub-grade to be constructed by others within +/- 0.10'. Payment and performance bonds can be supplied upon request.

Lump Sum Bid Quotation: \$1,149,603.80 ← ~~2,000,000.00~~ ~~1,142,603.80~~

Thanks for the opportunity and please contact us if you need any additional information.

Respectfully submitted,
Hinkle Contracting Corporation

Greg Howard P.E.
Cumberland paving Area Manager

Item No. 8
Page 20 of 196

Hinkle

CONTRACTING CORPORATION
POST OFFICE BOX 455
BURNSIDE, KENTUCKY 42519-0455

PHONE: (606) 678-4316

FAX: (606) 679-8849

DATE: May 13, 2008

PROJECT: South Kentucky RECC
Corporate Office Facilities
Somerset, Kentucky

RE: Addendum #3

Item #C: Add \$7,000 00 for the aggregate road to the lift station

Respectively submitted,
Hinkle Contracting Corporation

Russell Ping

Russell Ping,
Project Manager

Item No. 8
Page 2 of 1

Hinkle

CONTRACTING CORPORATION
POST OFFICE BOX 455
BURNSIDE, KENTUCKY 42519-0455

PHONE: (606) 678-4316

FAX: (606) 679-8849

DATE: April 28, 2008

PROJECT: South Kentucky RECC
Corporate Office Facilities
Somerset, Kentucky

RE: Addendum #1

Item #1: Deduct \$7,000.00 for the aggregate road to the lift station.

Respectively submitted,
Hinkle Contracting Corporation

Russell Ping

Russell Ping,
Project Manager



*Item No. 8
Page 22 of 196*

P.O. BOX 455
BURNSIDE, KY 42519
Phone: 606-678-4316
Fax: 606-679-8849



Fax

To: Anthony Skidmore	From: Russell Ping
Fax: 859-263-5692	Pages: 2
Phone:	Date: April 25, 2008
Re: South Kentucky RECC	CC:

Urgent
 For Review
 Please Comment
 Please Reply
 Please Recycle

• **Comments:**

Asphalt Paving & Concrete Curb & Gutter Bid

Item No. 8
Page 23 of 196



CONTRACTING CORPORATION
POST OFFICE BOX 455
BURNSIDE, KENTUCKY 42519-0455

PHONE: (606) 678-4316

FAX: (606) 679-8849

BID DATE: April 25, 2008

PROJECT: South Kentucky RECC

Hinkle Contracting Corporation proposes to furnish material, labor, equipment, and other items necessary to perform the scope of work as identified herein. Wage is at minimum rates.

ITEM #1 (Includes all items below)

- Heavy Duty Asphalt Paving (10 in. DGA, 3.5 in. base, & 1.5 in. surface)
 - Light Duty Asphalt Paving (8 in. DGA, 2.5 in. base & 1.5 in. surface)
(NOTE. Paving includes a 3 foot full depth DGA shoulder in non-curb areas)
 - Concrete Curb and Gutter:
(Note: Full Depth stone has been included under curb & gutter)
 - Concrete Curb Flume
 - Stone Paving – Package Treatment Plant Road (6 in. #2 Stone & 3 in. DGA)
 - Stone Paving – Pole Storage Area Road (9 in. #2 Stone & 6 in. DGA)
- LUMP SUM BID FOR ITEM #1: \$1,330,500.00

ITEM #2 Striping Lump Sum Bid: \$5,500.00
(Note: All signs are excluded)

ITEM, #3 Staking for paving and curb & gutter items: \$8,250.00

ITEM #4 Quality Control for above items: \$37,000.00

ITEM #5 Edge Key: \$1,700.00

TOTAL \$1,382,950.00

Respectively submitted,
Hinkle Contracting Corporation

Russell Ping,
Project Manager



TERMITE & PEST CONTROL, INC.

3715 Charlestown Road, New Albany, Indiana 47150
(812) 944-0453 Fax (812) 949-6550

Item No. 8
Page 27 of 19

TERMITE SOIL TREATMENT BID

DW Wilburn Inc.
Attn: Estimator
153 Blue Sky Parkway
Lexington, KY 40509-9418
Tel: (859) 263-2720
Fax: (859) 263-5692

Date: April 25, 2008	Bid Date: NDS
Re: South KY RECC Office/Warehouse	
	From: Durwin Duncan, Jr. &
Somerset, KY 42502	Shaunta Hamby

In accordance with plans and specifications and based on approximately 38,952 sf, the cost to pre-treat the projects mentioned above for termites would be \$3,490.00. *-.04 sqft*

If you have any questions, please feel free to contact this office.

Sincerely,
Black Diamond Termite & Pest Control

Durwin Duncan, Jr.
Durwin Duncan, Jr.
JR/sh

wrong sqft
121,955
x .09

\$10,975.95

ELIMINATE THE HEADACHE OF SENDING OUT BID INVITATIONS AND GOING THROUGH STACKS OF QUOTES!

JOIN BLACK DIAMOND'S PREFERRED CONTRACTORS LIST AND ELIMINATE GUESSING WHAT OUR QUOTE WILL BE --- YOU'LL BE RECEIVING THE SAME LOW RATE EVERY TIME! IF YOU'RE INTERESTED IN MAKING YOUR JOB EASIER, GETTING THE BEST QUALITY OF SERVICE, AND THE BEST PRICE AVAILABLE, PLEASE CALL US. ON OUR PREFERRED LIST, NO MATTER THE DISTANCE OR SIZE OF THE PROJECT, WE WILL BE ABLE TO OFFER YOU ONE SET RATE FOR ALL JOBS IN OUR SERVICE AREA. IF YOU'RE INTERESTED, CONTACT OUR OFFICE AND ASK FOR DURWIN DUNCAN, JR.

Item No. 8
Page 25 of 196

South Ky Rec.

Miracle Lawn

Landscaping		\$ 107000.00
Hydro Seeding	55. AC	143500.00
Sodding	12,500 sq yds x 3.75	46875.00
EROSION CONTROL BLANKET,	550 ROLLS	55000.00
ADA Pavens -	250 sq ft	3750.00
	TOTAL	356125.00

Call me IF you Have Any ?

Willie

Item No. 8
Page 26 of 196

East Tennessee Lawn

PO Box 727 ~ Talbott, TN 37877
Phone 423-318-7288 ~ Fax 423-587-3209
Otis K. Cantwell & Assocs., LLC
email ~ east_tnlawn@yahoo.com

May 15, 2008

Fax and Mail
865-263-5692

D.W. Wilburn Co.
153 Blue Sky Parkway
Lexington, KY 40509
859-263-2720

Attn: Chris Cornett

Re: South Kentucky Rural Electric Cooperative Corporation
Corporate Office Facilities
Somerset, KY

Section 02920: Lawns & Grasses
Excludes: Topsoil Spreading

Permanent Seeding based upon 55 acres:	\$120,000.00
Sodding based upon 12,500 sq. yd.:	\$50,000.00
Erosion at - Type II Mat - based upon 55,000 sq. yd.:	\$80,000.00

Section 02930: Exterior Plants

Landscaping per sheet 4.0 & 4.1:	\$110,000.00
----------------------------------	--------------

If you have any questions or comments, please call Otis at 423-277-1980.

\$ 360,000.00

Otis K. Cantwell
East Tennessee Lawn
OKC/kc

Item No. 8
Page 27 of 196



Small text below logo, possibly a slogan or address line.

FAX COVER SHEET

DATE: 5/13/08
TO: D. W. Wilburn
FAX #: 859 - 263 - 5692
FROM: Stephen Hillenmeyer Landscape Services
SUBJ: Corporate Office Facilities - BID

Number of pages including cover sheet: 3

MESSAGE: Here is our bid for the Corporate Office
Facilities for South Kentucky Rural
Electric Cooperative Corporation
- Kristin

Item No. 8
Page 28 of 196



SINCE 1841

May 13, 2008

Corporate Office Facilities
South Kentucky Rural Electric Cooperative Corporation
Somerset, Kentucky

Stephen Hillenmeyer Landscape Services proposes to furnish and install the following:

Planting

<u>Plant Material</u>	<u>Quantity</u>	<u>Price</u>
Autumn Spire Red Maple, 1 3/4" B&B	68	
Eastern Redbud, 1 3/4" B&B	12	
Chinese Dogwood, 5' B&B	6	
River Birch, 12' B&B	33	
Summit Green Ash, 1 3/4" B&B	14	
Princeton Sentry Ginkgo	15	
Royal Star Magnolia	3	
Sterling Silver Linden, 2" B&B	18	
Foster's Holly, 7' B&B	37	
Gardenii Dwarf Fothergilla, 3' B&B	41	
Oakleaf Hydrangea, 3 gal	4	
Densa Inkberry Holly, 3 gal	110	
PJM Rhododendron, 3 gal	79	
Anthony Waterer Spirea, 3 gal	60	
Blue Muffin Viburnum, 5 gal	48	
Elijah Blue Fescue, 2 gal	486	
Big Blue Lilyturf, 1 gal	1399	
Karl Foerster Feather Reed Grass, 3 gal	72	
Hardwood Mulch	23,775 sq ft	
		\$169,405.19

Turf

<u>Material</u>	<u>Quantity</u>	<u>Price</u>
Fescue Sod	9,825 sq yds	
Hydroseeding	3,208,800 sq ft	
Erosion Control Mat	507,400 sq ft	
		\$354,299.63

DESIGN • CONSTRUCTION • MAINTENANCE • EQUINE MANAGEMENT
2337 SANDERSVILLE ROAD • LEXINGTON, KENTUCKY 40511 • 859.255.1091 • FAX: 859.255.8789 • WWW.HILLENMEYERS.COM

STEPHEN HILLENMEYER
PRESIDENT

Item No. 8
Page 29 of 196



S I N C E 1 8 4 1

Total Price: \$523,704.82

Acknowledgments and Additional Clarifications

- Price of hydroseeding does not include transportation of water.
- This proposal does not include lighting or irrigation.
- This proposal is subject to revision if not accepted within 60 days.
- Plant material guaranteed for one year with installation.

Stephen Hillmeyer Landscape Services is very eager to discuss this project with you at your convenience. Thank you for this opportunity.

Sincerely,

Bill Lewis

Bill Lewis
Sales
Stephen Hillmeyer Landscape Services
(859) 255-1091

DESIGN • CONSTRUCTION • MAINTENANCE • EQUINE MANAGEMENT
2337 SANDERSVILLE ROAD • LEXINGTON, KENTUCKY 40511 • 859.255.1091 • FAX: 859.255.8789 • WWW.HILLENMEYERS.COM

STEPHEN HILLENMEYER
PRESIDENT

Received Time May. 13. 2008 10:38AM No. 3868

Proposal

Page No. 1 of 3 Pages

THE HERB GEDDES FENCE COMPANY, INC.

Item No. 8
Page 30 of 196

232 INDUSTRY PARKWAY
NICHOLASVILLE, KENTUCKY 40356-9128
PHONE: (859) 885-2215 FAX: (859) 885-2219

PROPOSAL SUBMITTED TO D.W. Wilburn		PHONE	DATE 5-19-08
STREET		JOB NAME SKRECC	
CITY, STATE AND ZIP CODE		JOB LOCATION SOMMERSSET, KY	
ARCHITECT	DATE OF PLANS	JOB PHONE	

We hereby submit specifications and estimates for:

① SECURITY FENCE

2066' - 5" #9 CHAIN LINK FENCE (NO BARB WIRE)

1 - 46' SINGLE SLIDE BOX FRAME TYPICAL GATE

1 - 33' SINGLE STRUCTURAL SLIDE GATE

1 - 35' SINGLE STRUCTURAL SLIDE GATE } TYPICAL

1 - 28' SINGLE STRUCTURAL SLIDE GATE

17 - 3" TERMINAL POSTS

4 - ELECTRIC SLIDE GATE OPERATORS PER TYPICAL SPECS.

(NO BATTERY BACK-UP AVAILABLE FOR THOSE OPERATORS)

NO ELECTRIC TO OPERATORS INCLUDED

NO GROUNDING OF FENCE OR GATES INCLUDED

* THIS PROPOSAL MUST BE SIGNED AND RETURNED TO BEGIN WORK.

* All Property lines to be marked prior to installation or shown at time of installation. We assume no responsibility for measuring property lines.

In the event of litigation between the parties, the customer agrees to pay a reasonable attorney fee for Herb Geddes Fence Co.

NOTE: All work and material guaranteed for one (1) full year. Concrete takes 72 hours to completely cure. Testing of posts for strength before we stretch fence will void our warranty on loose posts. Thanks for your cooperation. Not responsible for underground pipes, wires or utilities unless noted and written upon this proposal when returned. Any rock encountered while excavating post holes will be charged per hole **45.00**

We propose hereby to furnish material and labor - complete in accordance with above specifications, for the sum of:

One Hundred Forty Seven Thousand Five Hundred ⁰⁰ dollars (\$ **147,500.00**)

Payment to be made as follows:

CASH UPON COMPLETION. A SERVICE CHARGE OF 1% PER MONTH WILL BE ADDED TO PAST DUE ACCOUNTS.

* OPTION: ADD \$4800 FOR 4 - INTERCONS IF REQUIRED (NO ELECTRIC INCLUDED)

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado and other necessary insurance. Our workers are fully covered by Workmen's pension insurance.

Authorized Signature Doug Geddes

Doug Geddes, Vice President

Note: This proposal may be withdrawn by us if not accepted within **15** days.

Acceptance of Proposal - The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Signature _____

Signature _____

Received Time: May. 19. --2008- 1:22PM-No. 4370

Proposal

Page No. 2 of 3 Pages

THE HERB GEDDES FENCE COMPANY, INC.

232 INDUSTRY PARKWAY
NICHOLASVILLE, KENTUCKY 40356-9128
PHONE: (859) 885-2215 FAX: (859) 885-2219

Item No. 8
Page 31 of 196

PROPOSAL SUBMITTED TO <u>DW WILSON</u>		PHONE	DATE <u>5-19-08</u>
STREET		JOB NAME <u>SKRELL</u>	
CITY, STATE AND ZIP CODE		JOB LOCATION <u>SOMERSET, KY</u>	
ARCHITECT	DATE OF PLANS	JOB PHONE	

We hereby submit specifications and estimates for:

② INTERIOR FENCE

385' - 8' #9 CHAIN LINK FENCE (ON STEEL PLATES)

1 - 20' DOUBLE GATE

2 - 12' DOUBLE GATES

4 - 6' DOUBLE GATES

20 - 3" TERMINAL POSTS

INSTALLED # 18,750.00

1 LIFT STATION

220' - 8' #9 CHAIN LINK FENCE (NO BARB WIRE)

1 - 12' DOUBLE GATE

4 - 3" TERMINAL POSTS

INSTALLED # 7,330.00

* THIS PROPOSAL MUST BE SIGNED AND RETURNED TO BEGIN WORK.

* All Property lines to be marked prior to installation or shown at time of installation. We assume no responsibility for measuring property lines.

In the event of litigation between the parties, the customer agrees to pay a reasonable attorney fee for Herb Geddes Fence Co.

NOTE: All work and material guaranteed for one (1) full year. Concrete takes 72 hours to completely cure. Testing of posts for strength before we stretch fence will void our warranty on loose posts. Thanks for your cooperation. Not responsible for underground pipe, wires or utilities, unless noted and written upon this proposal when returned. Any rock encountered while excavating post holes will be charged per hole 45.00

We Propose hereby to furnish material and labor — complete in accordance with above specifications, for the sum of:

SEE ABOVE

dollars (\$ _____).

Payment to be made as follows:

CASH UPON COMPLETION. A SERVICE CHARGE OF 14% PER MONTH WILL BE ADDED TO PAST DUE ACCOUNTS.

*** NO GROUNDING INCLUDED ON EITHER FENCE ***

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado and other necessary insurance. Our workers are fully covered by Workmen's compensation insurance.

Authorized Signature Doug Geddes
Doug Geddes, Vice President

Note: This proposal may be withdrawn by us if not accepted within 15 days.

Acceptance of Proposal — The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Signature _____

Signature _____

Received Time: May. 19, -2008- 1:22PM-No. 4370

Proposal

Page No. 3 of 3 Pages

THE HERB GEDDES FENCE COMPANY, INC. Item No. 8

232 INDUSTRY PARKWAY

NICHOLASVILLE, KENTUCKY 40358-9128

PHONE: (859) 885-2215 FAX: (859) 885-2219

Page 32 of 196

PROPOSAL SUBMITTED TO <u>DW WILBURD</u>		PHONE	DATE <u>5-19-08</u>
STREET		JOB NAME <u>SKRELL</u>	
CITY, STATE AND ZIP CODE		JOB LOCATION <u>SOMERSET, KY</u>	
ARCHITECT	DATE OF PLANS	JOB PHONE	

We hereby submit specifications and estimates for:

80' - 4' COMMERCIAL ALUMINUM ORNAMENTAL FENCE

2 - 4' WALK GATES

(NO GRADING INCLUDED)

* THIS PROPOSAL MUST BE SIGNED AND RETURNED TO BEGIN WORK.

* All Property lines to be marked prior to installation or shown at time of installation. We assume no responsibility for measuring property lines.

In the event of litigation between the parties, the customer agrees to pay a reasonable attorney fee for Herb Geddes Fence Co.

NOTE: All work and material guaranteed for one (1) full year. Concrete takes 72 hours to completely cure. Testing of posts for strength before we stretch fence will void our warranty on loose posts. Thanks for your cooperation. Not responsible for underground pipe, wires or utilities, unless noted and written upon this proposal when returned. Any rock encountered while excavating post holes will be charged per hole.

We propose hereby to furnish material and labor — complete in accordance with above specifications, for the sum of:

FIVE THOUSAND SIX HUNDRED dollars (\$ 5600⁰⁰ ^{KY}).

Payment to be made as follows:

CASH UPON COMPLETION. A SERVICE CHARGE OF 1 1/2% PER MONTH WILL BE ADDED TO PAST DUE ACCOUNTS.

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado and other necessary insurance. Our workers are fully covered by Workmen's compensation insurance.

Authorized Signature Doug Geddes
Doug Geddes, Vice President
Note: This proposal may be withdrawn by us if not accepted within 15 days.

Acceptance of Proposal — The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Signature _____

Signature _____

Received Time: May. 19. -2008- 1:22PM-No. 4370

Item no. 8
Page 33 of 196

FLENER BROTHERS INC.

3266 Peter Cave Rd.
Leitchfield, KY 42754
Phone (270) 257-8376
Fax (270) 257-0983
Email flenerbrothers@yahoo.com
Website www.thefenceco.biz

May 15, 2008

DW Wilburn, Inc.
153 Blue Sky Parkway
Lexington, KY 40509
P: (859) 263-2720
F: (859) 263-5692
Attn: Chris

RE: Somerset South Kentucky RECC

To furnish and install 2000 ft of 8 ft 9 gauge chain link fencing.

To Include

- 3 inch terminal post
- 2 1/2 inch line post
- 1 5/8 top and bottom rail
- 4 inch gate post
- 4 cantilever slide gates
- 4 gate operators and controls.
- Ornamental fencing { 36 ft total with 1- 4 ft walk gate }

Total \$ 159,500

The gate operator specs call for a battery back up feature for loss of power for the operator. The supplier { Tymetal corporation } says that none of there Gate operators has this function.. Intercom system for operators will be provided By others.

Rock Clause

There will be an additional charge of \$ 75.00 an hour for jack hammering if solid rock is encountered.

Flener Brothers is not responsible for any underground utilities that may be encountered.

Thank You
Scott Braun

Incomplete - Adds - Door post enclosure - 7,500.00
GATE

- Int. Warehouse Fencing - \$65,800.00
to Deck?

New TOTAL w/ above \$ 232,800.00

Flener Brother's, Inc.
3266 Peter Cave Road
Leitchfield, KY 42754

Phone Number 270-257-8376
Fax Number 270-257-0983

Web Address www.thefenceco.biz
Email flenerbrothers@yahoo.com

FAX TRANSMITTAL FORM

To: D.W. Wilborn	From: SCOTT BRAUN
Name: Chris	Date Sent: MAY 15-2008
CC:	Number of Pages: 2
Phone:	
Fax:	

Message:

Here is your quote for Somerset, when you get a chance give me a call I need to talk to you about the gates for WARREN County School Project

THANKS
SCOTT BRAUN



Corporate Office

5101 Commerce Crossings Dr.

Louisville, KY 40229

Phone: (502) 968-5445 Fax: (502) 969-2486

** ATLAS METAL PRODUCTS COMPANY **

** ATLAS DETENTION AND SECURITY SYSTEMS **

** ATLAS CASEWORK **

** ATLAS EXPRESS **

SALES QUOTATION

May 15, 2008

THIS QUOTE IS BASED ON PLANS DATED

April 7, 2008

Project:	SKRECC
Project Location:	Somerset, KY 42501
Bid Description:	Site & Street Furnishings
Spec. Section:	2870
Sale Price:	\$1,903.00
Material	
2	Ash Urn
1	Trash Receptacle

Tax:	EXCLUDED
Freight:	Tailgate Delivery to Jobsite
Add for Install:	N/A
Addenda Read:	1, 2, 3, 4

Clarifications:

Exclusions:

Sales Contact

Jonathan Keith

Phone: (502) 968-5445 Fax: (502) 969-2486

CUSTOMER "INSTANT ORDER"

Bid Accepted By:	
Name/Title:	
Firm Name:	
PO/Contract Number:	
Date:	

Quote Confirmed: 30 Days - Terms NET 30 Days

Lexington Office

125-F Trade Street

Lexington, KY 40511

Phone: (859) 254-9244 Fax: (859) 254-9057

Knoxville Office


200 Prosperity Drive

Knoxville, TN 37923

Phone: (865) 824-2820 Fax: (502) 810-2257



Item No. 8
Page 36 of 196




HOLDFAST
TECHNOLOGIES, LLC

Send to: D.W. Wilburn, INC	From: Krista Skinner
Attention:	Date: May 15, 2008
Office Location:	Office location: 12026 Lower Valley Pike Medway, OH 45341
Fax number: 859-263-5692	Phone number: 877-423-2562 Fax number: 937-879-6382

Urgent Reply ASAP Please Comment Please Review FYI

Total pages including cover: 2

Item No. 8
Page 379
196



HOLDFAST
TECHNOLOGIES, LLC
12026 LOWER VALLEY PIKE
MEDWAY, OH 45341
1-877-423-2562

Project Bid

Date:	Bid #
5/15/2008	5134

Customer:
SKRECC Project

Project:

Item	Description	Qty	Rate	Total
Nudura	Nudura 8 " forms (90-8,96-8,45-8,bri-8,TT-8) not to exceed 27000 sq. ft.	1	82,940.00	82,940.00T
BLOK08	8" Form lock 100'	0	52.30	0.00T
VJC-L	Vertical Joint Clip - Long (used between hinge pin and insert web or two insert webs)	0	0.65	0.00T
TAPE-4	4" Protective Tape	0	5.40	0.00T
TAPE	Fibre Tape	0	3.95	0.00T
-Zip36	36" Nylon Tie 175 lb 50/Pak	0	21.50	0.00T
W-EF24	Enerfoam Straw Foam - 24 oz	0	16.40	0.00T
Shipping	Shipping Charges	4	1,200.00	4,800.00T


Submitted by: _____

Accepted by: _____


Date: _____

Subtotal	\$87,740.00
Sales Tax (0.0%)	\$0.00
Total	\$87,740.00

w/ tax \$93,004.40



Item No. 8
Page 38 of 196



HOLDFAST
TECHNOLOGIES, LLC


Send to: D.W. Wilburn, INC	From: Krista Skinner
Attention:	Date: May 15, 2008
Office Location:	Office location: 12026 Lower Valley Pike Medway, OH 45341
Fax number: 859-263-5692	Phone number: 877-423-2562 Fax number: 937-879-6382

- Urgent
 Reply ASAP
 Please Comment
 Please Review
 FYI

Total pages including cover: 2

Item No. 8
Page 39 of 196

Project Bid



HOLDFAST
TECHNOLOGIES, LLC
12026 LOWER VALLEY PIKE
MEDWAY, OH 45341
1-877-423-2562

Date:	Bid #
5/15/2008	5134

Customer:
SKRECC Project

Project:

Item	Description	Qty	Rate	Total
Nudura	Nudura 8 " forms (90-8,96-8,45-8,bri-8,TT-8) Not to exceed 28,000 sq. ft. (all product not needed to complete job becomes the property of HOLDFAST at wall completion)	1	87,950.00	87,950.00T
BLOK08	8" Form lock 100'	120	43.60	5,232.00T
VJC-L	Vertical Joint Clip - Long (used between hinge pin and insert web or two insert webs)	600	0.52	312.00T
TAPE-4	4" Protective Tape	48	4.50	216.00T
TAPE	Fibre Tape	36	3.30	118.80T
-Zip36	36" Nylon Tie 175 lb 50/Pak	20	18.45	369.00T
W-EF24	Enerfoam Straw Foam - 24 oz	144	14.35	2,066.40T
Shipping	Shipping Charges	5	1,500.00	7,500.00T

Submitted by: _____

Subtotal \$103,764.20

Accepted by: _____

Sales Tax (6.0%) \$6,225.85

Date: _____

Total \$109,990.05



Item No. 8
Page 40 of 196

Proposal for S Kentucky Rural Electric Coop Somerset, KY

Prepared by

Thad Tobaben
402-871-4198

Sqft of wall
22,895

Reward Wall Systems, Inc.
9931 South 136th Street, Suite 100
Omaha, NE 68138
(800) 468-6344
www.rewardwalls.com/

Build Different. Build Better.



Item No. 8
Page 43 of 19.

Onsite Training

Reward Wall Systems, Inc. requires all new customers who are building with ICFs for the first time to sign up for onsite training. When it comes time to build your first project, an experienced Reward building consultant will come to your site for up to five days to guide and advise you and your crew. The Reward trainer is prepared to show you all the steps for correctly and efficiently installing forms and placing the concrete.

Cost

The standard package is \$1750.00 for five days. Training can be customized to meet varying needs, based on the scope of the project.

What Is Included

Pre-construction consultation - Once you have scheduled your training, the Reward trainer will call you to be sure you have the proper tools and that the site is prepared to make the best use of his time upon arrival.

Onsite training - For three days the Reward trainer will teach you and your crew proper and efficient installation techniques throughout the wall installation process including stacking, reinforcing, bracing, aligning, installing window and door bucks and placing concrete.

Post-construction consultation - The Reward trainer will continue to be available to answer questions by telephone and e-mail until your project is finished.

Training Benefits

This valuable service will shorten your crew's learning curve for installing ICF walls. Installation experience and expertise are necessary to be a successful user of the product. Your trainer can show you installation techniques and shortcuts that will save you time and money during construction. He also can help you avoid costly mistakes and ensure that your first project goes up smoothly.

At Reward Wall Systems, Inc., we don't just sell you the forms and walk away. Through our **Solid Support™** program we provide you with the tools you need to be successful. Reward offers a comprehensive technical manual, AutoCAD drawings and estimating software in addition to technical help that is always just a phone call away. Reward's onsite training program is another element of that corporate support.

Build Different. Build Better.



*Item No. 8
Page 44 of 196*

Anthony Skidmore
DW Wilburn Inc
153 Bluesky Parkway
Lexington KY 40509
859-263-2720

Bracing Rental

PROJECT QUOTE

PTS # 715

S. Kentucky Rural Electric Coop

Somerset, KY 42501

Quote Date: May 13, 2008

Quote Prepared By: Thad Tobaben


PLANT LOCATION	SHIPPING TERMS	PAYMENT TERMS
		As Agreed

QTY	ITEM	DESCRIPTION	UNIT PRICE	LINE TOTAL
140	12' rBase	140 pieces @\$1.00 per day	\$ -	\$ -
				\$ -
				\$ -
				\$ -
				\$ -
				\$ -
				\$ -
				\$ -
				\$ -
1		Freight-Other to and from jobsite	\$ 2,500.00	\$ 2,500.00
				\$ -
Subtotal				
Sales Tax				\$ -
TOTAL				\$ -

Terms & Conditions:

- 1 This quote is valid for 30 days from the quote date.
- 2 The material quantities listed are only an estimate.
- 3 Customer is responsible for actual quantities required and delivered to job site.
- 4 Applicable Sales Tax Not Included.
- 5 Freight is an estimate only and is subject to change
- 6 Total number of days for rental is calculated by dividing total labor hours by crew size.
- 7 Quote is for calendar days

9931 South 136th Street - Suite 100 - Omaha, NE 68138-3936 - 800-468-6344 -
www.rewardwalls.com



Item NO. 8
Page 45 of 196

Dixie ICF, LLC. *An Authorized Dealer of Amvic Insulated Concrete Forms*

To: DW Wilburn Thanks, Chris

Fax: 859 263 5692

Project: Corporate Office Facilities South Kentucky Rural Electric Cooperative

Bid Date: 5/14/08

Estimator: Tim Hamilton/Glenn Hamilton

Specification Section:

Addendum Acknowledged:

Amvic ICF Material Only: \$ 95,232.00 (3.42 Per SF)

26,650 SF 8" Amvic Reversible Straight Forms

1,162 SF 8" Amvic Reversible 90 Degree Form

48 Cans of Foam to Foam Adhesive

4 Adhesive Applicators

6 Cans Foam to Foam Adhesive Cleaner

Amvic has been the proven ICF Forming System for Crestwood Elementary, Franklin County Elementary and Mercer County Senior High School.

Proposal Scope:

1. Furnish Amvic ICF materials and adhesive sundries as shown above.
2. Standard Shop Drawings
3. Price is FOB Jobsite

Proposal Exclusions:

1. Labor, tools and equipment to perform installation of an insulated concrete form system as directed by specifications.
2. Labor for placement of reinforcing steel within forms, placement of concrete within forms, installation of opening bucking material.
3. Bracing
4. Provaling Wages
5. All concrete materials, reinforcing steel, opening bucking materials, sleeves, inserts, anchors, bolts, brick-ledge, dovetail anchor track, embedded items, bearing plates, Concrete Pumping.
6. Loading, Unloading of trucks, movement of ICF material around jobsite
7. Flashings, Weather Barriers, Tyvek materials or installation for ICF exterior walls.
8. Waterproofing Membrane or Parge Coat
9. Testing of Concrete and Soils
10. Dumpsters and Trash Removal
11. Kentucky Sales Tax.
12. Any Item not listed in Proposal Scope above



418 Production Court Louisville, Kentucky 40299

Phone: 502 493 0711 * Fax: 502 493 0113

Item NO. 8
Page 46 of
196

Southerland Masonry Construction, Inc.

Steve and Drew Southerland
6805 US 127
Stanford, KY. 40484
Office: (859) 854-3195

Fax: (859) 854-3196
Cell: (859) 326-0047
or (859) 326-0524
Email: southerlandmason@bellsouth.net

To: D.W. WILBURN
Phone: _____
Fax: 859-263-5692

PROJECT:
SOUTH KENTUCKY RECC BUILDINGS

Base Bid: 530,000.00

Alternate(s): _____

Allowance(s):
ALL LABOR, MATERIALS & EQUIPMENT
FOR MASONRY DIVISION

Bid for building ONLY Did NOT receive
Site Plans
+ \$20,000.00
+ rebid 636.00 = \$550,000.00
+ water 4000 \$550,636.00

Steve Southerland
Southerland Masonry Construction, Inc.
Steve Southerland

Telephone Bid

JOB NAME:

TIME:

AM

PM

DATE:

QUOTING	JOB LOCATION
BY	
ADDRESS	ESTIMATE NO.
PHONE	BID TAKEN BY
CLASS OF WORK	ACKNOWLEDGEMENT OF ADDENDA

Item NO. 8
Page 47 of 196

WORK TO BE PERFORMED

AMOUNT OF BID

Rogers-Carrick Co.

\$586,636

+ labor - 636.00

+ water - 6000.00

586,636.00

TOTAL BID

BOND INCLUDED YES NO

SALES TAX INCLUDED YES NO

DELIVERED TO JOB SITE YES NO DELIVERY DATE

MISC.

ALTERNATES, EXCLUSIONS OR QUALIFICATIONS

ADJUSTED TOTAL



Item No. 8
Page 48 of 196

BURTON MASONRY LLC

926 Cundiff Road
Faubush, KY 42544

606-871-9020 - Accounts Payable & Receivable
606-451-1712 - Estimating & Project Management


To: D.W. Wilburn	From: Kenny Burton
Fax: 859 263-5692	Pages: 1 including cover sheet
Phone:	Date: 5 / 15 / 08
Re: South Kentucky RECC Corporate Office Building	phone 606-451-1712

Comments:

Bid includes material and labor as per plans and specifications Division 4 Masonry.
Bid does not include purchase of rebar.

<u>Bid</u>	<u>\$ 589,500.00</u>
	+ 836.00
	+ 6000.00
	<hr/>
	\$ 596,136.00

Thank you,
Kenny Burton



HUSTON BARGER MASONRY, INC.
 400 RICHMOND RD. N., STE. E
 BEREA, KY 40403
 (859) 986-9761 FAX (859) 986-7237
 Info@hustonbarger.com

Item No. 8
Page 49 of 196

PROPOSAL

PROPOSAL SUBMITTED TO D W Wilburn		FAX	DATE March 2, 2007
STREET		JOB NAME South Kentucky RECC	
CITY, STATE and ZIP CODE		JOB LOCATION Somerset, KY	
ARCHITECT	DATE OF PLANS 5/10/06	JOB PHONE	
DESCRIPTION Per drawings & specifications. Addendum #1 through #6 acknowledged.			
BASE BID:			\$631,506.00
			<i>labor</i> 630.00
			<i>waste</i> 600.00
			638,142.00

We Propose hereby to furnish material and labor – complete in accordance with above specifications, for the

Sum of: _____ Dollars and No Cents \$

Acceptance of Proposal

Signature Huston Barger
 Huston Barger - President

The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Date of Acceptance: _____

Signature: _____

Item no. 8
Page 50 of 196

Fab Steel Inc.

476 Transport Ct.
Lexington, Ky. 40511
Ph.: (859)253-0630 Fax: (859)254-8841

Proposal

May 15, 2008
Quote#0805-03

D W Wilburn
Attn: Josh


RE: South KY RECC

We propose to *furnish* f.ob. jobsite fabricated structural and miscellaneous steel, per LUMP SUM PRICE of:

\$375,822.00 Tax Excluded w/tax \$398,371.32
Installation Add: \$147,000.00 = \$545,371.32

Includes: Shop Drawings, Columns, Beams, Perimeter Angle, Decking, Stairs and Rails, Lintels, Way Finding Signage Posts, Main Entrance Post, Dumpster Gates, Bollards . All materials to receive (1) shop coat of standard primer u.n.o.

Excludes: Aluminum or Stainless Steel Products, Ornamental Rail and Fence, Pre-engineered Buildings, Grout, Light Gauge Metals, AISC certification, Layout, Surveying, Inspection, Connections/ Anchors for other trades, Materials not sized or shown on drawings, Special License, Permits, Delay or Liquidated Damages, Bonds and Installation.

Sincerely,

Jeff Hampton, Estimator

Note: Above proposal is good for 20 days. Terms: Payment Net 30 days from invoice. Erection if included includes (1) mobilization and excludes setting bollards, lintels, and embeds. Delivery dates subject to mill rolling and availability.





Item No. 8
Page 51 of 196

G & G CONTRACTING CO., INC.

P.O. Box 245

579 Medlock Lane

Annville, KY 40402

Phone: 606-364-2011 Fax: 606-364-3250

Email: g-g_contracting@yahoo.com

Fax Cover Sheet:

To: DW Wilburn

Attention: Josh

From: Greg

Date: 5/14/08

Pages: 5

Revised

If there is a problem receiving any pages please call the above number.

Special Notes: Josh, I will send the Quote
on the Pre-engineered Part of this job
ASAP.

Thanks

Item no. 8
Page 52 of 196

PROPOSAL

G & G Contracting Co., Inc.
P.O. Box 245, 579 Medlock Lane
Annville, Ky, 40402
606-364-2011 606-364-3250

Proposal submitted to: DW Willborn

Date: 5/14/08

Street: 153 Blue Sky Parkway

Job Name: ^{Rec.} Corporate office

City, State and Zip Code: Lexington, Ky. 40509

Job Location: Somerset, Ky.

We Propose hereby to furnish material and labor to complete in accordance with the specifications below, for the sum of:

\$ 408,650.00

Payments to be made as follows:

Progress Payments


We hereby submit specifications and estimates for:

Supply only for the Structural Steel Package per the attached USA Quote.

Remaind

Note: This price is only good for 15 days. If the job is not awarded within the 15 days the price will increase by 8%. This would make the price \$441,342.00

Authorized Signature: _____



Note: This proposal may be withdrawn by us if not accepted within 15 days.

Acceptance of Proposal- The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work specified. Payment will be made as outlined above.

Date of Acceptance: _____

Add for erection - \$200,000


Signature: _____

TOTAL

Signature: _____

608,650.00

Item No. 8
Page 53 of 196



P.O. BOX 80088
HOUSTON, TEXAS 77203-0088
281-442-8247
(281) 449-7631 (Fax)

LAS CERTIFIED FABRICATOR

Buyer: _____

Date: May 13, 2008

Quote No. 08052

Attn: _____

Page 1 of 3

Project: Corporate Office for South KY REC

Location: Somerset KY

We propose to sell the following described material subject to the terms and conditions of United Structures of America, Inc.
Structural Steel Furnish Only Items (F.O.B. JobSite)

- 1) Shop Drawings For Structural Steel
- 2) Structural Steel Columns & Beams
- 3) Connection Fasteners for Items Provided
- 4) Edge Conditions
- 5) Embeds Plates for Structural Steel & Light Gauge Anchorage
- 6) Floor & Low Roof Decking (2.0SB20G60 Floor Deck, 1 1/2" Wide Rib BW3622G60 Floor Deck)
- 7) Framing Materials for Bracing as shown on S2.1
- 8) Loose Shear Connectors, Field Installation Not by USA
- 9) USA Standard Primer Paint (Red Oxide)(UNO)
- 10) Interior Pan Stairs A & B w/ Picket and Wall Mounted Rails Plan Ref A1.1, A1.2 - No Details
- 11) Sloped & Guardrail for Exterior Conc Stairs @ Shipping/Receiving (Galv) Plan Ref A1.3 - No Details
- 12) Elevator Pir Ladder (1)(Galv) Plan Ref A1.1 & Sec H/A5.2
- 13) 6"Ø Bollards @ Two Dumpsters (8)(Galv) Plan Ref A1.3 - No Detail
- 14) Wallrails @ Conc Ramp off Corridor 300 (60 Lf) Plan Ref A1.3 - No Detail
- 15) Curved Picket Guardrails @ Two 2nd Floor Balconies (86 Lf)(Galv) Plan Ref 1/A2.3 & Det A, B/A2.3
- 16) 2-Line Sloped Rails w/ Grabrails @ Loading Dock 350, Five Conc Stairs (90 Lf) Plan Ref A1.3 - No Details

Standard Exclusions Are: erection, aluminum, stainless, gauge material U.N.O., ties and brackets for other trades, cast iron, grout, grates and frames, roof hatch, masonry anchors, shim plates, double nuts on anchor bolts, field measuring, bolts for wood, all testing and inspections, field painting, any special coatings, field touch-ups & welding, unistrut, stair nosing, M.E.P. Drawings, Roof Opening Frames not shown on Architectural & Structural Drawings, Retainage, Bonding, and Liquidated Damages. No consideration is given for UL #a Building Codes or any other item not specifically mentioned as included.

Qualification(s): Price is Firm for Thirty (30) Days from Date of Quote and Subject to Further Review if All Materials are Not Delivered within Twelve (12) Weeks of Purchase Order Date. Wheeling Dock Properties.

Additional Exclusions:

- | | |
|---|---|
| 1) Domestic Only Materials | 5) Decking on top of Light Gauge Trusses and/or Framing |
| 2) Details and/or Sections Not Specifically Cut on the Drawings Whether Provided or Not | 6) Metal Building or Light Gauge Materials (UNO) |
| 3) Engineering, Calculations or Testing and/or PE Stamps | 7) Masonry Ties or Anchors, Including J-Bolts |
| 4) AISC Category I and/or Sbd Certified Fabricator | 8) Epoxy, Expansion or Masonry Anchors |
| | 9) Light Gauge Clips for Metal Stud and/or Truss |

Item no. 8
Page 54 of 196

Corporate Office for South Kentucky REC
Somerset, KY
USA Quote 02052
May 15, 2008
Pg 2 of 3

Additional Exclusions: (Continued)

- 10) Connection to Structural Steel
- 11) Trench Frames & Covers
- 12) Cast Iron Materials
- 13) Unistrut Products
- 14) Chainlink Fencing and/or Framing for
- 15) Support and/or Anchorage for Items Provided By Others
- 16) Ornamental Gates & Fencing

- 17) Preparation for and/or Special Coatings or Paint, Including Treatments
- 18) CMU Wall Breccing, Unless Specifically Cut on the Drawings
- 19) Slip Resistant Paint Applied to Top Flanges of Beams
- 20) Work and/or Materials shown only on Civil, Site, Mechanical & Plumbing Drawings
- 21) ~~Loose List~~

Prepared By: Tate-Hill-Jacobs Architects
Lexington, KY

Dated: 4/7/08 Revision 0

Drawing # 91.0 - 1.12, 2.1, 3.1, 3.2, 4.1 - 4.5

Addendum: N/A

Price: \$ 385,160.⁰⁰

Tax: 23,131.⁰⁸

Total: \$ 408,291.⁰⁸

Approx. Wt.:

Structural	<u>103.6</u>	Tons
Deck	<u>133.0</u>	Sqs.
Jolst	<u>0.0</u>	Tons

Specs: Plan Notes (All As Noted)

ALL QUOTATIONS SUBJECT TO ALL APPLICABLE TAXES UNLESS NOTED
Paint One Shop Coat USA Standard Red Primer on Structural Steel and Jolst.

All touch-up and field painting by others.

Prices quoted are good for 30 days from the above date, and then subject to revision.

DELIVERY BASED UPON MATERIAL AVAILABILITY.

TERMS OF PAYMENT: SUBJECT TO CREDIT APPROVAL

TERMS AND CONDITIONS: EXHIBIT 'A' ATTACHED

This Proposal Shall Become an Exhibit to Any Purchase Order or Subcontract Issued for This Work.

Accepted By: _____
(Authorized Signature)

Submitted by: _____
(John P. Scott, U.S.A., Inc.)

Title: _____ Date: _____

Title: Structural Steel Sales Date: _____

USA Quote 08052
Page 3 of 3

Item No. 8
Page 55 of 196

EXHIBIT "A"

USA STANDARD TERMS & CONDITIONS

(1) Terms

- A) Subject to Credit approval.
- B) All material prices are net, with payment in lawful currency of the United States at Houston, Texas, without deduction of any kind. If shipment of any part of contract is delayed, the Buyer's obligation for the remainder of the material shall not be affected thereby. Buyer shall be responsible for all loss or damage to material F.O.B. Jobsite, and for accurately re-estimating for each shipment.
- C) Shipments and delivery shall be subject to approval of Seller's Credit Department and Seller reserves the right, previous to making any shipment, to require from Buyer satisfactory security for performance of Buyer's obligations. If Buyer fails to fulfill the terms of payment, the Seller may deliver additional shipment of labor or any of its option, cancel the uncompleted balance. If collection of this contract requires any legal counsel or procedures, Buyer agrees to pay reasonable attorney's fees which shall not be less than 15% of the principle and interest then due. No failure of the Seller to exercise any right occurring from default of the Buyer shall impair the Seller's rights in case of any subsequent default.
- D) This contract shall be deemed to have been made in Harris County, Texas and shall be understood, interpreted and construed according to the laws of the State of Texas.
- E) The indebtedness due Seller as evidenced by this agreement, together with any other indebtedness due to Seller by Buyer, is secured by a chattel mortgage lien upon all materials sold Buyer by it in contract and title to all such materials shall remain in Seller until all indebtedness due Seller together with any other charges, fully paid to Seller, at Houston, Texas. Seller is fully authorized at any time to fill in and insert this legal description of the real estate upon which the personal property described is to be placed.
- F) Changes in the work within the general scope of this contract, consisting of additions, deletion or other revisions, shall be agreed to in writing for adjustment to the contract sum and or contract time prior to the commencement of such changed or revised work.

(2) Acceptance

This proposal is not a contract until signed by Buyer and accepted by an executive officer of Seller.

(3) Irrevocability:

This contract and orders cannot be canceled by the Buyer under any circumstances without the Buyer's first reaching an agreement in writing with the Seller covering all damages. If cancellation or modification is agreed to by Seller, Buyer agrees to promptly pay all reasonable engineering and other expenses incurred by the Seller in connection with this contract, but not less than 10% of the contract price.

(4) Delivery:

- A) Upon accepting this offer, USA will notify Buyer in writing of the estimated shipping date. However, such date is to be construed as an estimate only and USA shall not be liable to Buyer for any delay. Buyer must accept delivery when tendered by USA and demurrage, off loading, or other costs of delay shall be paid by Buyer.
- B) Seller is not responsible for any delays occasioned by transportation difficulties, priorities of any kind, strikes or accidents, war, acts of God, or any other causes beyond Seller's control, and no penalties or liquidated damages are provided for herein, and in no event shall Seller be liable for any special or consequential damages.

(5) Limited Warranty:


All products fabricated by seller are warranted against failure due to defective material or workmanship for a period of one year after shipment. Seller reserves the right to determine what material workmanship is defective.

(6) Additional Terms:

- A) All building permits, performance bonds, excise, privilege, occupation, sales, personal property and other taxes or fees (whether Federal, State, or Local) applicable to this transaction shall be added to the total price set forth in Paragraph (1) above and shall be paid by Buyer although not specifically set forth herein. Payment for additional work not included in the contract, but required by the Buyer, shall be promptly made by Buyer on the same basis as original work.
- B) In the event that the terms or conditions stipulated in the Buyer's purchase order are inconsistent with the Seller's General Conditions of Contract, the Seller's General Conditions shall govern. Any purchase Order issued by the Seller on the basis of the quotation, or any modification thereof, incorporates, by reference, all the provisions of these General Conditions of Contract.
- C) If erection is not included in the contract, the Seller will furnish Buyer all standard erection drawings required for the erection and installation of Seller's products by competent and experienced workmen.
- D) This contract does not include erection unless specifically stated on the face hereof.
- E) Claims for correction of alleged misfits will be disallowed unless USA shall have received prior notice thereof and allowed reasonable inspections of such misfits. No part of the building may be returned for alleged misfits without the prior approval of USA.
- F) Seller shall not be responsible or liable for the obtaining of permits to erect or install any product.
- G) Any claims or shortages by Buyer must be made to USA within five (5) days after delivery, or such claims will be considered to have been waived by the customer and disallowed.
- H) Any controversy or claim arising out of or relating to this Agreement, or the breach thereof, shall be settled by arbitration in accordance with the Commercial Arbitration Rules of the American Arbitration Association, and judgment upon the award rendered by the arbitrator(s) may be entered in any court having jurisdiction thereof. Such arbitration shall be held in Houston, Harris County Texas at 1300 Post Oak Boulevard, Suite 2240, Houston, Texas or such other location as designated by Seller.
- I) If Seller is the prevailing party in any legal proceeding or arbitration brought under or within this Agreement, Seller shall be entitled to recover from the Buyer all costs of such proceeding and reasonable attorney's fees.
- J) Buyer shall not assign this Contract.
- K) No action and/or arbitration proceeding may be brought by Buyer against Seller unless it is commenced within one year from the date of this Contract.

(7) _____
(Initial)
Rev. 7/07

I have read the above general conditions and understand them.



Item No. 8
Page 56 of 196

ARTISTIC IRON WORKS (Designer Railings)

208 Vine Road - Wilder, KY 41076 Phone: 859-291-4500 Fax: 859-291-4647

QUOTATION: 051508 DRAFT-1

May 15, 2008

DW Wilburn Inc
Attn: Josh Sword, jsword@wwilburn.com & Chris Cornett
Phone: (859) 263-2720 Fax: (859) 263-5692
(2-PAGES)

Project Reference: RECC South KY Rurl Electric Cooperative Corporation

Addressing: 05520 - Handrailings & Railings

- A- ALL Aluminum "Guardrailing & Handrailings" for stairs & ramps
- B- Balcony Aluminum Guardrailings
- C- Stair-B Aluminum Guardrailings
- D- Stair-A, Glass Guardrailing systems
- E- 3-Form-Panel-Guardrailings for Corridor-205

A.I.W. proposes to furnish the following Ornamental Metal elements as noted in scope below.

A- "Guardrailing Systems" - Aluminum, for the following

- Note: Interior ramps
 - o See A1.3 Corridor 300 & next to Coffee vending
- Estimating approximately 6-units totaling 156'LF
- Wall mounted aluminum handrailings

Above 156'-fabricated and Installed complete \$ 14,154⁰⁰

- Note: Aluminum Pipe Handrailings
 - o See A5.3/2 detail, reference
- Meter Parts 320 & Grounds-323 =20-LF
- See A1.3, Exterior Stair, all 5-Loading dock stairs=165-LF

Above 185'-fabricated and Installed complete \$ 27,472⁰⁰

B- "Balcony" ^{STEEL} Aluminum Guardrailings

- Note: Exterior Curved Aluminum Railings ^{STEEL}
 - o See A1.2 CEO-200 & Board Room 202
 - o See all details A2.3
- Estimating approximately 33'x2 = 66'LF
- Curved Aluminum Tube & picket railings

Above 66'-fabricated and Installed complete \$ 22,869⁰⁰

See page-2

Item No. 8
Page 57 of 196

A.I.W. _____ page-2
RECC

STEEL

C- "Stair-B" Aluminum Guardrailings

- Note: Aluminum Railings, as requested & noted below
 - o Using details A2.3/A-"Alum-Tube" with HR
 - o See A1.2 Stair B
- Estimating approximately 32'LF Guardrailings
- Estimating approximately 27'LF Wall-Mount HR

Above -fabricated and installed complete \$ 10,307⁰⁰

STEEL

D- "Stair-A" Aluminum & Glass Guardrailings

- Note: Aluminum Railings, as requested & noted below
 - o See A1.1 & A1.2
 - o See Cut section A5.2, Note Glass Guardrail on both sides total stair & landings.
 - o ASSUMING POST & CLIP DESIGN
 - o 1/2" TEMP=GLASS
 - o Note: Level glass overlook included
- Estimating approximately 96'LF Guardrailings

go to aluminum rails \$9600⁰⁰

Above -fabricated and installed complete \$ 24,288⁰⁰ → \$33,888⁰⁰

E- 3-Form-Panel-Guardrailings for Corridor-205 Guardrailings

- Note: Aluminum Railings, as noted below
 - o See A1.2
 - o ASSUMING POST & CLIP DESIGN
 - o Note: 3-Form VARIA-Panels → BY OTHERS)
 - o Note: See 2-Curved points
- Estimating approximately 30'LF Guardrailings

Above -fabricated and installed complete \$ 5,775⁰⁰
+ GLASS - 5715⁰⁰

- All Shop Drawings, Engineering and Samples Included
- Terms, as contracted to schedule of values


For clarifications and questions, call Mark Stamates at (859) 491-8592

John Milburn & Rainer Pansch,
A.I.W.-Artistic Iron Works

TOTAL \$117,240⁰⁰



Item NO. 8
Page 58 of 196



Grayhawk, LLC
2424 Merchant Street
Lexington, Kentucky 40511

Fax

To: D.W. Wilburn, Inc.—Josh Sword

From: Ben Noble

Fax: 263-5692

Pages: 4

Re: South Kentucky RECC

Date: May 15, 2008

Subject: Truss Quote

CC:

The following proposal is for light gauge steel trusses. Please call with any questions

Thank you,

Ben Noble

Grayhawk, LLC - Lexington Office: Ph. 859/255-2754 Fax. 859/259-0957

Received Time May. 15. 2008 11:02AM No. 4098



Grayhawk, LLC
2424 Merchant Street
Lexington, Kentucky 40511

SOUTH KENTUCKY RECC
SOMERSET, KENTUCKY

Furnish labor, material and equipment to fabricate, deliver & erect light gauge steel trusses. **Per Specification Section 05475—Shop Fabricated Cold-Formed Metal Trusses.**

Metal Trusses:

1. Ultra Span ® Light Gauge Steel Truss System by Aegis Metal Framing LLC. Aegis is a proprietary shape that utilizes 20-12 gauge material.
2. Engineered stamped truss shop drawings.
3. Web plane bracing, 1-1/2" 20 gauge hat channel.
4. Bottom chord bracing, 1-1/2" 20 gauge hat channel.
5. Attachment clip angles, truss to bearing & truss to truss.
6. Engineered stamped bracing drawings. 1 with connection details & 1 shear transfer details.

Clarifications

1. Excludes unloading of trusses unless Grayhawk erects.
2. Excludes dumpster fees and trash removal.
3. Excludes roof decking, metal or wood.
4. Excludes any loads not specifically in the plans or specifications.
5. Excludes bearing plates & embeds.
6. Excludes bent angle for ridge, hips, valleys and eaves.
7. Proposal is based on utilizing scissor lifts on second floor.
8. It is understood that Grayhawk is a merit-based contractor.
9. Additional move-in/move-out will be \$1,500.00.
10. Excludes premium/shift time.
11. Job is **NOT** bid as prevailing wage.
12. No testing or outside field reports included.
13. Bid is predicated on terms/conditions of the ConsensusDocs subcontract format as endorsed by AGC.
14. Truss loading 20-15-10-10, 15 P.S.F. snow load & 90 MPH winds.
15. Truss material coating G-60.
16. Truss spacing = 4' O.C.
17. Heel Height VARIOUS; roof pitch VARIOUS
18. **Excludes all soffitt framing**

Grayhawk, LLC - Lexington Office: Ph. 859/255-2754 Fax. 859/259-0957

Item No. 8
Page 60 of 196

Clarifications Cont.

May 15, 2008

- 19. High roof framing on S1.5 was designed with 3/12 ceiling pitch and stopping 3'-2" above the truss bearing height.
- 20. Out-lookers only to be included as indicated on layout (included with proposal).
- 21. 14 gauge G60 blocking panel provided with 10" x 6" bent metal at the heel to provide 250#/LF located between every 4' truss space.
- 22. Works package included, which will provide detailed bracing, truss connections, and shear transfer design, for this particular job. This should be beneficial with this project being a design build.

Trusses Only \$172,061.00
 Bracing & Clips \$5,817.00
 Bracing Layout, Works Package & Blocking Material \$14,825.00

TOTAL for Trusses, Bracing, Clips & Taxes \$204,265.00

TOTAL FOR ERECTION, TRUSSES, BRACING, CLIPS & TAXES \$269,821.00

We propose hereby to furnish material and labor - in accordance with above specifications, for the sum of:

\$. See above

Payment to be made as follows, per completion percentage, trusses only 30 days no retention

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado and other necessary insurance. Our workers are fully covered by Workmen's Compensation Insurance.

NOTE: This proposal may be withdrawn by us if not accepted within 30 days


Authorized by: *B. Noble*
 Ben Noble, Light Gauge Truss Estimator
bnoble@grayhawk-ky.com

Acceptance of Proposal - The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified.

Date of Acceptance: _____ Signature: _____

Received Time May. 15. 2008 11:02AM No. 4098

03/13/2008 10:11:00 AM 03 23 03 / 0310 03100000 03100000



GRAYHAWK, LLC

242^{1/2} Merchant St.
Lexington, KY 40511

Telephone: 859/255-2754
Fax: 859/259-0957

Name:
Address:

Telephone:

B Michal Coudill MS

Job:

RECC

File Location: T:\Work\Recc\RECC


Scale: NoScale

Date: 5/1/2008

Drawn By: BJN

Team No. 8
Page 61 of 196

03/04/004



Tri-State

Item NO. 8
Page 62 of 196
Cold-Formed Steel
Components, LLC

PRE-ENGINEERED COLD-FORMED STEEL TRUSSES AND ACCESSORIES

140 Arnold Drive, Suite 1 Shepherdsville, KY 40165 - TOLL FREE 1-877-STL-TRUS (785-8787)

DBE Certified & MBE

Page 1 of 4

May 15, 2008

South KY Rural Electric Coop – Somerset, KY

Our Estimate #: Q3161

Checklist for Light Gauge Steel Trusses

This is a checklist / scope letter for all items we see as being a part of the light gauge steel truss package based on information shown in the plans, called out in the specs and in the addendums 1 thru 5.

Includes:

- All light gauge trusses as called out in plans. (Sheets S1.3, S1.4, S1.5, S1.6, S1.7)
- Truss Quantity = +/- 525
- All loading per Sheet S1.0 Cold-Formed Steel Truss Construction.
- All Truss to Truss connections.
- All Truss to bearing connections.
- Truss Web Bracing 250S162-33 Stud material per G/S4.1. (Option #1)
- Truss Bottom Chord Bracing 250S162-33 Stud material per G/S4.1. (Option #1)
- Truss Bracing at Step-Down trusses per detail F/S4.1. (Option #1)
- Truss Temporary Top Chord bracing. (Option #2)
- Truss Bracing at Bearing required per detail J/S4.1.

Excludes:

- All Structural steel.
- Any Embed plates or truss bearing plates.
- Any structural L-Angles.
- Any Soffit or outrigger material. (This material is called out in the structural drawings as being part of the truss, but is shown in the architectural drawings as being stud framing. This material is not included in our bid. ?)
- Any decking.
- Bent plate material for Hips, Valleys, Ridge or Eaves. (This material is not called for in plans, but can be added to our bid if required.)
- Any material required to hang/support mechanical piping or duct work.

We are providing this information as a courtesy to all contractors interested in bidding this project due to the specifications and complexities of the job. This checklist is a tool to help you make a fair and accurate comparison of the various truss proposals that you will receive. If are any items included that you don't want in our bid or any items we are excluding that you want in our bid, please feel free to give me a call.


Sincerely,

Ed French

Ed French

Tri-State CFS Components, Inc.

PH: 502-957-1234 Fax: 502-957-1230



Tri-State

Item No. 8
Page 63 of 196
Cold-Formed Steel
Components, LLC

PRE-ENGINEERED COLD-FORMED STEEL TRUSSES AND ACCESSORIES

140 Arnold Drive, Suite 1 Shepherdsville, KY 40165
PH: 502-957-1234 FAX: 502-957-1230
TOLL FREE 1-877-STL-TRUS (785-8787)
DBE Certified & MBE

Estimate Date: May 15, 2008

Our Estimate #: Q3161

Page 2 of 4

TO: ESTIMATION DEPARTMENT

ATTN: Project Estimator

PROJECT: South KY Rural Electric Coop – Somerset, KY

Tri-State CFS is pleased to offer this estimate for TrusSteel Brand CFS Trusses as described below. Changes to the construction documents for this project or the design criteria, causing changes to the trusses to be fabricated, will result in a price change. **Estimate is valid for 30 days. Price listed is contingent on delivery of trusses to the job site OR pre-pay material cost by July 31, 2008.** Final price adjustments to contract price, for either increases or decreases in steel costs, will be calculated based on the cost of steel at actual time of delivery. Labor, fabrication, overhead and profit will remain unchanged for this time period. Installation is by others.

TrusSteel is a proprietary shape. It is not a standard C-shaped steel section. Visit www.tristatecfs.com for additional information about the components that we use to fabricate the TrusSteel trusses proposed.

Tri-State CFS Components, Inc. will only provide the following products for this project:

- Approx. 525 qty., TrusSteel Brand CFS Trusses (including 20 valley trusses and 40 piggyback caps). G60 coating, 45 PSF Total Uniform Load and Unbalanced Snow Loads per IBC, 24" & 48" maximum On Center Spacing, 22 gauge to 16 gauge materials as required by Alpine Engineered Products, Inc design analysis and sealed truss drawings.
- Alpine truss-to-bearing and truss-to-truss clips, as required, with connection details.
- Engineer sealed, 8 1/2" x 11", individual truss design/shop drawings.
- Truss placement plan (not sealed).
- Freight-On-Board (F.O.B.) delivery to construction site, via common carrier. (NOTE: Trusses will not be slid or rolled-off of the delivery truck bed, this would result in damage to the product.)

TOTAL FOR TRUSSES AND TRUSS CLIPS.....\$193,950.00* PLUS TAX

See available **ADD OPTIONS below. Add these to the total for the trusses & truss clips listed above. Signed purchase agreement on page 2 required with order. All trusses are special order items. No retainage accepted.*

AVAILABLE ADD OPTIONS


OPTION #1: Approx 18,000 l/f Truss Web & Bottom Chord Permanent Bracing...\$12,990.00 PLUS TAX
(This includes approx 10,000 L/F web bracing and approx 8,000 L/F bottom chord bracing consisting of continuous lateral bracing and diagonal bracing)

OPTION #2: Approx. 7,000 l/f Temporary Top Chord Truss Bracing material.....\$3,585.00 PLUS TAX
(This includes: Lateral and diagonal temporary bracing material as called for in the LGSEA Field Installation Guide)

210,525 + tax = \$223,157⁰⁰

NOTE: This estimate is based on project information presented and material cost projections available on the date listed above. All prices are subject to change based on the actual cost of steel at the time of scheduled delivery and final shop drawing/submittal package approval. Delivery must be taken or material must be pre-paid by **July 31, 2008** for the pricing listed above. A complete set of plans, specifications and addendum must be furnished to Tri-State CFS Components, Inc. upon final contracted price and acceptance of our purchase agreement on page two.

Section - ~~\$25,000~~ \$60,000



Tri-State

Item No. 8
Page 64 of 196
Cold-Formed Steel
Components, LLC

PRE-ENGINEERED COLD-FORMED STEEL TRUSSES AND ACCESSORIES

140 Arnold Drive, Suite 1 Shepherdsville, KY 40165 - TOLL FREE 1-877-STL-TRUS (785-8787)

DBE Certified & MBE

May 15, 2008

Our Estimate #: Q3161

Page 3 of 4

Approximately 10,000 lineal feet of truss web bracing and vertical "X" bracing material is required for the Continuous Lateral Bracing (CLB's) of the truss webs, [and piggyback flat top chord (FTC).] Approximately 15,000 lineal feet of additional top chord & bottom chord continuous lateral bracing, in-plane/horizontal diagonal bracing is suggested for the balance of the temporary and permanent roof truss bracing as illustrated and recommended in the Light Gauge Steel Engineers Association (LGSEA) publication "Field Installation Guide for Cold-Formed Steel Roof Trusses". Follow these bracing guidelines or consult an engineer if the building designer has not already specified bracing for the roof system as it relates to the overall structure design.

Tri-State CFS Components, Inc. is a Truss Manufacturer and only assumes the responsibilities of a Truss Manufacturer as defined and described in Appendix A, Standard Practice for Cold-Formed Steel Truss Design Responsibilities, of the American Iron and Steel Institute (A.I.S.I.) publication "Design Guide for Cold-Formed Steel Trusses".

Any additional products or services not specifically included above would be itemized and priced separately as a break out item if being offered as part of this proposal. All installation is by others.

Thank you for considering our CFS truss estimate for this project. Please contact us with any questions or concerns.

Sincerely,

Ed French

Ed French

Tri-State CFS Components, Inc.

PH: 502-957-1234 Fax: 502-957-1230

PURCHASE AGREEMENT

I (We) agree to purchase the products and/or services described and presented in/with this estimate from Tri-State Cold-Formed Steel Components, Inc. based on material cost at time of truss delivery. I (We) agree to furnish one complete set of the most current construction documents for this project to Tri-State CFS Components, Inc. for the generation of submittal packages and other requested services at no charge. I (We) understand that the CFS trusses are special order products specifically designed for this project and will be manufactured as indicated and detailed in the approved truss submittal package. In the absence of a purchase order by the customer, this signed agreement is our authorization to proceed with the generation of a submittal package. Production of trusses will not commence and a delivery date will not be scheduled (or held) until a purchase order or this signed agreement is received. I (We) understand that no portion/amount of the purchase price can be retained for any reason and that absolutely no back charges are allowed to be deducted from the invoiced amount. I (We) also understand that cancellation of this order may result in charges for the cost of materials, labor, or overhead incurred by us to process your order. I (We) also understand that all products are shipped to the job site Freight On Board (F.O.B.) and that we are responsible for having the proper equipment and man power to off load the product in a timely and responsible manner as to not cause damage to the product or to unreasonably delay the common carrier.

Terms: Net 30 days after date of invoice. A credit application may be required for new customers. Invoices paid after 30 days are subject to a late charge of 18% APR (1 1/2 % per month) on the unpaid balance.

Company Name _____ Authorized Representative _____
(PLEASE PRINT NAME)



Item No. 8
Page 65 of 196
Cold-Formed Steel
Components, LLC

PRE-ENGINEERED COLD-FORMED STEEL TRUSSES AND ACCESSORIES
140 Arnold Drive, Suite 1 Shepherdsville, KY 40165 - TOLL FREE 1-877-STL-TRUS (785-8787)
DBE Certified & MBE

Page 4 of 4

May 15, 2008

South KY Rural Electric Coop – Somerset, KY

Our Estimate #: Q3161

Voluntary Value Engineering

VE Option #1

Truss T1 on Sheet S1.3 that frames in the steel beams on column lines C & H and between column lines 3 & 4 are going to require a special hanger. This is because the height above the beam is only 6" and the truss can not be designed to bear on top of the beam with that height. So a special hanger will have to be designed and fabricated for this connection.

We would recommend raising the truss heel height up 2 ¼" or dropping the steel down.

Total possible savings would be between \$1000.00 to \$3,000.00.

VE Option #2

Trusses on Sheet S1.4 will not work as shown in plans. For the bid we had to change the spacing to 24" OC. This is a very expensive way to have to design this area. We have a couple of ideas for this area.

- 1) Add a minimum of one interior bearing point in these areas to reduce the spans and take trusses back to 48" OC.
- 2) Raise the heel height of the truss at the outside bearing walls and or raise the pitch of the trusses. Trusses would remain at 24" OC. This combined with the one above would save even more.

Total possible savings would be between \$1000.00 with #2 to as much as \$25,000.00 with #1.

If given the chance to work with your design team, we feel we could make some changes that could help in the design of the roof system and the cost of the project.

Sincerely,

Ed French

Ed French

Tri-State CFS Components, Inc.

PH: 502-957-1234 Fax: 502-957-1230

Item No. 8
Page 66 of 196

Kentucky Caseworks
3375 E Hwy 80
Somerset, KY 42501
606.676.9548
606.676.9570 fax
www.kycaseworks.com

From:
Ryan Atwood
ryan@kycaseworks.com

To: Chris Cornett

Fax: 859 - 263 - 5692

Re: South KY RECC

Comments:

*Item No. 8
Page 67 of 196*

Kentucky Caseworks
3375 E Hwy 80
Somerset, KY 42501
606.676.9548 office
606.676.9570 fax
Ryan Atwood, project manager

Project:
South KY RECC
Somerset, KY

Scope of Work:

Men's, Women's Restrooms 139, 140, 153, 156, 206, 208, 314, 316
Solid surface vanities (sinks by others) per 3/A7.2
Solid surface mirror endcaps and 1/2" plywood behind mirrors (mirror by others)

Solid surface window sills
14" wide solid surface sills at window types B, C, D, F, J & S
77 sills - 440 LF

Exclusions:
All plumbing, all electrical, all items not listed above.
All trim unless listed above.

Material cost	\$33,400.00
Install cost	\$5,000.00

\$ 38,400.00

Item No. 8

Page 68 of 196

Room	Rm #	Description	Type	LF
		PLAM Cabs/Tops		
		AWI Grade - Custom		
		Full Overlay Doors/Drawers		
		3" Wire Pulls		
		Concealed European Hinges		
		3/4 extension drawer slides		
Cater	144	" " " "	Tops	38
			Base Cabs	38
			Wall Cabs	38
Warming Kitchen	172	" " " "	Tops	22
			Base Cabs	22
War Room	178	" " " "	Tops	16
Dispatch	176	" " " "	Tops	72
			Base Cabs	5
Print	166	" " " "	Tops	13
			Base Cabs	6
			Wall Cabs	13
Set Up	165	" " " "	Tops	32
			Base Cabs	8
			Wall Cabs	24

Telephone Bid

Page 71 of 191

JOB NAME:

TIME:

AM

PM

DATE:

QUOTING

JOB LOCATION

BY

Gaylen Lumber

805-584-4542

ADDRESS

ESTIMATE NO.

PHONE

BID TAKEN BY

CLASS OF WORK

ACKNOWLEDGEMENT OF ADDENDA

WORK TO BE PERFORMED

AMOUNT OF BID

Davis

HEAVY Timber Lumber

1400⁰⁰

Material
Freight

3000⁰⁰
500⁰⁰

TOTAL BID

BOND INCLUDED

YES NO

SALES TAX INCLUDED

YES NO

DELIVERED TO JOB SITE

YES NO

DELIVERY DATE

MISC.

ALTERNATES, EXCLUSIONS OR QUALIFICATIONS

ADJUSTED TOTAL



217 NORTH BROADWAY
BEREA, KY 40403
PHONE (859) 985-9694
FAX (859) 985-9790

SEND TO: D.W. Wilburn	FROM: Chris Maddox
ATTENTION: Josh	DATE: 05/15/08
FAX NUMBER: 859-263-5692	PHONE NUMBER: 859-263-2720

- URGENT
 REPLY ASAP
 PLEASE COMMENT
 PLEASE REVIEW
 FOR YOUR INFORMATION

TOTAL PAGES, INCLUDING COVER: 3

COMMENTS:

Item NO. 8

Page 73 of 196



BID QUOTE

May 15, 2008

JOB NAME: South Ky. RECC

Isaacs Specialty Roof Systems Inc. will provide all labor, material, and equipment necessary to complete the work as outlined below. Prices good for 30 days. Bid price is based on standard AIA subcontract agreement.

SCOPE OF WORK:

Sloped Roof

- Section 07613: Manufactured Sheet Metal Roofing DMI
- Section 07620: Sheet Metal Flashing and Trim
- Section 07714: Gutters and Down Spout

TOTAL: _____ \$608,300

Voluntary Alt.

- Install a standing seam panel by *Englert* that meets the performance requirements of the project except for it has a 2" seam height in lieu of the 2.5" seam height.
- Panel does come with a 20 year NDL warranty as specified for this project.
- Gutter and Soffit will also be by *Englert*.

TOTAL: _____ \$561,940

Addendum Acknowledgement

Addendum # 1	04/28/08
Addendum # 2	05/09/08
Addendum # 3	05/12/08
Addendum # 4	05/12/08

Item No. 8
Page 74 of 196



DIXIE ROOFING, INC.

672 FOX DEN LANE
LAFOLLETTE, TN 37766

Phone (423)562-0031
Fax (865)544-3808
Email: brads@ccdi.net

Fax

To: D.W. Wilburn

From: Brad Sharp

Dixie Roofing, Inc.

Fax:

Pages: 3 (including cover sheet)

Phone:

Date: 5/16/2008

Re: South KY. RECC

CC:

Urgent For Review Please Comment Please Reply Original to Fellow

© Comments:

Attached is the roofing proposal. I have not included snow guards, one because there is not really a spec for them and two with the built in gutter I wasn't for sure they would be needed. Also, with the market as volatile as it is the increases I mention in the proposal could be approx \$ 19,000.00 the first time to as much as \$ 93,000.00 by the fourth increase. There are possibly a few options, if I am in the running, please do not hesitate to call to discuss.

Sincerely,

Brad Sharp

Item No. 8
Page 75 of 196

Dixie Roofing, Inc.

672 Fox Den Lane
Lafollette, TN. 37766
Phone: 423-562-0031
Knoxville Line: 865-544-0031
Fax: 865-544-3808
roofing@ccdi.net

May 16, 2008

TO: D.W. Wilburn, Inc.
153 Blue Sky Parkway
Lexington, KY. 40509

RE: South Kentucky Rural Electric Cooperative
Somerset, KY.

Dixie Roofing, Inc. proposes to supply all labor and material necessary for the following scope of work for the above referenced project.

Section 07212 – Board Insulation

1. Mechanically attach 2 layers of standard 20 psi ISO insulation (2" & 1.5") to the metal deck.

Section 07613 – Manufactured Sheet Metal Roofing

1. Loose lay 6 mil poly vapor barrier over metal deck prior to installing ISO insulation. Seam of plastic will be duct taped.
2. Install one layer of peel and stick high temperature ice and water shield (Tamko TW Metal and Tile or Owens Corning Weather Guard Metal) over the entire roof area.
3. Install a DMI 24ga pre-finished standard color SL2516 standing seam roof system. The roof as proposed meets UL580; Class 90 wind uplift resistance. No engineering is included in bid.
4. Install 24ga pre-finished built in gutter and line with .060 EPDM.
5. Install 24ga pre-finished standard color 3" x 4" downspouts in locations shown on roof plan.
6. Install DMI 24ga pre-finished standard color IL2016 fascia panels at areas in front of built in gutter as shown in details 2, 3, 4, 5/A2.2. Hat channels behind wall panels will be furnished and installed by Dixie Roofing, Inc., however any sub-framing needed to fasten hat channels to will be by others.
7. Install DMI FP1012 24ga pre-finished standard color non-venting soffit at areas shown on the reflected ceiling plan, A-3.0. Hat channels above soffit panels will be furnished and installed by Dixie Roofing, Inc., however any sub-framing needed to fasten hat channels to will be by others.
8. Flash walls at roof above the Museum/Exhibit Area similar to detail 7/A2.2.
9. Provide a 2 year workmanship warranty from Dixie Roofing, Inc.
10. Provide a manufacturer's 20 year NDL warranty.

Item NO. 8
Page 76 of 196

Section 07620 – Sheet Metal Flashing And Trim

1. Provide 24ga pre-finished standard color reglet receiver to D.W. Wilburn for installation by others.
2. Install 24ga pre-finished standard color counter flashing into reglet once roof flashing is complete.

Section 07714 – Gutters And Downspouts

1. See items 4 and 5 in section 07613.

No wage scale is acknowledged.

The above scope of work furnished and installed for the sum of \$ 623,600.00.

*Note: The materials quoted for the above price valid until June 30, 2008. The roof manufacturer anticipates 3 or more increases ranging from 6 to 10% each by the end of the year.

EXCLUDES: Engineering of roof system, Any wood blocking, Thru wall flashing, Z-Girts described in section 07212, Sub-Framing that hat channels attach to at wall panels and soffit, Dumpsters, Snow guards, Any sheet metal work not directly related to the flat roof systems, Any other work not specifically listed in the above scope of work.

Should you have any questions regarding this proposal, please contact me at 423-562-0031. We look forward to working with you on this project.

Sincerely,

Brad Sharp



P. O. Box 466
1486 West Cumberland Gap Pkwy
Corbin, KY 40702
(888) 317 7003
(606) 528 0077 fax
www.flatroofonline.com

Item NO. 8
Page 77 of 196

JBK Inc.

Roofing Division

Fax

To: Josh	From: Brandon
Fax: 859 263 5692	Pages: 4
Phone: 859 263 2720	Date: 5/15/08
Re: Roof Bid	CC:

Urgent For Review Please Comment Please Reply Please Recycle

Roof bid for South Kentucky RECC in Somerset, KY follows.

Call with any questions.

Thanks,

Brandon

JBK Inc.

Roofing Division

Bid Sheet

Project: South Kentucky RECC
Somerset, KY

Description: New Construction, includes only the Office area as shown on Sheet A 2.0

Scope of Work:

- 1) Furnish and install assembly of two layers of poly-iso insulation. Assembly first layer to be 1.5" insulation and second layer of 2" insulation, for total thickness of 3.5".
- 2) SSR requirement: Furnish and install Ice & Watershield for all roof areas under 6":12" slope. Areas equal to or greater than 6":12" slope, furnish and install 30 lb felt.
- 3) Furnish and install SSR system, gutters, downspouts, and mansard/fascia as listed on attached Metal Panel Systems, Inc. quotation.
 - a) **NOTE:** Seam height of SSR quoted is 2", mechanically seamed.
 - b) **NOTE:** SSR clips fasten to Bearing Plates that are mechanically attached down through insulation to the metal deck.

Sufficed?

Base Bid \$ 630,750.00

Alternate #1, 20 Year NDL Watertight Warranty ADD \$ 7,750.00

\$ 638,500.00

Notes:

This estimate does not include any materials or labor for the following: metal deck carpentry, blocking, nailers, hat channels, framing, painting, and/or other items not expressed above. JBK, Inc. will clean up and dispose of daily waste by depositing waste materials in dumpster supplied by General Contractor. Toilet facilities, electrical and water utilities furnish by General Contractor.

The attached Metal Panel Systems Quote Description is part of this Bid Sheet. Therefore due to the volatile nature of the current steel industry the following conditions apply:

- 1) This Bid can be adjusted to reflect current steel pricing if a signed Contract/Purchase Order is not received by May 27th, 2008.
- 2) Delivery of materials must be within 60 days from receipt of signed Contract/Purchase Order. Allow three weeks for delivery.


Thank you for the opportunity to offer our services.

Brandon Keck

JBK, Inc. Roofing Division

5-15-08

Date



METAL

Panel Systems, Incorporated

10346 Evendale Drive
Cincinnati, Ohio 45241-2512
800-554-6126, 513-554-6120
Fax 513-554-6121

Customer: Garry
Company: J.B.K., INC.
Cust. Code: jbk
Project: South Kentucky RECC
Location: Somerset, Kentucky
Prepared By: Mike Cogswell

QUOTATION

Quote No.: 8232v1
Quote Date: 05/12/08
Bld Date: 05/13/08
Sales Rep.: MPSI

PRODUCTS

Panel Location: Metal Roof and Fascia, Office Building (Approx. 46,000 sf)
 Panel Name: MP-200 Panel, 18"
 Profile: Option of Smooth or Strlated
 Width: 18"
 Seam Height: 2"
 Panel Clip: MP-200 Fixed Clip, 24 ga., Galvanized, 3.0" long x 2.125" tall installed at 30" o.c
 Fastener: #14-13, x 5" DP1, Galvanized/Coated, concealor, low profile
 Substrate: Rigid Insul. over 22 Ga. Mtl. Deck
 Inseam: Sealant: Inseam, Non-hardening, Butyl, continuous at panel lap
 Material: Armor-Clad, 24 ga., AZ-50 Galvalume, Standard Color
 Finish: Kynar 500 nominal 1.0 mill
 Color: Manufacturers Standard Color

Panel Location: Soffit Panels (approx. 8,500 sf)
 Panel Name: FP100 Flush Panel, 12"
 Profile: Option of Solid or Vented
 Width: 12"
 Seam Height: 1"
 Fastener: #12, x 3/4" Pancake Quadrex Drive, Galvanized, plain
 Substrate: Open Framing
 Material: Armor-Clad, 24 ga., AZ-50 Galvalume, Standard Color
 Finish: Kynar 500 nominal 1.0 mill
 Color: Manufacturers Standard Color

GUARANTEED QUANTITIES
 MPSI GUARANTEES THAT ALL ITEMS LISTED
 ON THIS QUOTE WILL BE PROVIDED IN THE
 QUANTITY REQUIRED TO FINISH PROJECT

INCLUSIONS:

>PANEL TYPE 1 COMPONENTS:
 MP-200 Panel, 18"
 Clip: MP-200 Fixed Clip, 24 ga., Galvanized, 3.0" long x 2.125" tall
 BP: 4" x 6" Bearing Plate, 20 ga., Galvanized, universal
 Fastener: #14-13, x 5" DP1, Galvanized/Coated, concealor, low profile
 Sealant: Inseam, Non-hardening, Butyl, continuous at panel lap
 >PANEL TYPE 2 COMPONENTS:
 FP100 Flush Panel, 12"
 Fastener: #12, x 3/4" Pancake Quadrex Drive, Galvanized, plain

Breakformed Components Note:
 Unless otherwise noted, all flashing, trim,
 gutter, and downspout is to be supplied
 in same material, gauge, and finish as
 associated panels.

ROOF DRAINAGE:

DSCComp: 3" x 4" Downspout, 24 ga., Galvanized, Kynar Std. Color (ONLY AT LOCATIONS SHOWN ON DRAWINGS)
 DSCComp: 3" x 4" Elbow, 24 ga., Galvanized, Kynar Std. Color, A & B Type
 DSCComp: Downspout Strapping, 24 ga., Galvanized, Kynar Std. Color, 1-1/2" x 10' 0"
 > EAVE ASSEMBLY:
 Eave Drip Edge, w/ 2" face Qty: 3600 lf
 Gutter LIner (Built In Gutter) Qty: 1800 lf
 Fascia/Roof Panel Transition Qty: 1800 lf
 Fascia Drip Edge Qty: 1800 lf
 > GABLE ASSEMBLY:
 Gable Drip Edge, w/ 2" face Qty: 40 lf
 > RIDGE ASSEMBLY:
 Ridge Cap, 6.25" x 6.25" Qty: 640 lf
 Zee Closure 2.25" tall Qty: 1280 lf
 > HIP ASSEMBLY:
 Hip Cap, 6.25" x 6.25" Qty: 980 lf
 Zee Closure 2.25" tall Qty: 1960 lf
 > VALLEY ASSEMBLY:
 Valley, 12" x 12" w/ offset panel starter Qty: 570 lf
 > SIDEWALL ASSEMBLY:
 Sidewall Flashing Qty: 400 lf
 Counter Flashing Qty: 400 lf
 > HIGHWALL ASSEMBLY:
 Highwall, 5.25" onto panels, Short back Qty: 90 lf

Zee Closure 2.25" tall Qty: 90 lf
>SOFFIT ASSEMBLY:
J-Channel 1" for FP100 Qty: 1980 lf
>ACCESSORY ITEMS:
Sealant: Tremco, . Silicon, Spectrum I stock color
Fastener: #10-9, x 1-1/8" ULP Concealer Gimlet Point, Galvanized, plain
Fastener: #44, 1/8" x 1/4" Pop Rivet, Stainless Steel, PAINTED


EXCLUSIONS:

- Any items not specifically listed in Inclusions are not included in quote
- Underlayments, insulation, and moisture barriers
- Through roof penetration flashings, vents, and boots
- Roof curbs and related flashings
- Louvers and related flashings
- Gutter miters, expansion joints, and/or leaf/debris guards
- Gutter Brackets (on exterior of gutter)
- Downspout boots, splash blocks, and wire strainers
- Downspout elbows and/or offsets (unless otherwise indicated)
- Collector boxes
- Framing including but not limited to wood blocking and nailers, hats, zees, purlins, furring, and channels
- Membrane roof related sheet metal including but not limited to coping, counterflashing, gravel stops, and gutters
- Thru-wall flashings and step flashings
- Masonry or concrete anchors
- Factory formed crickets or curbs
- Snow guards (see unit pricing if applicable)
- Watertight Warranty (refer to separate pricing if applicable)
- Registered engineering certification or design code requirements
- Custom or exotic colors (unless otherwise specifically noted)
- Unloading and hoisting
- Sales Tax

NOTES:

1. Due to the volatile nature of the current steel industry the following conditions apply:
 - a. MPSI reserves the right to adjust this quote to reflect current steel pricing if a signed purchase order is not received within 15 days from quoted date above.
 - b. Delivery of materials must be within 60 days from receipt of signed purchase order. Allow minimum 3 weeks for delivery.
2. Standard packaging of panels to be block and banding. Spreader bar may be required for unloading long panels.
3. Deliveries based on truckload. Special sequencing or delivery breakouts may result in additional delivery charges.
4. All breakformed flashings/nim/gutter/etc. to be provided in 10' 0" lengths.

*Guaranteed quantities are for "Total Package Price Quotes" only and is valid after a signed purchase order is received. MPSI guarantees to provide to the original purchaser the required quantity of items listed in "Inclusions" of this quote necessary to complete project. Quantities are based on the accuracy of documents (architectural plans, specifications, sketches, or site measurements) available to MPSI at time of quote.

**INDUSTRIES INC.**Item No. 8
Page 81 of 196

May 15, 2008

D.W. Wilburn Inc.
153 Blue Sky Parkway
Lexington, KY 40509

Attn: Chris Conett

Ref: South Kentucky RECC
Corporate Office Facility
Somerset, KY

Dear Chris:

We offer our quotation to furnish and install the following section items as listed. Addendums one through four are included. Prevailing wage scale rates are excluded.

Section 07212 - Two layers of Rigid ISO Roof Insulation

One-layer 2" thick, one 1 1/2" thick over 6 mil vapor barrier and Tri-Flex 30 felt covering. All other building insulation materials are excluded.

Section 07613 - Mfg. Metal Roof Panels**Section 07620 - Sheet Metal Flashings****Section 07714 - Gutters and Downspouts**

Provide DMI SL2516 24-gauge galvalume 16" wide metal roof panels with DMI standard Kynar exterior 1.0 mil two-coat paint in one standard color. System to include: shop fabricated gutters, 1'-6" fascia panels, 12" wide 24-gauge 1" deep flush soffit panels, downspouts, ridge, hip, valley, roof counter flashings and related roof trim flashings.

Twenty-year DMI NDL roof warranty along with JC Industries two-year contractors roof warranty shall be provided to owner.

Complete for**\$735,000.00**

We exclude: Snow guards for roof system (none shown on drawings), wood nailers, metal roof - floor decking, structural steel, light gauge roof truss framing system, metal stud framing, stud framing at soffit areas, masonry through wall flashing, miscellaneous iron and tapered cornice gutter framing.

Add \$24.00 per foot if Architect requires metal snow guard protection at eaves of building.

Sincerely,

Larry W. Davis
Secretary-Treasurer

Item No. 8
Page 82 of 196



KERKAN ROOFING, INC.

PAGE 1 OF 2

721 W.WYOMING AVE ♦ CINCINNATI, OH 45215 ♦ 513.821.0556 ♦ FAX 513.821.2279

5/15/08

**To: DW Wilburn Inc.
153 Blue Sky Pkwy.
Lexington, KY 45509
Ph: 859-263-2720 Fax: 859-263-5692**

Attn: Josh Sword/Estimating

Re: S. KY RECC Somerset Office (only)

We propose to supply labor and required materials to install Metal Standing Seam Roofing and Sheet Metal, for the above mentioned project, as follows:

SECTION – 07212 Board Insulation (metal roof related only)

- 2 layers (2" & 1.5") polyisocyanurate insulation as specified.

SECTION – 07613 Manufactured Sheet Metal Roofing

- Architectural Standing Seam Metal Roofing as specified.
- Metal Soffit Panels as specified.
- Roof insulation as specified in 07212.
- Vapor Barrier as specified.
- Ice and water shield as specified.
- Built In Gutters and spouts.
- Snow guards as specified.
- Warranties as specified.

SECTION -07620 Sheet Metal Flashing & Trim

- Metal Roof Related, Sheet Metal Flashing & Trim as specified.

SECTION – 07714 Gutters and Spouts

- Gutter and spouts as specified.

Item No. 8
Page 83 of 196

FOR THE SUM OF ***** \$772,874.00

NOTES and EXCLUSIONS:

- **NOT INCLUDED** –Warehouse Building Roof (pre-engineered building).
- **NOT INCLUDED** –painting, wood blocking, carpentry, framing, decking, deck cutting, curbs, curb setting, roof drains, roof drain piping, cutting scupper openings, access boxes, through wall flashing, louvers, plywood substrates, EFIS flashings, dumpsters, permits, snow removal, ice removal, water/dew removal, overtime, **ANYTHING NOT STATED ABOVE.**
- **INCLUDED** – Kerkan standard insurance limits, Standard OSHA guidelines
- **KERKAN ROOFING IS AN OHIO BUREAU OF WORKERS' COMPENSATION APPROVED DRUG-FREE WORK PLACE (DFWP #1155876).**
- We acknowledge addendum's one, two, three, four & five.
- Open shop wages only.
- Bid is based on GC providing sufficient access to project for all cranes, trucking, and equipment.
- We included one mobilization for roofing work and one mobilization for sheet metal work. All walls, wood blocking, decking, plumbing, HVAC, and electrical work are to be completed prior to roof start. Additional mobilizations will be charged on a T&M basis.
- **THIS QUOTE IS GOOD FOR ONLY 30 DAYS FROM DATE BID.**

If you have any questions please call.

Respectfully submitted,

Kevin Harris

Kevin Harris
Estimator/Project Manager



Item no. 8
Page 84 of 196

ABG Caulking & Waterproofing of Morristown, Inc.

COMMERCIAL CAULKING, WATERPROOFING & DAMPPROOFING

3407 W. ANDREW JOHNSON HWY. (37814) • P.O. BOX 1757 MORRISTOWN, TN 37816 • (423) 587-0638 • FAX (423) 587-3921

E-MAIL: abgmbwn@charterbn.com

May 15, 2008

D.W. Wilburn, Inc.
153 Blue Sky Parkway
Lexington, KY 40509
859-263-2720 / 859-263-5692

ATTN: Chris Cornett

RE: South Kentucky Rural Electric Cooperative Corp. Corporate Office Facilities
Somerset, KY

Section 02764: Pavement Joint Sealants

Section 07900: Joint Sealers
Excludes: Windows / Storefronts
Excludes: Metal Panels

Building Caulking & Interior & Exterior Concrete Joints \$ 42,000.00

Section 07840: Firestopping
Excludes: Penetrations

Fire Caulking @ Top of Fire Rated Walls \$ 10,000.00

Waterproofing @ Elevator Pit \$ 1,000.00

Waterproofing @ Balcony \$ 2,000.00

46' High Tower
2350⁰⁰

5350⁰⁰

Otis K. Cantwell
423-587-0638

OKC/tmf

GOODLETTSVILLE, TN (615) 859-4935	ORLANDO, FL (407) 846-6868	LEXINGTON, KY (800) 541-0136	MOODY, AL (205) 840-3124	CHATTANOOGA, TN (423) 894-9688	BATON ROUGE, LA (225) 216-1411	CHARLOTTE, NC (800) 541-0136
--------------------------------------	-------------------------------	---------------------------------	-----------------------------	-----------------------------------	-----------------------------------	---------------------------------

PLEASE MAIL ALL REMITTANCES TO MORRISTOWN, TENNESSEE



Item No. 8
Page 35 of 196
3 SPRAY ON

*INSULATION



*SOUND CONTROL

fireproofing co., llc.
9305 Le Saint Drive, Fairfield, Ohio 45014
(513) 870-9115 FAX 870-9312

FIREPROOFING

BID PROPOSAL

FROM: John Henry- cell 513-200-4530

DATE: 2008-05-16
NUMBER OF PAGES: 1

RE: SKRECC OFFICES-SOMERSET, KY
07214 FOAMED IN PLACE INSULATION

We clarify our proposal as listed below.

1. Proposal includes 1 mobilization of equipment to site. Additional Mobilizations Will Be At Approximately \$ 1,900.00./Each.
2. Proposal based on only one trip to each area.
3. All temporary utilities (including multiple 220v 50amp single phase power-40kw if generator) and hook-ups, lights by others.
4. Temporary heat, enclosure, and ventilation by others.
5. Daily clean-up by Omni into dumpsters provided by others. Floor Cleaning is limited to scraping and sweeping with a broom.
6. Sequence of 07214 per Manufacturer's Recommendations, changes to this sequencing may significantly increase the amount of this proposal.
7. Patching of 07214 as a result of damage by others/weather will be performed by Omni as an "add" to this proposal.
8. Testing paid for by Owner/Others, but performed at Omni's direction.
9. Proposal is inclusive of Addenda 1-5 only.
10. Proposal based on Project being non-prevailing wage and taxable.
11. Proposal based on Sheet Metal Backstop by others.
12. Proposal based on Omni signing a clean AIA contract that incorporates the terms of this proposal.

BASE BID PROPOSAL - NO BOND : \$ 33,200.00

Thank you for the opportunity to bid this project. We would like to do this project for your firm.

- Incomplete - No Metal Buildings

Item No. 8
Page 86 of 196

PRIORITY 1 CONSTRUCTION SERVICES, INC.

5178 Crookshank Road
Cincinnati, Ohio 45238

Phone: 513-922-0203
Fax: 513-922-1193

BID SHEET

Date: May 14, 2008

To: D. W. Wilburn, Inc.

Phone: 859-263-2720
Fax: 859-263-5692

Project: RECC Somerset, Ky

Bid Date: May 15, 2008 Bid Time: -- Addendums: 1

Section# 07214 Tax Exempt: No Per Plans & Specs: Yes

Notes: See Option #1

Quote based on ambient temperatures above 50 degrees. Fire stop @ penetrations & top of wall not included in quote.

Priority 1 Construction Services, Inc. will provide all material and labor to do the following:

Nominal 5 1/2" (R-19) Icynene Polyurethane spray foam insulation @ roof/exterior wall detail and @ exterior walls as shown @ new office building. (Unit Price--\$2.55/Sq. Ft.)

FireFree 88 intumescent coating @ exposed foam insulation.(Unit Price--\$1.60/Sq. Ft.)

BASE BID-----\$14,800.00

Nominal 5 1/2" (R-19) Icynene Polyurethane spray foam insulation @ exterior walls & roof deck of vehicle maintenance building & roof deck of warehouse building. (Unit Price--\$2.21/Sq. Ft.)

Nominal 5 1/2" (R-19) Icynene Polyurethane spray foam insulation @ interior walls. (Types 2D & 2F)

Nominal 4" (R-13) Icynene Polyurethane spray foam insulation @ exterior walls of warehouse building.(Unit Price--\$2.08/Sq Ft.)

FireFree 88 intumescent coating @ all exposed foam insulation.

BASE BID-----\$330,100.00

Option #1 (Spec Data attached)

Ure-K spray coating @ all exposed foam insulation in lieu of FireFree 88.

Deduct from BASE BID-----\$ 44,500.00

Bid Submitted By: Brad Binns

Brad Binns/Project Estimator

BUILDING INSULATION & FIREPROOFING

Item NO. 8
Page 87 of 196

International Cellulose Corporation

© ICC

www.spray-on.com

Product Description

Ure-K is a thermal barrier approved as a building interior insulation to delay the ignition and reduce the surface burning rate of low melting, combustible rigid spray-on polyurethane foam. Ure-K may be sprayed over foam in existing buildings or it can be used as a protective coating over foam in new construction projects as a combination system.

Thermal Insulation

Ure-K applied over polyurethane provides additional thermal resistance which will meet the stringent "R" values required for today's energy conservation needs. The combination of Ure-K and polyurethane has the highest efficiency of all available insulations.

Noise Control

Ure-K is a monolithic coating which will provide a highly efficient sound absorption surface in either new or existing buildings. This is an important benefit in controlling noise levels to meet OSHA and other requirements.

Printed from: <http://www.internationalcellulose.com/home/products/ure-k/>

Item NO. 8
Page 88 of 196

**Section 07218
K-13@ Spray-On Systems
Specification Guide 10/03**

PART 1 - GENERAL

1.01 Section Includes

Edit acoustical where required

- A. Sprayed cellulose thermal [and acoustical] insulation.

1.02 Related Items

- A. Clips, hangers, supports, sleeves and other attachments to spray bases are to be placed by other trades prior to the application of sprayed insulation.
- B. Ducts, piping, conduit or other suspended equipment shall not be positioned until after the application of sprayed insulation.
- C. Roof penetrations to be installed prior to application.

1.03 Quality Assurance

- A. Manufacturer must be ISO 9001:2000 Certified.
- B. Applicator: Licensed by manufacturer
- C. Manufacturer must subscribe to independent laboratory follow-up inspection services of Underwriters Laboratory and Factory Mutual. Each bag shall be labeled accordingly.
- D. Mock-up. Apply a representative sample 100 square feet to be reviewed by the Architect and/or Owner prior to proceeding.

1.04 Submittals

- A. Submit product data and manufacturer's certificate that the product meets or exceeds specified requirements.
- B. Manufacturer's written certification that product contains no asbestos, fiberglass or other man-made mineral fibers.
- C. Copy of manufacturer's ISO 9001:2000 Certification.

1.05 Delivery, Storage and Handling

- A. Deliver in original, unopened containers bearing name of manufacturer, product identification and reference to U.L. testing.
- B. Store materials dry, off ground, and under cover.
- C. Protect liquid adhesive from freezing.

PART 2 - PRODUCTS

2.01 Acceptable Manufacturers

- A. International Cellulose Corporation
12315 Robin Boulevard
Houston, Texas 77045
(713) 433-6701 or (800) 444-1252
FAX: (713) 433-2029
www.spray-on.com icc@spray-on.com
- B. For approved applicators contact ICC at 800-444-1252.

2.02 Materials

- A. K-13 Spray-On-Systems.

Color selection will affect price

- 1. Color shall be as indicated in Schedule 3.05.

Add Thermal Resistance values if applicable

- 2. Apply at minimum thickness to provide R value(s) as indicated in Schedule 3.05.
- 3. Comply with ASTM E736 for field-tested bond strength; tested @ > 5 years:
 - a. Not less than 400 psf
 - b. Not less than 600 times its weight @ 1"
- 4. Comply with ASTM E-84/U.L. 723. Tested at a minimum of 5" thickness Class I, Class A
 - Flame Spread: 5
 - Smoke Development: 5
- 5. Comply with local Building Code requirements.

- 6. Comply with ASTM E1042.

Edit NRC rating if applicable

- 7. NRC Rating:
 - a. Install at a minimum thickness to achieve a NRC rating as indicated in the Schedule 3.05.

K-13 Sprayed Thermal and Acoustical Insulation ASTM C-423 on Solid Backing*							
Inches	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	NRC
1.00	0.08	0.29	0.78	0.98	0.93	0.98	0.75
1.00**	0.47	0.90	1.10	1.03	1.05	1.03	1.00
2.00	0.26	0.68	1.05	1.10	1.03	0.98	0.95
3.00	0.57	0.99	1.04	1.03	1.00	1.00	1.00

K-13 Sprayed Thermal and Acoustical Insulation Applied at 1.5" Ribbed Metal Deck*							
Inches	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	NRC
1.50	0.36	0.89	1.26	1.07	1.01	1.00	1.05
3.00	0.97	1.04	1.13	0.99	0.95	0.98	1.05

*Some values interpolated **On lath

- 8. Non-corrosive per UMB-80.
- 9. Bond Deflection per ASTM E-759: 6" Deflection in 10' Span - No Spalling or Delamination.
- 10. Cohesive Strength at time of application per Method WS-2000: >700 Grams.

PART 3 - EXECUTION

3.01 Examination

- A. Examine surfaces and report unsatisfactory conditions in writing. Do not proceed until unsatisfactory conditions are corrected.
- B. Verify surfaces to receive spray insulation to determine if priming/sealing is required to insure bonding and/or to prevent discoloration caused by migratory stains.

3.02 Preparation

- A. Provide masking, drop cloths or other satisfactory coverings for materials/surfaces that are not to receive insulation to prevent damage from over-spray.
- B. Coordinate installation of the sprayed cellulose fiber with work of other trades.
- C. Prime surfaces as required by manufacturer's instructions or as determined by examination.

3.03 Installation

- A. Thickness will be determined as the minimum thickness measured as per ASTM E-605 field test procedure.
- B. Install sprayed applied insulation according to manufacturer's recommendations.
- C. Cure insulation with continuous natural or mechanical ventilation.
- D. Remove and dispose of over-spray

3.04 Protection

- A. Protect finished installation under provision of Division 1.

3.05 Schedule

Provide a schedule when insulation requires listing by color, insulation value, NRC values and attributes.

END OF SECTION



Item No. 8
Page 89 of 196

The ATLAS Companies

Corporate Office

5101 Commerce Crossings Dr.

Louisville, KY 40229

Phone: (502) 968-5445 Fax: (502) 969-2486

** ATLAS METAL PRODUCTS COMPANY **

** ATLAS DETENTION AND SECURITY SYSTEMS **

** ATLAS CASEWORK **

** ATLAS EXPRESS **

SALES QUOTATION

May 15, 2008

THIS QUOTE IS BASED ON PLANS DATED April 7, 2008

Project:	SKRECC
Project Location:	Somerset, KY 42501
Bid Description:	Hollow Metal, Wood Doors, & Hardware
Spec. Section:	8114/8115,8212,,8710
Sale Price:	\$121,933.00
<u>Material</u>	
HM Doors	18
HM Frames	161
SC Wood Doors	114
Builders Hardware	Lump Sum
Aluminum Dr Hdwr	Lump Sum
EDUCT Warehouse	\$45,765.00
**If Aluminum Door Hardware is BY OTHERS - DEDUCT \$13,200.00	
ADD Alt #6	
ADD Additional Door Frames	\$3,200.00
If Stala frames are not used	

Tax:	EXCLUDED
Freight:	Tailgate Delivery to Jobsite
Add for Install:	N/A
Addenda Read:	1, 2, 3, 4

Clarifications:

Exclusions:

NOTE Excludes Bituminous Coating for HM Frames
Bituminous coating on HM frames (if specified) to be furnished and field applied by others during installation.

Sales Contact:
Jonathan Keith
Phone: (502) 968-5445 Fax: (502) 969-2486

CUSTOMER "INSTANT ORDER"	
Bid Accepted By:	
Name/Title:	
Firm Name:	
PO/Contract Number:	
Date:	

Quote Confirmed: 30 Days - Terms NET 30 Days

Lexington Office
125-F Trade Street
Lexington, KY 40511
Phone: (859) 254-9244 Fax: (859) 254-9057

Knoxville Office
200 Prosperity Drive
Knoxville TN 37923
Phone: (605) 834-2820 Fax: (502)810-2257

Item No. 8
Page 91 of 196

Overhead Door Company of Lexington, Inc.

181Trade St.
Lexington, Ky 40511
Phone (859) 254-6606 (800) 678-3667
Fax (859) 254-6608
VGAGO@ODCLEX.COM

The Genuine. The Original.



Proposal #: VIC-10248
Q 25155

PROPOSAL SUBMITTED TO: DW WILBURN, INC			Date 5/13/2008	Attention CHRIS
STREET 153 BLUE SKY PKWY			Job Name SOUTH KY RECC	
City LEXINGTON	State KY	ZipCode 40509	Job Location SOMERSET, KY.	
Phone Number 859-263-2720	Fax Number 859-263-5692	Job Phone 859-263-2720		

ITEM #	QTY	SERIES	DOOR WIDTH	DOOR HEIGHT	OPENING WIDTH	OPENING HEIGHT	OPERATION	HEAD ROOM	JAMB TYPE
1	6	MFW-6F	12' 1"	10' 0"	12' 0"	10' 0"	Motor		Steel
2	2	MFW-6F	10' 1"	10' 0"	10' 0"	10' 0"	Motor		Steel
3	4	MFW-6F	24' 1"	20' 0"	24' 0"	20' 0"	Motor		Steel
4	1	MFW-6F	14' 1"	16' 0"	14' 0"	16' 0"	Motor		Steel
5	2	MFW-6F	14' 1"	16' 0"	14' 0"	16' 0"	Motor		Steel
6	4	MFW-6F	24' 1"	16' 0"	24' 0"	16' 0"	Motor		Steel
7	1	H7845					Leveler		
8	1	S-T AAL					Restraint		

FURNISH AND INSTALL:

08333 - OVERHEAD COILING DOORS

Item 1

Doors # 19E, # 20E, # 21E, # 23E, # 41E, # 43E.
Model MFW-6F; By Cornell Iron Works; Mount to Steel Jambs Face of Wall; Curtain 24/24ga. Galvanized Steel Insulated Prime Painted Slats; Finish Paint Baked-On Polyester Enamel Light Gray Color; Weatherseals Jambs and Lintel Brush Seal; Galvanized Steel Guides; Cylinder Locks Masterkeyable; Electric Operator, 1/2 HP, Worm Gear Type, 120/230V/1 Power w/One 3-Button Control w/Masterkeyable Cylinder Each, Motor Mounted Interlock Controls, Safety Photo-Eyes, Emergency Chain Hoist.

Item 2

Doors # 308A, # 32E.
Same As Above Doors.

Item 3

Doors # 37E, # 38E, # 39E, # 40E.
Same As Above Doors But with 2 HP Operators.

Item 4

Door # 36E.
Same As Above Doors But with 1 HP Operator.

Item 5

Doors # 27E, # 28E
Same As Above Doors But with 1 HP Operator.

Item No. 8
Page 92 of 196

Price Proposal for DW WILBURN, INC by Overhead Door Company of Lexington, Inc.
Proposal Number VIC - 10248
Job Name: SOUTH KY RECC

Item 6
Doors # 25E, # 26E, # 29E, # 30E.
Same As Above doors But with 1-1/2 HP Operators.

NOTE: All Openings and Framing by others.

All Conduit, wiring to motors, control stations and accessories must be furnished and completed by others and is not included in pricing.

11161 - DOCK LEVELERS

Item 7
Model H7845; Dock Leveler; By McGuire Systems; Size 7' 0" x 8' 0"; Capacity 45,000#; Lip 16" Yieldable; Full Range Toe Guards; Cross Traffic Support; Working Range 12" Above & 12" Below; Hydraulic Operated; Spray Metalized Finished Lip, Deck, Frame, Hydraulic Cylinder Casing; Bumpers; Side Weatherseals; 1 HP Operating Motor 460V/3 Power. (\$ 9,758.00)

Item 8
Model Stop-Tite AAL; Truck Restraint; By McGuire Systems; Hydraulic Operated; Auto Light & Alarm Package; Horizontal Range 4" to 15"; Vertical Range 12" to 30"; Restraining force 30,000#; Spray Metalized finished.

~~(\$ 4,340.00)~~
\$14,098.00

NOTE: All conduit, wiring to motor, control station and accessories must be furnished and completed by others and is not included in pricing.

No Pit Angle or Pit Work included in pricing.

Hot Dipped Galvanized Finish not recommended because some deflection may occur during the galvanizing process. You can not have a paint finish over hot dipped galvanized surface.

Doors - \$136,470.00
header - 14,098.00

not correct size.

We hereby propose to complete in accordance with above specification, for the sum of:

One Hundred Fifty Thousand Five Hundred Sixty Eight Dollars and No Cents

150,568.00

Signature

Vic Gago

Vic Gago - Commercial Estimator

Direct Dial: 859-254-6606 EXT.228

Item NO. 8

Page 23 of 196

Price Proposal for DW WILBURN, INC by Overhead Door Company of Lexington, Inc.
Proposal Number VIC - 10248
Job Name: SOUTH KY RECC

TERMS AND CONDITIONS

Payment to be made as follows: Net 30 days

Prices subject to change if not accepted in 30 days.

BY OTHERS: Jambs, spring pads, all wiring to motors and control stations, must be furnished and completed by others and are not included.

Purchaser agrees that doors shall remain in Seller's possession until paid in full. In the event Purchaser breaches or defaults under the terms and provisions of this Agreement, the Purchaser shall be responsible for the costs of collection, including reasonable attorneys' fees. The Seller shall be entitled to full and final payment on the Purchase Order. There shall be a 1 1/2% service charge per month for all payments due and owing after 30 days. (Agreements are contingent upon strikes, accidents, or delays beyond our control.)

ACCEPTANCE: Terms, Price, and specifications on all pages of this proposal are hereby accepted and the work authorized.

Purchaser: _____

Signature

Title

Date of Acceptance

Item No. 8
Page 94 of 196

BUS: 606-679-8478

FAX: 606-679-4244

SOMERSET-BURNSIDE
GARAGE DOOR & GLASS CO., INC.

703 Monticello St.

Somerset, Ky. 42501

May 14, 2008

D.W. Wilburn Inc.
Lexington, KY

Job: South Kentucky RECC
Somerset, KY

Chris:

The prices you requested for this job are as follows:

Coiling Doors - \$ 154,528 00

All doors to be coiling type, the manufacturer would be Wayne-Dalton Corp., insulated, model 823C Thermolite, 3" flat slats, with weather stripping and lintel brushes, 1/2HP electric operators, , single phase 115V, operators to specifications, galvanized and painted gray

6 - 12' x 10'

4 - 24' x 16'

3 - 14' x 16'


2 - 10' x 10'

4 - 24' x 20'

Note -- the price could be decreased with the omission of the locking devices and photoelectric safety devices (other new locations do not have these features)

Item No. 8
Price 95 by 196

RAYNOR



Job Proposal

Date 5/12/2008

1033 Rushwood Ct. Lexington, Ky 40511
Ph. 859 233-0802 Fax 859 254-9364

To: DW Wilburn, Inc.
Attention: Chris
Phone: 859-263-2720
Fax: 859-263-5692
e-mail

Project Name: South Kentucky Rural
Electric Cooperative Corporation

We propose the following: Section 8333 Coiling Overhead Doors

- 6 - 12'0" x 10'0" IF-24
- 3 - 14'0" x 16'0" IF-22
- 4 - 24'0" x 16'0" IF-22
- 4 - 24'0" x 20'0" IF-22
- 2 - 10'0" x 10'0" IF-24

in doors.

Insulated Motor operated coiling doors Model DuraCoil IF as manufactured by Raynor

Doors to include:

- 24 or 22 gauge Flat slat curtains as required by Manufacturer
- ISO Insulation
- Face mounted Structural steel Guides
- 900 cycle Springs
- Interior cylinder lock both jambs
- Guide seal and Hood Baffle

Motor operation to include:

- Photo electric Safeties
- Interlock switch to prevent opening while locked
- One Interior 3 button control station Nema type 1 enclosure
- One Exterior 3 button control station w/ keyed Lock-out Nema type 4 enclosure

FOB Jobsite and installed \$ 154,175.00

Notes and Exclusions

Raynor door authority operates as a Merit Contractor

- * We exclude all structural support, opening and header preparation unless otherwise included in above scope of work.
 - * Summary of forces and loads on walls and jambs by others.
 - * We exclude all electrical wiring, switches, conduit and connections (both high and low voltage).
 - * Lead time for shop drawings (if required) is approximately 2-3 weeks from receipt of order.
 - * Lead time for doors is approximately 3-4 weeks from final approval of drawings or field verification.
 - * All prices and agreements are contingent upon strikes, accidents, and/or other causes unavoidable or beyond our control.
- **** Due to the volatility of the steel industry, this proposal is valid for 30 days from the above date. ****

Payment Terms: Due on Receipt Per Fully Executed Contract 50 % Deposit Balance on Completion

Will Sangalli

Commercial Sales Manager

Acceptance of Proposal:

Signature: _____ Title: _____

Dated: / / 2008





Bluegrass Door & Glass Co.

349 Blue Sky Parkway * Lexington, KY 40509

Tel. 859-263-2303 Fax. 859-263-2006

Item No. 8
Page 97 of 196

May 15, 2008

To: Bidding Contractors

Attn: Estimating

Re: Southern Kentucky Rural Electric Cooperative - Office Building

We propose to furnish and install all materials as listed below:

- Section 08410 Metal-Framed Storefronts
- Section 08450 All-Glass Entrances
- Section 08520 Aluminum Windows
- Section 08800 Glazing
- Section 08830 Mirrors

We recognize Addendum's 1, 2, 3 & 4

TOTAL INSTALLED PRICE WITH SALES TAX \$203,200.00

Add for Alternate 6 (810-I windows) \$8,500.00

Our Bid includes:

- Aluminum windows, aluminum entrances and glazing
- Door Hardware per Section 08450 only
- Preparation of doors for Section 08710 hardware provided by others
- Caulking of our work

Our bid excludes:

- ◆ Final Cleaning
- ◆ Protection of Installed Materials (Builders Risk)
- ◆ Bond
- ◆ Automatic door operators
- ◆ Door Hardware per Section 08710
- ◆ Drilling of H.M. frames for glass stops
- ◆ Wood Blocking
- ◆ Prevailing Wage

Good luck on your bid,

Bluegrass Door & Glass Co.

Page One of One

End

Bluegrass Door & Glass Co.

349 Blue Sky Parkway * Lexington, KY 40509

Tel. 859-263-2303 Fax. 859-263-2006

Item No. 8
Page 98 of 191

May 15, 2008

To: Bidding ContractorsAttn: EstimatingRe: Southern Kentucky Rural Electric Cooperative - Warehouse

We propose to furnish and install all materials as listed below:

Section 08410	Metal-Framed Storefronts
Section 08450	All-Glass Entrances
Section 08520	Aluminum Windows
Section 08800	Glazing
Section 08830	Mirrors

We recognize Addendum's 1, 2, 3 & 4

TOTAL INSTALLED PRICE WITH SALES TAX \$19,800.00

Add for Alternate 6 (810-I windows) \$800.00


Our Bid includes:

- Aluminum windows, aluminum entrances and glazing
- ~~Door Hardware per Section 08450 only~~
- Preparation of doors for Section 08710 hardware provided by others
- Caulking of our work

Our bid excludes:


- ◆ Final Cleaning
- ◆ Protection of Installed Materials (Builders Risk)
- ◆ Bond
- ◆ Automatic door operators
- ◆ Door Hardware per Section 08710
- ◆ Drilling of H.M. frames for glass stops
- ◆ Wood Blocking
- ◆ Prevailing Wage

Good luck on your bid,


 Bluegrass Door & Glass Co.

Page One of One

End



Item No. 8
Page 999, 196
FAX TRANSMITTAL

ROGERS ALUMINUM & GLASS, INC.

P.O. Box 29
17 Shelby Street
Jamestown, KY 42629

phone (270) 343-2171
fax (270) 343-2175

TO	FROM:
Company D W Wilburn Inc	Name Danny Piercy
Attention Chris	Date 5-15-08
Fax 859-253-1607 <i>263-5692</i>	Project South Ky RECC Corporate Office

Total pages, including cover: 1

Base Bid

Section 8410 Metal Framed Storefronts

Section 8450 All-Glass Entrances

Section 8520 Aluminum Windows

Section 8800 Glazing

Section 8830 Mirrors

*Did not quote out
Maintenance
Building.*

Materials, Tax, and Labor- \$254,300.00

Includes Efc0 550-I Flush Face window

Does not include final cleaning

Does not include hardware for the aluminum doors but does include installation of it on our doors


Includes caulking our work

Alternate #6- Add \$9,200.00 Includes changing the windows to Efc0 810 I

We acknowledge addendums 1-5

Item No. 8
Page 100 of 196

Green River Glass, LLC



15 S. Clinton Ave
Chattanooga, TN 37410
Tel (270) 789-3700
Toll Free 1-800-244-3443
Fax (270) 789-4439
greenriverglass@windstream.net

- Annotations

May 15, 2008

To: D. W. Wilburn, Inc.

Project: South Kentucky RECC

Scope: 08410-Metal-Framed Storefronts
08520-Aluminum Windows
08800-Glazing

NO ALL GLASS ENTRANCES
NO MIRRORS
SUNSHADES?

Quoted Separately:

07900-Joint Sealers
Alternate # 6: 08520-Aluminum Windows (Add For Series 810 Window)

Please accept our bid for materials and labor on the above referenced project as follows:

- Furnish and install aluminum storefront doors and frames per section 08410. Aluminum finish to be class I champagne anodized. All exterior glass to be 1" clear insulated with low-E coating and all interior glass to be 1/4" clear (tempered where required by law).
- Furnish and install architectural aluminum windows per section 08520. Aluminum finish to be champagne anodized at fixed frames and 2-coat custom color with clear protective coat at operable casements. All glass to be 1" clear insulated annealed with low-E coating.
- Furnish glass and glaze doors and frames by others per door schedule and floor plan.

TOTAL BID PRICE:

TWO HUNDRED FORTY THREE THOUSAND (\$243,000.00) DOLLARS

ALTERNATE # 6:

	7,000.00

	250,000.00

ADD FOR SERIES 810 WINDOWS - \$8,000.00

Item No. 8
Page 101 of 196

JOINT SEALERS (SECTION 07900):


- Perform all caulking related to sections 08410 and 08520 only.

TOTAL JOINT SEALER BID PRICE :**SEVEN THOUSAND (\$7,000.00) DOLLARS**

This proposal is for acceptance within thirty (30) days of the date of this proposal. Acceptance and execution of an order beyond this thirty (30) day period may necessitate an adjustment in price.

EXCLUSIONS:

- Painting of metal, wood, or other absorptive material as insulation for aluminum in direct contact with incompatible materials.
- Protection from damage after installation.
- Preparation and/or repair of openings, including wood blocking, for installation of new doors and windows.
- Cleaning of completed system and glass surfaces.
- Any and all trim work.
- All door hardware including automatic operators and necessary wiring thereof.
- Drilling of hollow metal frames.
- Any and all demolition.
- Glass handrails, display cases, or any glazing thereof.
- Aluminum break metal, flashing, and or coping
- P.E. stamps and field testing of any type.
- Any and all caulking except as quoted separately.
- Fireglass or glass for doors or frames that require a fire rating.
- Temporary closing of openings for weather related purposes.
- Mirrors, if any.
- Stainless steel teller windows.
- Any and all items not specifically mentioned above.


Ricky D. Janes
Managing Member

*Item No. 8
Page 102 of 196*



Bennett's Carpets, Inc.
Commercial Division
149 Steve Drive
Russell Springs, KY 42642
(270) 866-6930
Fax (270) 858-2303
e-mail: buddybc@duo-county.com

QUOTATION • PROPOSAL

TO:	All Bidders	DATE:	05/15/08
ATT:	Estimating		
RE:	SKRECC Corporate Office Facilities		

Description of Work: We submit this estimate for furnishing and installing the following in accordance with plans and specifications including all taxes and insurance:

	Office	Warehouse
05400 Cold-Formed Metal Framing		
09260 Gyp-Board Assemblies	\$320,000.00	\$155,500.00
09510 Acoustical Ceilings	\$ 93,750.00	\$ 25,750.00
09650 Resilient Flooring		
09686 Sheet Carpet	\$ 170,000.00	\$ 14,750.00
Total	\$583,750.00	\$196,000.00

Discounted Total Package Quotation \$768,000.00

Note: This quotation will become void if not accepted within 30 days. We include no demolition unless stipulated.

Buddy Coe
Buddy Coe

Acceptance: _____ Date: ___/___/___

Company/Title: _____

This Quotation/Proposal is to become a part of the contract documents. Payment to be made within 30 days from billing date with retainage held only as a part of original documents and previously agreed. Payment in full within 30 days upon completion and acceptance of this project.



WILDER ENTERPRISES, INC.

3329 Colonel Road
Richmond, KY 40475
Office (859) 623-5446
Fax (859) 623-5066

*Item No. 8
Page 103 of 196*

5/15/08

TO: D.W. WILBURN, INC.

ATTN: JOSH

RE: SOUTH KENTUCKY RURAL ELECTRIC COOPERATIVE

WE PROPOSE TO FURNISH LABOR AND MATERIAL TO COMPLETE THE FOLLOWING:

- SECTION 05400 COLD FORMED FRAMING
- SECTION 09260 GYPSUM BOARD
- SECTION 09510 ACOUSTIC CEILINGS
- SECTION 09650 RESILIENT FLOORS
- SECTION 09686 CARPET

TOTAL: \$837,400.00

VOLUNTARY ALTERNATE #1

EXTEND DRYWALL AT EXTERIOR WALLS OF OFFICE BUILDING FROM 4" ABOVE FINISHED CEILING TO ROOF DECK.

ADD: \$15,000.00

VOLUNTARY ALTERNATE #2

CHANGE CARPET FROM "CAMBRIDGE INVENTOR" TO "SHAW MOVEMENT"

DEDUCT: (\$15,600.00)

EXCLUSIONS:

- STEEL TRUSSES
- ALL CAULKING
- ALL FIRE CAULKING
- WAXING VCT
- ALL WOOD PRODUCTS (IE: FRAMING, BLOCKING, PLYWOOD)

NOTE:

OUR BID DOES INCLUDE METAL FRAMING OF SOFFITTS @ TRUSS TAILS. REF. DETAILS 2/A2.2, 3/A2.2, 4/A2.2 AND 5/A2.2.

OUR BID DOES NOT INCLUDE SHEET METAL SOFFITT MATERIAL OR STANDING SEAM METAL ROOF AT THESE SOFFITTS.

RESPECTFULLY SUBMITTED,

GEORGE P. CRAWLEY

*Item NO. 8
Page 104 of 196*

CK CONSTRUCTION, INC

2203 NORTH YARNALLTON PIKE LEXINGTON, KY 40511
PHONE 859-281-6828 FAX 859-258-2037

BID DATE : May 15, 2008

PROJECT : SOUTH KY RURAL ELECTRIC COOPERATIVE - SOMERSET, KY

ADDENDUMS : #2 #3 #4

We propose to furnish labor and materials to complete areas of work as listed below for this project per plans and specs :

- 05400- COLD-FORMED METAL FRAMING
- 09260- GYPSUM BOARD ASSEMBLIES
- 09510- ACOUSTICAL CEILINGS

OFFICE BUILDING TOTAL \$ 563,979

WAREHOUSE BUILDING TOTAL \$ 212,215

- DUMPSTER TO BE FURNISHED BY GC
- ALL ROOF/RAFTER FRAMING EXCLUDED
- SOFFIT FRAMING IS INCLUDED
- HAT CHANNELS FOR METAL PANELS NOT INCLUDED
- BOND NOT INCLUDED
- PREVAILING WAGES NOT INCLUDED

*No- ~~carpet~~
Sheet Carpet
Resilient Floor*


Tim Conway

263-5692



Item NO. 8
Page 105 of 196



CARPET
FLOORING
WINDOW TREATMENTS
WALLPAPER
DESIGN SERVICE

Everything to make your home beautiful—all under one roof

FAX

To: D.W. Wilburn Inc. From: Patti Anderson
 Fax: 1-859-263-5692 Pages: 3 including Cover
 Phone: _____ Date: 5/15/08
 Re: (Bid) SKRECC CC: _____

Urgent For Review Please Comment Please Reply Please Recycle

Please call the Number below if all pages are not received.

Comments: Chris,

Enclosed are our prices on the products listed we also do window treatments blinds et. . . Thank you for the opportunity to bid on this job.

* We also do Ceramic, ^{tile} stair treads } Thanky!
 window treatments & vinyls } Patti
 rubber cove Base
 We can provide quotes if needed }

Fax Time: _____ Sent By: Patti Anderson

Fax Number (606) 679-1565

E-Mail: houseofcarpet@alltel.net



*Fin composite
Cork
Rubber Tile.*

Item NO. 8
Page 106 of 196

CARPET
FLOORING
WINDOW TREATMENTS
WALLPAPER
DESIGN SERVICE

Everything to make your home beautiful—all under one roof *Price current thru April 2009*

Page 1

(Estimate) Bid for SKRECC

<u>Carpeting</u>	Cambridge Commercial Invented / color: Telephone	* I Lock Backing 300m per yd * 36oz. With <u>Active Bac</u>
2,475 yds	Carpeting	x 23.95 yd \$ 59,276.25
	pre-glue	x 1.50 yd. 3,712.50
	Installation	x 3.95 yd. 9,776.25
	Shipping	x .75 yd. 1,856.25
		\$ 74,621.25
* Tow motor fee	needed for carpet placement	* tax 3,779.33
if not av. Rental fee app	\$ 500.00	* <u>\$ 78,400.58</u>
<u>VCT. Tile</u>	Azrock Commercial Cortina Colors	
13,995'	VCT.	x 98¢ 13,715.00
	pre-glue	x 50¢ 6,997.00 fill joints
	Installation	6,997.00
	Shipping	300.00
		\$ 28,009.00 * tax 1,242.72 = <u>\$ 29,251.72</u>
	* Ebor Finish Not Included	
	quote from (G + F Jonitrol) / Somerset Ky.	
	As per specs 6 coats urea (\$ 29,389.5) including product	
	606-678-3014 @ 21¢ per sq. Foot...	+ labor

Item No. 8
Page 107 of 196

MARTINA BROS. COMPANY, INC.
TERRAZZO -- TILE -- MARBLE CONTRACTORS

TELEPHONE (859) 255-3602 • (859) 255-2075 • FAX (859) 255-2075
300 SCOTT STREET
LEXINGTON, KENTUCKY 40508

May 15, 2008

D W Wilburn Inc
153 Blue Sky Parkway
Lexington KY 40509

Re: South KY RECC Corp. Office

We propose to furnish the labor and material for Section 09300-Tile and 09440-Plastic Matrix Terrazzo for the net sum of **sixty-seven thousand eight hundred ninety-nine dollars (\$67,899.00).**

~~7829.00~~
~~65719.00~~ 67899
7829
75728
All work thifset.

Addendum #1, 2, 3, noted.

Office Bldg: All floors 13 x 13 tile.
Toilet rooms 127, 128, 139, 140 – wall tile 6'- 0" at 3 walls with pattern, per elevations.
Toilet rooms 153, 156, 206, 207 – wall tile 6'- 0" at 2 walls with pattern per elevations.
Toilet room 179 – 2 x 2 floor and base, 6 x 6 wall 6'- 0" at all walls with accents as outlined in specifications.

Warehouse:
Toilet rooms 314 and 317 – 2 x 2 floor, base and bench. 6 x 6 wall full height inside shower area and 6 x 6 wall 6'-0" at all walls in toilet area with pattern as outlined in specifications.
Toilet 316 and 333 – 2 x 2 floor and base, 6 x 6 wall 6'-0" at all four walls with pattern as outlined in specifications.
Toilet 334 – 2 x 2 floor and base, 6 x 6 wall tile full height at all walls.

Terrazzo – one color.

Alternate to add 13 x 13 tile floor, and 6 x 13 base at restroom vestibules 139, 140, 153, 156, 206, 207, add \$7,829.00.
To delete schluter in these areas, deduct 2,373.00.


Item NO. 8
Page 108 of 196

Page 2 of 2

To delete schluter, deduct \$4,452.00.

Respectfully submitted,

MARTINA BROS. CO., INC.



Enrico Dino Martina

EDM/ht

Item No. 8
Page 109 of 196



4006 South Brook Street. Louisville, Kentucky 40214
Phone: 502-368-5893 Fax: 502-368-5894

Tile, Terrazzo, Marble and Granite Contractors
Established in 1937
Member of The Marble Institute of America and
The National Terrazzo and Mosaic Association

TO: D.W. Wilburn
RE: RECC Corporate Office Facilities, Somerset, Kentucky

QUOTATION

WE ARE PLEASED TO QUOTE ON YOUR INQUIRY AS FOLLOWS:

<u>DESCRIPTION</u>	<u>AMOUNT</u>
Materials and labor to install ceramic tile as noted on our attached scope letter dated May 6, 2008. This quotation assumes normal working hours Monday through Friday with work in one continuous phase.	<u>\$93,663.00</u>
<i>Note: If a 100% performance bond is required, please add 1% to the above-quoted price</i>	
Signed: <i>Ryan Dodson</i> , Estimator	Date: May 6, 2008

Item No. 8
Page 110 of 196

Rosa Mosaic & Tile Company

4006 South Brook Street
Louisville, Kentucky 40214
Phone: 502-368-5893 Fax: 502-368-5894

Tile, Terrazzo, Marble and Granite Contractors
Established in 1937
Member of the National Terrazzo and Mosaic Association
The Marble Institute of America

Page 1 of 2

Josh Sword
D.W. Wilburn
153 Blue Sky Parkway
Lexington, Kentucky 40509

RE: RECC – Corporate Office Facilities

May 6, 2008

Dear Josh:

In reference to specification section 09300 – Tile, the following is a room by room breakdown of what we have included in our bid:

- Vestibule 100 - We have assumed 13" x 13" floor tile with no base or wall tile.
- Men's RR 127 – 13" x 13" floor tile with Schluter cove base. We included 6.5" x 20", 13" x 13", 13" x 20", and 20" x 20" wall tile to 6' – 0" at East, South, and West walls only.
- Women's RR 128 – Same as restroom 127.
- Men's RR 139 – 13" x 13" floor tile with Schluter cove base. We included 6.5" x 20", 13" x 13", 13" x 20", and 20" x 20" wall tile to 6' – 0" at North, West, and South wall perpendicular to commode wall only.
- Women's RR 140 – Same as restroom 139.
- Women's RR 153 – 13" x 13" floor tile with Schluter cove base. We included 6.5" x 20", 13" x 13", 13" x 20", and 20" x 20" wall tile to 6' – 0" at North and South walls only.
- Men's RR 156 – Same as restrooms 153.
- RR 179 – 2" x 2" floor tile with a 3 piece built up cove base. We included 4" x 4" wall tile To 6' – 0" at all walls.
- Women's RR 206 – Same as restroom 153
- Men's RR 208 – Same as restroom 153
- Women's RR 314 – 2" x 2" floor tile with a 3 piece built up cove base. We included 4" x 4" wall tile to 6' – 0" at toilet wall, both walls perpendicular to toilet wall, sink wall, and short wall perpendicular to sink wall. We also included 4" x 4" wall tile at shower area to full height at all walls. We did not include wall tile behind or above lockers. We also included wrapping shower bench with 2" x 2" tiles.

Item No. 8
Page 111 of 196

Rosa Mosaic & Tile Company

*4006 South Brook Street
Louisville, Kentucky 40214
Phone: 502-368-5893 Fax: 502-368-5894*

Page 2 of 2

Men's RR 316 – 2" x 2" floor tile with a 3 piece built up cove base. We included 4" x 4" wall tile to 6' – 0" at all walls.

Shower 317 – 2" x 2" floor tile with a 3 piece built up cove base. We included 4" x 4" wall tile to full height at all walls. We did not include wall tile extending past shower bench on far east wall, and did not include wall tile behind or above lockers. We included wrapping shower benches with 2" x 2" tiles. We also included 2" x 2" floor tile and 3 piece built up cove base at entry "hallway" to the above three areas.

RR 333 – 2" x 2" floor tile with a 3 piece built up cove base. We included 4" x 4" wall tile to 6' – 0" at all walls.

Shower 334 - 2" x 2" floor tile with a 3 piece built up cove base. We included 4" x 4" wall tile to full height at all walls.

We have included thinsetting all floors and walls with exception to mudsetting floor tile at showers

In reference to specification section 09440 Plastic Matrix Terrazzo, we have included the following in our bid:

We included 1/4" epoxy terrazzo flooring only (no base) at Museum/Exhibit 101. We have assumed the flooring to be in one color with domestic marble chips for the aggregate. We have included 1/8" zinc divider strips as well as crack isolation membrane.

Thank you for the opportunity to work with you on the bid for this fine project. If you need any additional information, please, let us know and we'd be glad to help. We look forward to assisting you with a successful proposal.

Best Regards,

Ryan Dodson



Item NO. 8

Page 112 of 196

FOX PAINTING & DECORATING, INC.

P.O. Box 55221

Lexington, Kentucky 40555

(859) 873-9775

QUOTATION

May 15, 2008

TO: D. W. Wilburn, Inc
Fax: 263-5692

RE: SK RECC Corporate Offices
Somerset, Ky

Gentlemen:

We will furnish all labor, materials, tools, equipment, and necessary insurances to complete the following work at the above project per the Plans & Specifications:

SECTION 09900 - PAINTING

Base Bid: \$ 136,800
Alternates: No change

Addenda: 1, 2, 3, 4

Materials: ICI

Taxes Included

ADD finishing to Wood Doors: ADD \$ 4,000

ADD Urethane Finish to Concrete Floors: ADD \$ 3,700
(Specified but not Scheduled.)

ADD Painting of Overhead Doors: ADD \$ 3,600

Submitted by,

John P. Fox

~~148,100~~

\$ 148,100

Item NO. 8

Page 113 of 19

**RALPH BOGGS &
SONS PAINTING
CONTRACTORS,
INC.**

168 HOWARD RD
LONDON, KY 40744

PHONE: (606) 864-6809
FAX: (606) 878-2684

FAX BID SHEET

DATE: MAY 15, 2008

PROJECT: SE KY RECC IN SOMERSET, KY

BID TO: D W WILBURN INC

ADDRESS: 153 BLUESKY PARKWAY LEXINGTON, KY

PHONE: 859-263-2720 FAX: 859-263-1673

SECTION: PAINTING & CAULKING

BASE BID: \$262,400.00 (LABOR & MATERIAL)

ALTERNATES: N/A

ADDENDA: 1 - 5

UNIT PRICES: N/A

REMARKS INCLUDES INTEMESCENT COATINGS AS SPEC. ON DRAWINGS

The ATLAS Companies

Received Time May 14, 2008 5:36PM No. 4007

Item NO. 8
Page 114 of 196

Corporate Office

5101 Commerce Crossings Dr.

Louisville, KY 40229

Phone: (502) 968-5445 Fax: (502) 969-2486

** ATLAS METAL PRODUCTS COMPANY **

** ATLAS DETENTION AND SECURITY SYSTEMS **

** ATLAS CASEWORK **

** ATLAS EXPRESS **

SALES QUOTATION

May 15, 2008

THIS QUOTE IS BASED ON PLANS DATED

April 7, 2008

Project:	SKRECC
Project Location:	Somerset, KY 42501
Bid Description:	Visual Display Boards
Spec. Section:	10100
Sale Price:	\$6,133.00
Material	
6	4-0 x 12-0 Markerboard
3	4-0 x 6-0 Markerboard
4	4-0 x 12-0 Tackboard
13	4-0 x 4-0 Tackboard
Excludes - Unframed Tackable Surfaces	

Tax:	EXCLUDED
Freight:	Tailgate Delivery to Jobsite
Add for Install:	N/A
Addenda Read:	1, 2, 3, 4
Clarifications:	
Not Shown on Plans - Put in meeting rooms, conference/community rooms, break/war rooms, training area, call center, inspection department, work rooms	
Exclusions:	
Unframed Tack Surfaces	
Sales Contact	
Jonathan Keith	
Phone: (502) 968-5445 Fax: (502) 969-2486	
CUSTOMER INSTANT ORDER	
Bid Accepted By	
Name/Title	
Firm Name	
PO/Contract Number	
Date	

Quote Confirmed: 30 Days - Terms NET 30 Days

Lexington Office
125-F Trade Street
Lexington, KY 40511
Phone: (859) 254-9244 Fax: (859) 254-9057

Knoxville Office
200 Prosperity Drive
Knoxville, TN 37923
Phone: (865) 824-2820 Fax: (502) 810-2257

Item NO. 3
Page 115 of 1



Corporate Office
5101 Commerce Crossings Dr.
Louisville, KY 40229

Phone: (502) 968-5445 Fax: (502) 969-2486

** ATLAS METAL PRODUCTS COMPANY **

** ATLAS DETENTION AND SECURITY SYSTEMS **

** ATLAS CASEWORK **

** ATLAS EXPRESS **

SALES QUOTATION

May 15, 2008

THIS QUOTE IS BASED ON PLANS DATED

April 7, 2008

Project:	SKRECC
Project Location:	Somerset, KY 42501
Bid Description:	Signage
Spec. Section:	10140
Sale Price:	\$53,539.00
Material	
	Exterior Signs w/Posts
3	Stop Sign
12	Handicap Parking Sign
3	Van Accessible Sign
12	Exterior Wayfinder Signs (steel tubing by others)
1	Exterior Building Sign (steel tubing by others)
1	Custom Exterior Sign
Not Shown	Exterior Building Letters
	Interior Signs
	Womens Restroom
5	Men Restroom
5	Unisex Restroom
3	Mens Locker Room
1	Womens Locker Room
1	Room Signs
128	

Tax:	EXCLUDED
Freight:	Tailgate Delivery to Jobsite
Add for Install:	N/A
Addenda Read:	1, 2, 3, 4

Clarifications:

Empty table for clarifications.

Exclusions:

Steel Tubing/Welding for Exterior Wayfinder Signs
Steel Tubing/Welding for Exterior Building Signs

Sales Contact:

Jonathan Keith
Phone: (502) 968-5445 Fax: (502) 969-2486

CUSTOMER "INSTANT ORDER"

Bid Accepted By	
Name/Title	
Firm Name	
PO/Contract Number	
Date	

Quote Confirmed: 30 Days Terms NET 30 Days

Lexington Office
125-F Trade Street
Lexington, KY 40511
Phone: (859) 254-9244 Fax: (859) 254-9057

Knoxville Office
200 Prosperity Drive
Knoxville, TN 37923
Phone: (865) 824-2820 Fax: (502) 810-2257



Corporate Office

5101 Commerce Crossings Dr.

Louisville, KY 40229

Phone: (502) 968-5445 Fax: (502) 969-2486

** ATLAS METAL PRODUCTS COMPANY **

** ATLAS DETENTION AND SECURITY SYSTEMS **

** ATLAS CASEWORK **

** ATLAS EXPRESS **

SALES QUOTATION

May 15, 2008

THIS QUOTE IS BASED ON PLANS DATED

April 7, 2008

Project:	SKRECC
Project Location:	Somerset, KY 42501
Bid Description:	Toilet Compartments
Spec. Section:	10165
Sale Price:	\$10,526.00
Material	
	Plastic Laminate
	Floor Mounted - OH Braced
24	Compartments
4	Screens

Tax:	EXCLUDED
Freight:	Tailgate Delivery to Jobsite
Add for Install:	N/A
Addenda Read:	1, 2, 3, 4

Clarifications:

Exclusions:

Sales Contact:
Jonathan Keith
Phone: (502) 968-5445 Fax: (502) 969-2486

CUSTOMER INSTANT ORDER	
Bid Accepted By:	
Name/Title:	
Firm Name:	
PO/Contract Number:	
Date:	

Quote Confirmed: 30 Days - Terms NET 30 Days

Lexington Office
125-F Trade Street
Lexington, KY 40511
Phone: (859) 254-9244 Fax (859) 254-9057

Knoxville Office
200 Prosperity Drive
Knoxville, TN 37923
Phone: (865) 824-2820 Fax: (502)810-2257

Item NO. 8
Page 117 of 196

The ATLAS Companies

Corporate Office

5101 Commerce Crossings Dr.

Louisville, KY 40229

Phone: (502) 968-5445 Fax: (502) 969-2486

** ATLAS METAL PRODUCTS COMPANY **

** ATLAS DETENTION AND SECURITY SYSTEMS **

** ATLAS CASEWORK **

** ATLAS EXPRESS **

SALES QUOTATION

May 15, 2008

THIS QUOTE IS BASED ON PLANS DATED

April 7, 2008

Project:	SKRECC
Project Location:	Somerset, KY 42501
Bid Description:	Lockers
Spec. Section:	10500
Sale Price:	\$6,579.00
Material	
23	12"W x 12"D x 36/72"H Double Tier Lockers Locks Included

Tax:	EXCLUDED
Freight:	Tailgate Delivery to Jobsite
Add for Install:	N/A
Addenda Read:	1, 2, 3, 4
Clarifications:	
Exclusions:	
Lockers in Room 179 - Not Clear on Plans	
Sales Contact:	
Jonathan Keith	
Phone: (502) 968-5445 Fax: (502) 969-2486	
CUSTOMER "INSTANT ORDER"	
Bid Accepted By:	
Name/Title:	
Firm Name:	
PO/Contract Number:	
Date:	

Quote Confirmed: 30 Days - Terms NET 30 Days

Lexington Office
 125-F Trade Street
 Lexington, KY 40511
 Phone: (859) 254-9244 Fax: (859) 254-9057

Knoxville Office
 200 Prosperity Drive
 Knoxville, TN 37923
 Phone: (865) 834-2820 Fax: (502) 810-2257



Corporate Office

5101 Commerce Crossings Dr.

Louisville, KY 40229

Phone: (502) 968-5445 Fax: (502) 969-2486

** ATLAS METAL PRODUCTS COMPANY **

** ATLAS DETENTION AND SECURITY SYSTEMS **

** ATLAS CASEWORK **

** ATLAS EXPRESS **

SALES QUOTATION

May 15, 2008

THIS QUOTE IS BASED ON PLANS DATED

April 7, 2008

Project:	SKRECC
Project Location:	Somerset, KY 42501
Bid Description:	FE & Cabinets
Spec. Section:	10523
Sale Price:	\$3,867.00
Material	Not Shown on Plans
24	Fire Extinguishers
12	Recessed Cabinets
12	Brackets
2	Dry Chemical Type
2	Brackets

Tax:	EXCLUDED
Freight:	Tailgate Delivery to Jobsite
Add for Install:	N/A
Addenda Read:	1, 2, 3, 4

Clarifications:

Exclusions:

Sales Contact:

Jonathan Keith
 Phone: (502) 968-5445 Fax: (502) 969-2486

CUSTOMER INSTANT ORDER

Bid Accepted By:	
Name/Title:	
Firm Name:	
PO/Contract Number:	
Date:	

Quote Confirmed: 30 Days - Terms NET 30 Days

Lexington Office
 125-F Trade Street
 Lexington, KY 40511
 Phone: (859) 254-9244 Fax: (859) 254-9057

Knoxville Office
 200 Prosperity Drive
 Knoxville, TN 37923
 Phone: (865) 824-2820 Fax: (502)810-2257

Item No. 8

Page 119 of 196



Corporate Office

5101 Commerce Crossings Dr.

Louisville, KY 40229

Phone: (502) 968-5445 Fax: (502) 969-2486

** ATLAS METAL PRODUCTS COMPANY **

** ATLAS DETENTION AND SECURITY SYSTEMS **

** ATLAS CASEWORK **

** ATLAS EXPRESS **

SALES QUOTATION

May 15, 2008

THIS QUOTE IS BASED ON PLANS DATED

April 7, 2008

Project:	SKRECC
Project Location:	Somerset, KY 42501
Bid Description:	Toilet Accessories
Spec. Section:	10800
Sale Price:	\$9,079.00
Material	
12	Partition Mt Toilet Paper Dispenser
3	Toilet Paper Dispenser
7	Partition Mt Sanitary Napkin Disposal
2	Sanitary Napkin Disposal
11	Grab Bar 36"
11	Grab Bar 18"
11	Grab Bar 42"
26	Soap Dispenser
9	Shower Rod 36"
9	Shower Curtain 42"
63	Shower Curtain Hooks
3	Frame Mirror 18 x 40
4	Mop & Broom Holder
2	Shower Rod 60"
2	Shower Curtain 72"
24	Shower Curtain Hooks
6	Robe Hook

Tax:	EXCLUDED
Freight:	Tailgate Delivery to Jobsite
Add for Install:	N/A
Addenda Read:	1, 2, 3, 4

Clarifications:

Exclusions:
Oversized Mirrors for Public Restrooms

Sales Contact:
Jonathan Keith
Phone: (502) 968-5445 Fax: (502) 969-2486

CUSTOMER "INSTANT ORDER"	
Bid Accepted By:	
Name/Title:	
Firm Name:	
PO/Contract Number:	
Date:	

Quote Confirmed: 30 Days - Terms NET 30 Days

Lexington Office
125-F Trade Street
Lexington, KY 40511
Phone: (859) 254-9244 Fax: (859) 254-9057

Knoxville Office
200 Prosperity Drive
Knoxville, TN 37923
Phone: (865) 824-2820 Fax: (502) 810-2257

Item NO. 8

Page 120 of 196



Corporate Office

5101 Commerce Crossings Dr.

Louisville, KY 40229

Phone: (502) 968-5445 Fax: (502) 969-2486

** ATLAS METAL PRODUCTS COMPANY **

** ATLAS DETENTION AND SECURITY SYSTEMS **

** ATLAS CASEWORK **

** ATLAS EXPRESS **

SALES QUOTATION

May 15, 2008

THIS QUOTE IS BASED ON PLANS DATED

April 7, 2008

Project:	SKRECC
Project Location:	Somerset, KY 42501
Bid Description:	Flagpoles
Spec. Section:	10350
Sale Price:	\$6,296.00
Material	
2	25-0 Exposed Height
1	30-0 Exposed Height
Flags by Others	

Tax:	EXCLUDED
Freight:	Tailgate Delivery to Jobsite
Add for Install:	N/A
Addenda Read:	1, 2, 3, 4

Clarifications:

Empty table for clarifications.

Exclusions:

Empty table for exclusions.

Sales Contact

Jonathan Keith
Phone: (502) 968-5445 Fax: (502) 969-2486

CUSTOMER INSTANT ORDER

Bid Accepted By	
Name/Title	
Firm Name	
PO/Contract Number	
Date	

Quote Confirmed: 30 Days Terms NET 30 Days

<p>Lexington Office 125-F Trade Street Lexington, KY 40511 Phone: (859) 254-9244 Fax: (859) 254-9057</p>	<p>Knoxville Office 200 Prosperity Drive Knoxville, TN 37923 Phone: (865) 824-2820 Fax: (502)810-2257</p>
--	---

Item No. 8
Page 121 of 146



Corporate Office

5101 Commerce Crossings Dr.

Louisville, KY 40229

Phone: (502) 968-5445 Fax: (502) 969-2486

** ATLAS METAL PRODUCTS COMPANY **

** ATLAS DETENTION AND SECURITY SYSTEMS **

** ATLAS CASEWORK **

** ATLAS EXPRESS **

SALES QUOTATION

May 15, 2008

THIS QUOTE IS BASED ON PLANS DATED

April 7, 2008

Project:	SKRECC
Project Location:	Somerset, KY 42501
Bid Description:	Projection Screens
Spec. Section:	11132
Sale Price:	\$2,800.00
Material	
1	10'-0" x 10'-0" Paramount Series - Electric Control Key Operated Community Room
2	84" x 84" Mira Series - Manual Control Training Room, Construction Room

Tax:	EXCLUDED
Freight:	Tailgate Delivery to Jobsite
Add for Install:	N/A
Addenda Read:	1, 2, 3, 4

Clarifications:

Exclusions:

Sales Contact: Jonathan Keith Phone: (502) 968-5445 Fax: (502) 969-2486
--

CUSTOMER "INSTANT ORDER"	
Bid Accepted By:	
Name/Title:	
Firm Name:	
PO/Contract Number:	
Date:	

Quote Confirmed: 30 Days - Terms NET 30 Days

Lexington Office
125-F Trade Street
Lexington, KY 40511
Phone: (859) 254-9244 Fax: (859) 254-9057

Knoxville Office
200 Prosperity Drive
Knoxville, TN 37923
Phone: (865) 824-2820 Fax: (502) 810-2257

DIVISION X SPECIALTIES, INC.

Item NO. 8
Page 122 of 196

Serving the Construction Industry With A Complete Line of Building Specialties Since 1989

PO Box 1509
Franklin, TN 37065-1509
Phone 615-794-0011
Fax 615-794-9853
divisionx@bellsouth.net

Date: 15 May 2008

To: All Bidders

Attn: Estimating

Project: South KY RECC Somerset Office

Section 10165: Plastic Laminate Toilet Compartments

by Rockville Partitions, an alternate manufacturer, equal to specs

24 ea. Toilet Compartments

6 ea. Urinal Screens

\$16,220.00

1) Contractor to provide field verified dimensions

Section 10350: Flagpoles

by American Flagpole, a specified manufacturer

1 ea. Flagpole - 30'

2 ea. Flagpole - 25'

\$4,410.00

Section 10140: Signage

by Best Sign Systems, a specified manufacturer

136 ea. Room Identification

13 ea. Restroom Identification

\$4,515.00

1) We exclude Exterior Cast Letters

nc
exterior
sign

Section 10523: Fire Extinguishers and Cabinets

by JL Industries, a specified manufacturer

1 ea. Fire Extinguisher

1 ea. Fire Extinguisher Cabinet - Non Rated

1 ea. Fire Extinguisher Cabinet - Rated

\$95.00 unit

\$175.00 unit

\$255.00 unit.

1) We exclude tagging of extinguishers. Must be done by local FD

Section 10800: Toilet Accessories

by Bradley Corp., a specified manufacturer

28 ea. Soap Dispenser

15 ea. Mirror - 18"x36"

12 ea. Grab Bar - 42"

12 ea. Grab Bar - 36"

12 ea. Toilet Tissue Dispenser - Partition

11 ea. Shower Curtain Rod

7 ea. Sanitary Napkin Disposal - Partition

4 ea. Toilet Tissue Dispenser - Surface

3 ea. Sanitary Napkin Disposal - Surface

\$5,990.00

Materials only.

Freight allowed to jobsite.

Sales tax NOT included.

Addenda seen: 1,2,3,4,5

Quoted by: Eric V. Cloud

Item No. 8

Page 125 of 196

DIVISION X SPECIALTIES, INC.

Serving the Construction Industry With A Complete Line of Building Specialties Since 1989

PO Box 1509
Franklin, TN 37065-1509
Phone 615-794-0011
Fax 615-794-9853
divisionx@bellsouth.net

Date: 15 May 2008

To: All Bidders

Attn: Estimating

Project: South KY RECC Somerset Office

Section 11132: Projection Screens

by Draper


1 ea. Projection Screen – 9'x12'

\$1,955.00

- 1) *Quoting ceiling-hung, electric screen. Changes in size, type, or number of screens will require a requote.*

Materials only.
Freight allowed to jobsite.
Sales tax NOT included.
Addenda seen: 1,2,3,4,5

Quoted by: *Eric V. Cloud*



DIVISION X SPECIALTIES, INC.

Item No. 8
Page 124 of 196

Serving the construction industry with a complete line of building specialties since 1888

PO Box 1309
Franklin, TN 37065-1509

Phone 615-794-0011

Fax 615-794-9853

divisionx@bellsouth.net

Date: 15 May 2008

To: All Bidders

Attn: Estimating

Project: South KY RECC Somerset Office

Section 10165: Plastic Laminate Toilet Compartments

by Rockville Partitions, an alternate manufacturer, equal to specs

24 ea. Toilet Compartments

8 ea. Urinal Screens

\$18,220.00

1) Contractor to provide field verified dimensions.

Section 10350: Flagpoles

by American Flagpole, a specified manufacturer

1 ea. Flagpole - 30'

2 ea. Flagpole - 25'

\$4,410.00

Section 10140: Signage

by Best Sign Systems, a specified manufacturer

136 ea. Room Identification

13 ea. Restroom Identification

\$4,515.00

1) We exclude Exterior Cast Letters.

Section 10523: Fire Extinguishers and Cabinets

by JL Industries, a specified manufacturer

1 ea. Fire Extinguisher

1 ea. Fire Extinguisher Cabinet - Non Rated

1 ea. Fire Extinguisher Cabinet -- Rated

\$
\$
\$

1) We exclude tagging of extinguishers. Must be done by local FD.

Section 10800: Toilet Accessories

by Bradley Corp., a specified manufacturer

28 ea. Soap Dispenser

15 ea. Mirror 18"-20"

12 ea. Grab Bar - 42"

12 ea. Grab Bar - 36"

12 ea. Toilet Tissue Dispenser - Partition

11 ea. Shower Curtain Rod

7 ea. Sanitary Napkin Disposal - Partition

4 ea. Toilet Tissue Dispenser - Surface

3 ea. Sanitary Napkin Disposal - Surface

\$5,000.00

Materials only.

Freight allowed to jobsite.

Sales tax NOT included.

Addenda seen: 1,2,3,4,5

Quoted by: Eric V. Cloud

DIVISION X SPECIALTIES, INC.

Item NO. 8

Page 125 of 196

Serving the Construction Industry With A Complete Line of Building Specialties Since 1989

PO Box 1509
Franklin, TN 37065-1509

Phone 615-794-0011

Fax 615-794-9853

divisionx@bellsouth.net

Date: 15 May 2008

To: All Bidders

Attn: Estimating

Project: South KY RFCC Somerset Office

Section 10165: Plastic Laminate Toilet Compartments

by Rockville Partitions, an alternate manufacturer, equal to specs

24 ea. Toilet Compartments
3 ea. Urinal Screens

\$10,220.00

1) Contractor to provide field verified dimensions

Section 10350: Flagpoles

by American Flagpole, a specified manufacturer

1 ea. Flagpole - 30'
2 ea. Flagpole - 25'

\$4,410.00

Section 10140: Signage

by Best Sign Systems, a specified manufacturer

136 ea. Room Identification
13 ea. Restroom Identification

\$4,515.00

1) We exclude Exterior Cast Letters

Section 10523: Fire Extinguishers and Cabinets

by II Industries, a specified manufacturer

1 ea. Fire Extinguisher
1 ea. Fire Extinguisher Cabinet - Non Rated
1 ea. Fire Extinguisher Cabinet - Rated

\$
\$
\$

1) We exclude tagging of extinguishers. Must be done by local FD.

Section 10800: Toilet Accessories

by Bradley Corp., a specified manufacturer

28 ea. Soap Dispenser
15 ea. Mirror - 18"x36"
12 ea. Grab Bar - 42"
12 ea. Grab Bar - 36"
12 ea. Toilet Tissue Dispenser - Partition
11 ea. Shower Curtain Rod
7 ea. Sanitary Napkin Disposal - Partition
4 ea. Toilet Tissue Dispenser - Surface
3 ea. Sanitary Napkin Disposal - Surface

\$5,990.00

Materials only.

Freight allowed to jobsite.

Sales tax NOT included.

Addenda seen: 1,2,3,4,5

Quoted by: Eric V. Cloud

DIVISION X SPECIALTIES, INC.

Item No. 8
Page 126 of 196

Serving the Construction Industry With A Complete Line of Building Specialties Since 1989

PO Box 1509
Franklin, TN 37089-1509
Phone 615-794-0011
Fax 615 704 0962
divisionx@bellsouth.net

Date: 10 May 2000

To: All Bidders

Attn: Estimating

Project: South KY RECC Somerset Office

Section 10165: Plastic Laminate Toilet Compartments

by Rockville Partitions, an alternate manufacturer, equal to specs

24 ea. Toilet Compartments
6 ea. Urinal Screens **\$16,220.00**

1) Contractor to provide field verified dimensions

Section 10350: Flagpoles

by American Flagpole, a specified manufacturer

1 ea. Flagpole - 30'
2 ea. Flagpole - 25' **\$4,410.00**

Section 10140: Signage

by Best Sign Systems, a specified manufacturer

136 ea. Room Identification
13 ea. Restroom Identification **\$4,515.00**

1) We exclude Exterior Cast Letters.

Section 10523: Fire Extinguishers and Cabinets

by JL Industries, a specified manufacturer

1 ea. Fire Extinguisher \$
1 ea. Fire Extinguisher Cabinet Non Rated \$
1 ea. Fire Extinguisher Cabinet Rated \$

1) We exclude tagging of extinguishers. Must be done by local FD.

Section 10800: Toilet Accessories

by Bradley Corp., a specified manufacturer

28 ea. Soap Dispenser
15 ea. Mirror - 18"x36"
12 ea. Grab Bar - 42"
12 ea. Grab Bar - 36"
12 ea. Toilet Tissue Dispenser - Partition
11 ea. Shower Curtain Rod
7 ea. Sanitary Napkin Disposal - Partition
4 ea. Toilet Tissue Dispenser - Surface
3 ea. Sanitary Napkin Disposal - Surface **\$5,990.00**

Materials only.
Freight allowed to jobsite.
Sales tax NOT included
Addenda seen: 1,2,3,4,5

Quoted by: Eric V. Cloud

*Item NO. 8
Page 127 of 196*

DIVISION X SPECIALTIES, INC.

Serving the Construction Industry With A Complete Line of Building Specialties Since 1989

PO Box 1509
Franklin, TN 37065-1509
Phone 615-794-0011
Fax 615-794-9853
divisionx@bellsouth.net

Date: 15 May 2008
To: All Bidders
Attn: Estimating

Project: South KY RECC Somerset Office

Section 10165: Plastic Laminate Toilet Compartments

by Rockville Partitions, an alternate manufacturer, equal to specs

24 ea. Toilet Compartments
6 ea. Urinal Screens \$16,220.00

1) Contractor to provide field verified dimensions.

Section 10350: Flagpoles

by American Flagpole, a specified manufacturer

1 ea. Flagpole – 30'
2 ea. Flagpole – 25' \$4,410.00

Section 10140: Signage

by Best Sign Systems, a specified manufacturer

136 ea. Room Identification
13 ea. Restroom Identification \$4,515.00

1) We exclude Exterior Cast Letters.

Section 10523: Fire Extinguishers and Cabinets

by JL Industries, a specified manufacturer

1 ea. Fire Extinguisher \$
1 ea. Fire Extinguisher Cabinet – Non Rated \$
1 ea. Fire Extinguisher Cabinet – Rated \$

1) We exclude tagging of extinguishers. Must be done by local FD.

Section 10800: Toilet Accessories

by Bradley Corp., a specified manufacturer

28 ea. Soap Dispenser
15 ea. Mirror – 18"x36"
12 ea. Grab Bar – 42"
12 ea. Grab Bar – 36"
12 ea. Toilet Tissue Dispenser – Partition
11 ea. Shower Curtain Rod
7 ea. Sanitary Napkin Disposal – Partition
4 ea. Toilet Tissue Dispenser – Surface
3 ea. Sanitary Napkin Disposal – Surface \$5,990.00

Materials only.
Freight allowed to jobsite.
Sales tax NOT included.
Addenda seen: 1,2,3,4,5

Quoted by: Eric V. Cloud

Item No. 8

DIVISION X SPECIALTIES, INC.

Page 128 of 196

Serving the Construction Industry With A Complete Line of Building Specialties Since 1989

PO Box 1509
Franklin, TN 37065-1509
Phone 615-794-0011
Fax 615-794-9853
divisionx@bellsouth.net

Date: 15 May 2008

To: All Bidders

Attn: Estimating

Project: South KY RECC Somerset Office

Section 11132: Projection Screens

by Draper

1 ea. Projection Screen - 9'x12'


\$1,955.00

- 1) Quoting ceiling-hung, electric screen. Changes in size, type, or number of screens will require a requote.

Materials only.
Freight allowed to jobsite.
Sales tax NOT included.

Item No. 8

Page 129 of 196



Michael Cartwright
Account Manager
101 Technology Blvd, Suite 135
Ciano, TX 75074
Phone (972) 881-3318 x.22
Fax (972) 881-0985
Email: michael.cartwright@newlinaproductinc.com



To: DW Wilburn Inc / Estimation Department Phone: 859-263-2720 Fax: 859-263-5692
From: Michael Cartwright

Re: Bid on South KY RECC Somerset Office/Warehouse
(DesignBuild)
BID TAB REQUEST - Toilet Accessories and Toilet Partitions

We are seeking feedback on our bid. Feedback is very beneficial in order to provide you with best price we can provide on future bids. Any information you can provide us will be greatly appreciated and useful for future bids.

BID SUMMARY	Materials
Toilet Accessories - (ASI)	\$14,021
Toilet Partitions - (ACCURATE)	\$11,492
Total Combined Price	\$25,513

Low Bidder / Price or % off :

Were we the low bidder on Toilet Accessories? Yes No _____/_____

Were we the low bidder on Toilet Partitions? Yes No _____/_____


Any additional information you would like us to know?

If you do not object, please provide as much information as you can and fax it back to 972-881-0985.

Thank you very much for your help.

Michael Cartwright

BEAT THE RUSH! We are now quoting projects that will be affected by PolyVison's closing of their manufacturing facility.



*Item no. 8
Page 130 of 196*

Michael Cartwright
Account Manager
2901 Technology Drive, Suite 135
Plano, TX 75074
Phone (972) 881-3318 x.22
Fax (972) 881-0985
Email: michael.cartwright@newlineproductinc.com

**NEWLINE
PRODUCTS, INC.
(NPI)**

Fax

To:	Estimating Department	From:	Michael Cartwright
		Pages:	2 + cover
		Date:	15/May/08
Re:	South KY RECC Somerset Office/Warehouse (DesignBuild)	CC:	
	<ul style="list-style-type: none"> • Toilet Accessories Section 10800 • Toilet Partitions Section 10165 		

<input type="checkbox"/> Urgent	<input checked="" type="checkbox"/> X For Review	<input type="checkbox"/> Please Comment	<input type="checkbox"/> Please Reply	<input type="checkbox"/> Please Recycle
---------------------------------	--	---	---------------------------------------	---

We are pleased to submit the attached bid to you for consideration in the South KY RECC Somerset Office/Warehouse (DesignBuild) project. Thank you for considering our bid and we are looking forward to having the opportunity to supply our high quality line of products to the South KY RECC Somerset Office/Warehouse (DesignBuild) project.

Thanks,

Michael Cartwright

BEAT THE RUSH! We are now quoting projects that will be affected by PolyVison's closing of their manufacturing facility.

Newline

Item No. 8

Newline Products, Inc. (NPI) *Page 131 of 19*
2901 Technology Dr, Suite 135
Plano, Texas 75074

May 15, 2008

Subject: South KY RECC Somerset Office/Warehouse (DesignBuild)

Project ID: 709394

Package: No

Addenda: No.1~5

BID SUMMARY		Materials
Toilet Accessories -	(ASI)	\$14,021
Toilet Partitions -	(ACCURATE)	\$11,492
Total Combined Price		\$25,513
Currently seeking installation referrals in your area		

IMPORTANT PRICING NOTES: 1) Unless otherwise noted, the prices above DO NOT include any applicable taxes. 2) All sections bid do not have to be purchased as a package. Bid pricing is based on a maximum of 5% retainage.

We hereby propose to furnish the following material for the sum listed below:

TOILET AND BATH ACCESSORIES BID - Section 10800

ASI

MODEL	Item	Quantity
0032	Partition Mounted Toilet Paper Dispenser	12
9030	Surface Mounted Toilet Paper Dispenser	4
0469	Paper Towel Dispenser with Recptacle, Recessed	18
Bobrick B-4354	Partition Mounted Sanitary Napkin Disposal	7
0852	Surface Mounted Sanitary Napkin Disposal	3
3801-36	Grab Bar 36"	12
3801-42	Grab Bar 42"	12
1224-48	Heavy Duty Shower Curtain Rod 48"	3
1224-56	Heavy Duty Shower Curtain Rod 56"	8
1200-V54	Shower Curtain 54"	3
1200-V62	Shower Curtain 62"	8
1200-SHU	Shower Curtain Hook	115
0600-B2434	Framed Mirror 24"x34"	2
0600-B2432	Framed Mirror 24"x32"	1
0600-B1836	Framed Mirror 18"x36"	6
Bobrick#B-826 w/ B-826.18 starter kit	Automatic Lavatory-Mounted Soap Dispenser	28
Subtotal		242

Toilet and Bath Accessories Materials Only: **\$14,021**

Adder for each extra material shipment: **\$250**

Adder if required:

TOILET AND BATH ACCESSORIES BID - Section 10800--Bid as an adder

ASI

These are full length Mirror over lavatory, we don't know whether we need count it or not since TA spec and Division 8 are not specified them, so we bid these items as an adder.

MODEL	Item	Quantity
0600-B8436	Mirror 84"x36"	1
0600-B9036	Mirror 90"x36"	1
0600-B10836	Mirror 108"x36"	3
0600-B13236	Mirror 132"x36"	1
Subtotal		6

Toilet and Bath Accessories Materials Only: **\$4,307**

Newline

Item No. 8

Adder if required:

TOILET AND BATH ACCESSORIES BID - Section 10800--Bid as an adder

ASI Page 132 of 196

Since neither TA spec nor Toilet Schedule on plan specified Paper Towel Dispenser but it drew on enlarge and elevation plan, then we counted these items as an adder, and offer them our standard model. If any changes, please re-quote.

MODEL	Item	Quantity
0210	Paper Towel Dispenser, Surface mounted, no model specified, bid with ASI standard	14
Subtotal		14

Toilet and Bath Accessories Materials Only:

\$420

TOILET COMPARTMENTS - Section 10165**ACCURATE**Bid note: Bid with Accurate plastic laminate with steel core material, aluminum for headrail only

MODEL	Item	Units
ACCURATE	Plastic Laminate Toilet Stall--Handicap	8
ACCURATE	Plastic Laminate Toilet Stall--Non Handicap	16
ACCURATE	Plastic Laminate Urinal Screen	6
Subtotal		30

Toilet Partitions Materials Only :

\$11,492

Adder for each extra material shipment:

\$500

This price is FOB job site, ONE DELIVERY. If additional deliveries are required, please ADD in the prices quoted above. This price does not include any applicable state and/or other taxes. Bid pricing is based on a maximum of 5% retainage. If awarded the contract, we agree to enter into and execute a Purchase Order/Contract on the basis of this bid.

This bid is valid for thirty (30) calendar days from the scheduled closing time for receiving bids.

Respectfully submitted,

Michael Cartwright
Account Manager
Newline Products, Inc. (NPI)

Phone: (972) 881-3318
Fax: (972) 881-0985
E-mail: michael.cartwright@newlineproductinc.com



*Item NO. 8
Page 133 of 196*

Request for Information

April 25, 2008

Quote # 458926

To: DW Wilburn Inc

Attn: Doug Wilburn

RFI: Flagpole(s) at South KY RECC
Somerset Office
Somerset, KY

Bid Date:

We are preparing to quote on the flagpoles in section - 10350. We are requesting the following information in order to submit a proposal.

The specification does not mention the height required for the flagpole(s). If you have this information, please forward it to us so we can provide bottomline pricing for this item.

Thank you in advance for your assistance. Please call if you have any questions. Your responses can be faxed to 631.689.5528.

Respectfully,

Lori Kane

Bid Department

lori@poletech.com

859-263-5692

Item No. 8
 Page 134 of 196
Flagpole Quotation

Quote Date: April 29, 2008
 Quote # 458926



To: DW Wilburn Inc
 Attn: Doug Wilburn

Project: South KY RECC Somerset Office
 Somerset, KY

Salesperson: Carolyn Barbarite

Spec. Source: 10350

Quantity	Description	Unit Price	Total Price
2	25' exposed x 28' overall x 6" butt x 0.188" wall	1,395.00	2,790.00
1	30' exposed x 33' overall x 6" butt x 0.188" wall Aluminum Tapered Flagpole, Clear Anodized Finish, Internal Winch System, , Internal Revolving Hood Truck, Stainless Steel Cable, Stainless Steel Snaphooks , Gearless Locking Winch, Spun Aluminum Collar, Ground Sleeve Mounting	1,470.00	1,470.00


Exclusions:

- | | |
|--|--|
| 1) Licensed Engineering not included outside New York. | 5) Does NOT include installation, unless noted above. |
| 2) Quote limited to source listed above. | 6) Freight Charge estimated for single shipment to 425022502 |
| 3) Please notice any notes / options for each product. | 7) Orders are subject to 25% cancellation fees. |
| 4) All permits are by others. | 8) Prices valid for 90 days. |

Subtotal: 4,260.00
 Freight: 600.00
*** Total: \$4,860.00**

* Tax is not included.
 Applied to all orders delivered
 in NY, NJ and CT only.

Pole-Tech Company, Inc. - Flagpole Design and Engineering
 97 Gnarled Hollow Road • East Setauket New York 11733 USA • Web-site: www.poletech.com
 Tel: 631.689.5525 • 800.633.6733 • Fax: 631.689.5528 • E-mail: info@poletech.com



859-263-5692

Item No. 8
Page 135 of 196
Flagpole Quotation

Quote Date: April 29, 2008

Quote # 458926

To: DW Wilburn Inc
 Attn: Doug Wilburn

Project: South KY RECC Somerset Office
 Somerset, KY

Salesperson: Carolyn Barbarite

Spec. Source: 10350


Quantity	Description	Unit Price	Total Price
2	25' exposed x 28' overall x 6" butt x 0.188" wall	1,395.00	2,790.00
1	30' exposed x 33' overall x 6" butt x 0.188" wall Aluminum Tapered Flagpole, Clear Anodized Finish, Internal Winch System, , Internal Revolving Hood Truck, Stainless Steel Cable, Stainless Steel Saphooks , Gearless Locking Winch, Spun Aluminum Collar, Ground Sleeve Mounting	1,470.00	1,470.00

Exclusions:

1) Licensed Engineering not included outside New York.	5) Does NOT include installation, unless noted above	Subtotal:	4,260.00
2) Quote limited to source listed above.	6) Freight Charge estimated for single shipment to 425022502	Freight:	600.00
3) Please notice any notes / options for each product.	7) Orders are subject to 25% cancellation fees.	* Total:	\$4,860.00
4) All permits are by others.	8) Prices valid for 90 days.	* Tax is not included. Applied to all orders delivered in NY, NJ and CT only.	

Pole-Tech Company, Inc. - Flagpole Design and Engineering

97 Gnarled Hollow Road • East Setauket New York 11733 USA • Web-site: www.poletech.com
 Tel: 631.689.5525 • 800.633.6733 • Fax: 631.689.5528 • E-mail: info@poletech.com



Item No. 8
Page 136 of 196

Smith Architectural Products
7893 Princeton Rd
Middletown, Oh 45044
513-779-2600
FAX 513-779-6714

May 15, 2008.

Re: SKRECC Corp Office
Somerset, KY

Spec. Section 10350-Flagpoles
- Morgan Francis

- 1ea 30'-0" Exposed Height Cone Tapered Aluminum Groundset Flagpole, 6" Butt Dia., .188" Wall Thickness, Clear Anodized Finish, Spun Aluminum Finial, 1 piece pole
- 2ea 25'-0" Exposed Height Cone Tapered Aluminum Groundset Flagpole, 6" Butt Dia., .188" Wall Thickness, Clear Anodized Finish, Spun Aluminum Finial, 1 piece pole

Included: Commercial Internal Revolving Halyard System with stainless steel cable assembly with beaded sling, stainless steel winch with removable crank handle, counter weight, standard flush mounted removable access door with key and re-enforced , and 2 Stainless Steel Swivel Snaps with covers.
Standard Aluminum Flash Collar
Standard Foundation Tube

Materials Only Freight Allowed \$5,244.00

Excludes: All Taxes, Installation, Multiple Shipments, Permits, Job Specific Engineering, Sealed or Certified Engineering Calculations, Anchorage Design,

IF WE ARE FAVORED WITH AN ORDER PLEASE MAKE ORDER OUT AS FOLLOWS:

C/o Morgan-Francis
Smith Architectural Products
9850 East 30th Street
Indianapolis , IN 46229

Item NO. 8
Page 137 of 196



107 Schuler Drive
Bardstown, KY 40004
PHONE 502.350.1000
FAX 502.350.1002
www.qsibanking.com

May 12, 2008

Chris Cornett
D.W. Wilburn Inc.
153 Blue Sky Parkway
Lexington, KY 40509

Dear Chris:

Thank you for giving QSI the opportunity to provide our proposal for the South Kentucky RECC in Somerset, KY. We understand the effort that goes into a project like this and welcome the chance to participate.

Our objective in preparing this proposal is to provide you with simple, cost saving solutions to equipment acquisitions and service. Our goal is to exceed your expectations in each area.

As a Kentucky based company, we pride ourselves in providing exceptional value to our customers and are available at any time to discuss the details of our proposal.

Sincerely,

Dave Discepoli
Sales Consultant



107 Schuler Drive
Bardstown, KY 40004

PHONE 502.350.1000
FAX 502.350.1002
www.qsibanking.com

Item NO. 8
Page 138 of 196

Our Company

QSI began in 1991 as an installation company for the top manufacturers of bank security equipment. The experience gained by installing and servicing Diebold, Mosler, LeFebure and Hamilton products was a tremendous advantage as the company began to grow. In just seventeen years, QSI has grown from two employees to become one of the largest service providers in the Midwest. QSI, based in Kentucky now represents, distributes and services the top names in bank equipment.

Our Philosophy

The founding and guiding philosophy of QSI is quite simply, to become a true partner with our customers. Our goal is to exceed our customer's expectations by providing cost effective solutions to equipment acquisitions and the service and support challenges presented in the rapidly changing financial industry.

What We Do

QSI professionals work closely to assist you in every phase, from initial project discussions through planning, budgeting and completion of:

- New branch planning
- Branch & equipment relocation
- Service contracts / all brands of equipment
- Turn-key construction projects
- Item processing systems
- Physical Security (vaults & safes)
- Drive-up replacements
- Equipment refurbishing
- Equipment installations
- Access control & lock work
- New and refurbished ATM's
- Electronic security



107 Schuler Drive
Bardstown, KY 40004

PHONE 502.350.1000

FAX 502.350.1002


www.qsibanking.com

What Makes Us Different?

What sets us apart from all others is that we ***do not out-source our service or installation.*** By utilizing our in-house service and installation teams, full control can be maintained assuring the completion of your project on time. With over fifty service technicians and support professionals, QSI is positioned to provide excellent response time for all equipment, any time.

The Bottom Line

Since 1991, we have achieved a track record of steady growth and customer loyalty. Relationships continue to build with our existing customers, as new customers seek us out for solutions to their equipment challenges. The bottom line... ***QSI is a team you can rely on!***



Item NO. 8
Page 140 of 196



107 Schuler Drive
Bardstown, KY 40004

PHONE 502.350.1000
FAX 502.350.1002
www.qsibanking.com

Section 11150 Banking Equipment: South Kentucky RECC

Two 10' BRG -Window, Drawer & Pnumatic Drive-up w/Digital Audio & Lane Lights

- 2 - Fortis 10' Stainless Steel Bullet Resistant Window (UL Level 1)
- 1- American Vault 1000A Transaction Drawer w/ Heater
- 2 - Fortis 3000 RT Pneumatic Remote Teller system
- 2- AV-1500 Intellicom 2 Channel Digital Audio
- 1- Fortis ENV-14 Envelope Depository
- 3 - "OPEN / CLOSED", overlay - Lane Light Fixtures to be installed by others
- 1 - Three Lane Light Switch Kit w/ cover to be installed by others
- 1 - Chime to announce motion detection

Total Project Cost.....\$ 24,000.00 + tx

These prices include freight, installation, testing, adjusting, hardware and a one year warranty.

#25,440⁰⁰

Sincerely,

Dave Discepoli
Sales Consultant

5-12-08
Acceptance Date

Customer Name / signature

Acceptance Date

Item NO. 8
Page 141 of 196

The ATLAS Companies

Corporate Office

5101 Commerce Crossings Dr.

Louisville, KY 40229

Phone: (502) 968-5445 Fax: (502) 969-2486

** ATLAS METAL PRODUCTS COMPANY **

** ATLAS DETENTION AND SECURITY SYSTEMS **

** ATLAS CASEWORK **

** ATLAS EXPRESS **

SALES QUOTATION

May 15, 2008

THIS QUOTE IS BASED ON PLANS DATED

April 7, 2008

Project:	SKRECC
Project Location:	Somerset, KY 42501
Bid Description:	Floor Mats
Spec. Section:	12486
Sale Price:	\$2,675.00
Material	
	Vestibule 100
1	144" x 108"
	Link Mat with Carpet Treads

Tax:	EXCLUDED
Freight:	Tailgate Delivery to Jobsite
Add for Install:	N/A
Addenda Read:	1, 2, 3, 4

Clarifications:

Exclusions:

Sales Contact

Jonathan Keith

Phone: (502) 968-5445 Fax: (502) 969-2486

CUSTOMER INSTANT ORDER

Bid Accepted By:

Name/Title:

Firm Name:


PO/Contract Number:

Date:

Quote Confirmed: 30 Days - Terms NET 30 Days

Lexington Office
125-F Trade Street
Lexington, KY 40511
Phone: (859) 254-9244 Fax: (859) 254-9057

Knoxville Office
200 Prosperity Drive
Knoxville, TN 37923
Phone: (865) 824-2820 Fax: (502) 810-2257



Item NO. 8
Page 142 of 196

C/S GROUP

Fax


To: D W Wilburn Inc
Company:
Fax: 859-263-5692
Phone:

From: Jason Maggs
Fax: 9088494330
Phone: 5705464530
E-mail: JMaggs@c-sgroup.com

Notes:

per plans and specs.
Vest. 100- 12' x 9'
Vest. 175- 11' x 8'

Item No. 8
Page 143 of 196



Page: 1 of 1
5/14/2008

CONSTRUCTION SPECIALTIES, INC.

6696 ROUTE 405 HWY.
MUNCY, PA 17756

Quote No: 266202_00 (152)
Scan No: 0700762048
Quote Date: 2008-05-13
Bid Date: 5/15/2008

Project: SOUTH KY RECC SOMERSET OFFICE/WAREHOUSE
SOMERSET KY
Architect: TATE HILL JACOBS ARCHITECTS

Representative:
152 - ZAMEC SERVICES
SUITE 220
308 EVERGREEN ROAD
LOUISVILLE, KY 40243
Phone : 502-245-6416
Fax : 502-245-9396

Location LEXINGTON, KY

www.pedisystems.com

All as per plans and specifications, including any addenda referenced below, except that the following terms, conditions, and product descriptions shall apply.

Spec Section	12486 Floor Mats
Alternate	1-6 No Effect
Addenda	1-5

C/S Pedimat, model M1CHC, recessed mat with heavy duty carpet treads in one of 22 heavy duty carpet colors in clear anodize finish
Recessed tapered angle frame, clear anodized finish

Material Furnished Only **Total: \$3,872**

Estimator: Jason Maggs Regional Sales Manager(RSM): Wade Brown

Ship To: _____ Signature: _____

Address: _____ Company Name: _____

PO No: _____

ce is FOB plant, freight prepaid within continental U.S. or FAS dock export point. Tax not included.

TERMS & CONDITIONS:

1. C/S Standard Terms and Conditions shall apply.
2. Payment terms are Net 30 Days, with no retention allowed.
3. Prices are firm against escalation for 90 days from date of this quote, and for shipment within 6 months thereafter. Orders shipped beyond shall be subject to escalation of 1.5% per month for each month or partial month thereafter and invoiced at time of shipment.
4. The quotation may be withdrawn if not accepted within 90 days of quotation.
5. Orders resulting from this quotation should be made out to Construction Specialties, Inc. c/o the representative listed above.

Received Time May. 14. 2008 7:47AM No. 3920



From: Jim Moore (x31)

Date: 04/25/2008

To: (Buyer) Doug Wilburn
DW Wilburn Inc.
153 Blue Sky Pkwy
Lexington, KY 40509-9418
Phone: 859-263-2720
Fax: 859-263-5692

*Item No. 8
Page 144 of 196*

KADEE
INDUSTRIES, INC.

7160 Krick Rd., Walton Hills, OH 44146
800-321-3827 - Tel 440-439-8650 - Fax 440-439-6889

STAINLESS STEEL GRATING • BRONZE GRATING
ALUMINUM ENTRANCE MAT • ALUMINUM GRATING

WWW.KADEEINDUSTRIES.COM

Project: South Kentucky Rural Elect. Co-Op - Somerset
Project #: 38584

Specification Section: 12486

Thank you for your interest in Kadee Industries, Inc. (Seller). This quotation describes specifically the units below. Changes may result in pricing corrections.

Drawings will be submitted for custom units only under the auspices of a bona fide purchase order. *Fabrication will begin after receipt of approved shop drawings (verifying dimensions, construction materials, and fabrication techniques, if applicable), fully executed purchase order, and completed credit application. Release for fabrication is expected within 90 days of our submittals. Cancellation of purchase order is subject to a charge for all completed work.

ESTIMATED LEAD TIME: <i>46</i>	weeks after fabrication release *	FOB Factory, Freight Prepaid & Add	Via: Common Carrier
--------------------------------	-----------------------------------	------------------------------------	---------------------

DESCRIPTION:

		Width (X)	Walking Dir.	Unit Price	Extension
KDCM Aluminum Rollout Mat Vest 175 (A1.1)	1 unit Carpet Inserts Clear Anodized	11'6"	8'0"	\$1,763.00	\$1,763.00
KDCM Aluminum Rollout Mat Vest 100 (A1.0)	1 unit Carpet Inserts Clear Anodized	12'0"	8'6"	\$1,903.00	\$1,903.00

ALTERNATES (Not included in Total):

- 1) Add to ship frames prior to mats: \$95.00
- 2) Add for 5 extra tread slats w/carpet - 6'0" long: \$490.00

NOTES:

- 1) Kadee is a suggested alternate to Balco, Inc.
- 2) Protective coatings by others.
- 3) Spec calls for mat in Vest 100 only. Conflicts with finish schedule dwgs A7.0. Verify prior to placing order.
- 4) No tax included

Subtotal:	\$3,666.00
Freight & Handling:	\$319.00
TOTAL ESTIMATE:	\$3,985.00

All of the terms and conditions printed on the reverse side hereof constitute a part of this quotation. Until signed and returned by the Buyer and received by the Seller at its offices, this document is merely a quotation of sales prices and a tender of service. This quotation is a firm offer for a period of sixty (60) days. Unless accepted in the same form as tendered, it shall be of no force or effect. If any of the terms herein contained are changed or modified in any manner, however slight, such changes or modifications shall be deemed a rejection hereof and shall constitute a counteroffer.

ACCEPTED:

APPROVED:

Received Time Apr. 25, 2008 1:49PM No. 2321	DATE	SELLER	DATE
---	------	--------	------



SUBSTITUTION REQUEST FORM

*Item No. 8
Page 145 of 196*

ATTN: Margi Jacobs / Doug Wilburn
FIRM: Tate Hill Jacobs Architects / DW Wilburn Inc.
ADDRESS: 346 E. Main St.
Lexington, KY 40507-1584
PROJECT: South Kentucky Rural Elect. Co-Op - Somerset
LOCATION: Somerset , KY

BID DATE: 4/28/08
SPECIFICATION SECTION: 12486
PROPOSED SUBSTITUTE: KDCM Aluminum Rollout Mat

Attach complete catalog, spec data, and lab tests (if applicable).

1. What effect will substitution have on dimensions, gauges, etc., indicated in Contract Documents? **None**
2. What effect will substitution have on piping, ductwork, etc., indicated in Contract Documents? **None**
3. What effect will the substitution have on other trades? **None**
4. What effect will substitution have on the construction schedule? **None**
5. What are differences in quality/performance between proposed substitute and specified product? **None**
6. Manufacturer's Guarantees of the specified products and proposed products are:
Same: Different (explain): _____
7. List availability of:
Maintenance Services: **None**
Replacement Materials: **Available Upon Request**
8. If the substitution request is accepted, it will result in: **A possible cost savings**
9. There are ___ are no license fees and royalties pending on the proposed substitute.

SUBMITTED BY: KADEE Industries on the web @ www.KadeeIndustries.com
7160 Krick Rd., Walton Hills, Ohio, 44146
Telephone: (800) 321-3827 Fax:(440) 439-6889

Signature: Jim Moore
Jim Moore

Date: 04/25/08

ARCHITECT'S/ENGINEER'S REVIEW COMMENTS:

- Accepted Received Too Late
- Accepted as Noted Not Accepted
- Rejected Due to Incomplete Information. Resubmit.

Signature: _____ Date: _____
Remarks: _____



DIXIE LITE-TROL COMPANY

BLINDS - DRAPERIES - SHADES - STAGE CURTAINS & TRACKS

512 CODELL DRIVE
LEXINGTON, KENTUCKY 40509
TELEPHONE: 859/269-4924
FAX: 859/269-8734
TOLL FREE 800/432-9006

QUOTATION

Page No. 1 of 1 Pages

QUOTATION NO. 0508-27

BID DATE: 5/15/08

PROJECT: SOUTH KY RECC SOMERSET
OFFICE/WAREHOUSE

SOMERSET, KY

SECTION- 12494- ROLLER SHADES

We shall provide (163) #1000 series shades and (20) black-out 0100 series shades by MechoShade. Color shall be selected from the manufacturer's standard contract color line. Fascias are included for all shades. Side channels are included for all black-out shades.

FURNISHED AND INSTALLED\$ 44,240.00

NOTE: WHERE APPLICABLE, ALL BLOCKING SHALL BE FURNISHED AND INSTALLED BY OTHERS, AS WELL AS ALL ELECTRICAL WIRING AND HOOK-UP.

Quotation subject to acceptance within 60 days, for delivery on or before 5/15/09

After this date, add 1-1/2% Per month

FOLLOWING ADDENDUM(S) ARE ACKNOWLEDGED:

ACCEPTANCE: _____ DATE: _____

BY: _____

DIXIE LITE-TROL COMPANY

BY: Dennis Rice /g
DENNIS RICE

DATE: 5/15/08

Received Time May. 15. 2008. 8:35AM No. 4043



Item No. 8
Page 147 of 196

G & G CONTRACTING CO., INC.

P.O. Box 245

579 Medlock Lane

Annsville, KY 40402

Phone: 606-364-2011 Fax: 606-364-3250

Email: g_g_contracting@yahoo.com

Fax Cover Sheet:

To: DW Wilborn


Attention: Josh

From: Greg

Date: 5/14/08

Pages: 15

If there is a problem receiving any pages please call the above number.

Special Notes: Josh, if you have any Questions
give me a call.
Thanks 

Item No. 8
Page 148 of 196

PROPOSAL

G & G Contracting Co., Inc.
P.O. Box 245, 579 Medlock Lane
Anville, Ky, 40402
606-364-2011 606-364-3250

Proposal submitted to: Dw Wilburn

Date: 5/14/08

Street: 153 Blue Sky Parkway

Job Name: Rec, Maint. + Warehouse

City, State and Zip Code: Lexington, Ky. 40509

Job Location: Somerset Ky

We Propose hereby to furnish material and labor to complete in accordance with the specifications below, for the sum of: \$1,156,577.00

Payments to be made as follows:

Progress Payments

We hereby submit specifications and estimates for:


Supplying the Pre-engineered Bldg. Package for the Maintenance Bldg. & the Warehouse per the I&B (Attached Above)

Supplying Equipment & Labor to Erect the Pre-engineered Bldg. Package.

Note: all Insul. is spray on Supplied & installed by others

Note: if this job is not awarded in 15 days there will be a 1.8% increase on the Metal Bldg. & the price on the job would increase to: \$1,228,298.00

Note: No Bond included, to add 1.25% for the Bond

Authorized Signature: 

Note: This proposal may be withdrawn by us if not accepted within 15 days.

Acceptance of Proposal- The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work specified. Payment will be made as outlined above.

- Did not price canopy area - not enough information, Greg takes.


Date of Acceptance: _____

Signature: _____

Signature: _____

Item No. 8
 Page 149 of 196

QUOTE NO. **49924** JOB NO. _____ PAGE 1 OF **15**



UNITED STRUCTURES OF AMERICA, INC.
 P.O. Box 85550
 HOUSTON, TEXAS 77281-0555
 281-444-8244
 E-MAIL: sales@usabuild.com

1812 BUSHROAD
 HOUSTON, TEXAS 77058
 PAR (901) 663-8118
 WEBSITE: www.usabuild.com

QUOTATION & CONTRACT

THIS QUOTATION & CONTRACT IS SUBJECT TO THE TERMS AND CONDITIONS APPEARING ON PAGE _____ AND _____ HEREOF.

Name: **G&G Contracting Inc**
 Street: **579 Madlock Lane**
 City/State/Zip: **Annville KY 40402**
 Attention: **Greg Lakes**
 Fax: (606) 364-3250
 Cell: ()
 Phone: (606) 264-2011

USA Quote No: _____ Rev. No: _____
 Price Required by **5-13-08**
 If Quote is for Bid Purpose, Bid Date: **7:00 AM**
 Special Instructions: _____

Building Frame Type: RF BC-LR Other _____
 SW Girt Type By-Pass Flush Col. Type USA Option Straight
 If BC-Type Int. Columns to be spaced @ **36'-2" / 36'** and **25'-6" / 25'**
 Loft Endwall: BF MF Spec Hip
 Wind Col Spacing USA Option Special per dwgs
 Right Endwall: BF MF Load Frame
 Wind Col Spacing USA Option Special per dwgs

USA Job No: _____ Building ID: _____
 District Manager: **Tammy Corwin J-118**
 Week Equipment Requested: _____
 Buyer Order No. _____
 End Use Customer (Full Name of Co. Occupying Bldg.)
Rural Electric Cooperative Corp.
 End Use of Building
Warehouse/Maintenance

1:12	78'-2"	186'-10"	20' Clear
Bay Spacing 29'-2" 30' 33' 35' 30' 29'-8" line 1-7			

Note (1) All Open Walls Will Contain Necessary Columns Unless Otherwise Noted

Front/High Bldgwall (Slide 1) _____ Long X _____ High "X" Bracing Allowed YES NO Open for _____
 Back/Low Bldgwall (Slide 2) _____ Long X _____ High "X" Bracing Allowed YES NO Open for _____
 Low Endwall (Slide 3) _____ Long X _____ High "X" Bracing Allowed YES NO Open for _____
 Right Endwall (Slide 4) **78'-2"** Long X **Full** High "X" Bracing Allowed YES NO Open for **ADSN**

Base Condition USA STD Base Angle Base Channel Base Gir [#201 Base Trim (White B State)
 MFO1 (Same Color as Wall Color) Base Cleavage **Wombar drawing AS-3**

Roof: 20GA USA PBR White Aluminum Zinc Color _____ Fastener: #16 x 1" STS Member & Stitch
 24GA Unicote 2000 (BilPoly) Unicote 3000 (Kynar) #12 x 1" SCS Member Only
 Special Requirement: Wide Margs Northern Roof Long Life #12 x 1" SCS Mem with Laplok
 24GA USA "Guardian I" SSR Aluminum Zinc Color _____ Clip: Low High Thermal Breaks:
 24GA USA "Guardian II" SSR Unicote 3000 (Kynar) By USA
 24GA USA "Guardian-Lok" SSR Special Requirement: **UL90** Floating By Others
 24GA USA "Bura Lok" SSR Anticulating Long Life Exposed Fastener
 24GA USA "Supreme Lok" SSR **USA Std Class 1 weather-tightness warranty**
 *Requires Mechanical Seaming, Mechanical Seamer Rental Agreement is Required.

Wall: 20GA USA "PBA" "PBR" Color _____ Fastener: #16 x 1" STS Member & Stitch
 24GA Unicote 2000 (BilPoly) Unicote 3000 (Kynar) #12 x 1" SCS Member Only
 Special Requirement: _____ Long Life #12 x 1" SCS Mem with Laplok
 Blomard W/Gutters & Downspouts (Coupled/Simple) Eave Trim Trim Color: _____
 Special Requirement: _____ Unicote 2000 (BilPoly) Unicote 3000 (Kynar)

STRUCTURAL FINISH USA Standard Red Primer Special (Specify) **Cor-24**

Notify on or Before Arrival (Name) _____
 Day Phone _____
 Night Phone _____
 Cell Phone _____
 Other Notify Information _____
 Jobite Address _____
 City **Sarver set** County **Polaski** State **KY**

Ship Via: (Carrier) _____
 Freight Collect Prepaid Freight Line Bills Buyer Direct (Specify Freight Line)
 Customer Pick-up Other
 Total Shipping Weight: _____

Item No. 8
 Page 156 of 196 Page 2 of 15



UNITED STRUCTURES OF AMERICA, INC.
 P.O. BOX 8000
 HOUSTON, TEXAS 77055-0800
 281-442-2127
 WWW.USABLDG.COM

1912 BUSHONG
 HOUSTON, TEXAS 77039
 FAX (201) 649-8110
 WWW.USABLDG.COM

U.B.

48924
 QUOTATION & CONTRACT

THIS QUOTATION & CONTRACT IS SUBJECT TO THE TERMS AND CONDITIONS APPEARING ON PAGE ____ AND ____ HEREOF.

Name: G&G Contracting Inc
 Street: 579 Madlock Lane
 City/State/Zip: Asaeville KY 40402
 Attention: Greg Lakes Fax: (606) 364-3150
 E-Mail: _____ Phone: (606) 364-2011

USA Quote No: _____ Rev. No: _____
 Price Required by: 5-13-08
 Quote is for Bid Purpose: Yes Bid Date: 5-13-08
 Special Instructions: _____

Building Frame Type: RF 30-520 S1.8 + S1.10
 SW Cart Type: By-Pass Flush Col. Type: USA Option Swirl
 (If BC Type Int. Columns to be repaired @)
 Left Endwall: BF MF Spec Hip Valley Eave Girt By-Pass Flush
 Wind Col Spacing: USA Option Special per specs
 Right Endwall: BF MF Spec Hip Eave Girt By-Pass Flush
 Wind Col Spacing: USA Option Special per specs

UBA Job No. _____ Building ID _____
 District Manager: Tammy Corbin 3113
 Week Shipment Requested: _____
 Buyer Order No. _____
 End Use Customer (Put Name of Co. Occupying Bldg.)
Rural Electric Cooperative Corp.
 End Use of Building
Warehouse / Maintenance

SPAN	WIDTH	DEPTH	CLAW
1 :12	127'	379'-11"	20' Clear
Bay Spacing <u>19'-3" 17' 21' 29' 50' 30' 32' 30' 30' 19'</u>			

Note (1) All Open Walls Will Contain Necessary Columns Unless Otherwise Noted

Front High Sillwall (Side 1) Long X _____ High "X" Bracing Allowed YES NO Open for: _____
 Back Low Sillwall (Side 2) 78' 2" / 100' Long X Full High "X" Bracing Allowed YES NO Open for: ASIS / Passage
 Left Endwall (Side 3) Long X _____ High "X" Bracing Allowed YES NO Open for: _____
 Right Endwall (Side 4) Full Long X Full High "X" Bracing Allowed YES NO Open for: Passage
 Base Condition: USA STD Base Angle Base Channel Base Girt 720' Base Trim (White / Slate)
 ASIS (Same Color as Wall Color) Base Closure Other: See Drawing ASIS

Roof: 24GA USA PBR White Aluminum Zinc Color _____ Fastener: #14 x 1" STS Member & Stitch
 24GA Unicote 2000 (SilPoly) Unicote 3000 (Kynar) #12 x 1 1/2" SD6 Member Only
 Special Requirement: Wide Metal Non-Tham Roof Long Life #12 x 1 1/2" SD6 Mem with Laptek
 24GA USA "Guardian 1" BBR Aluminum Zinc Color _____ Girt: Low High Thermal Block: By USA By Others
 24GA USA "Guardian-Lok" BBR Unicote 3000 (Kynar) Special Requirement: 2690 Floating Articulating Long Life Exposed Fastener
 24GA USA "Sure Lok" BBR #14 x 1" STS Member & Stitch
 24GA USA "Supreme Lok" BBR #12 x 1 1/2" SD6 Member Only
 *Requires Mechanical Seaming, Mechanical Seamer Rental Agreement is Required.
 Fastener: Long Life #12 x 1 1/2" SD6 Mem with Laptek
 Wall: 24GA USA PBA PBR Color _____ Fastener: #14 x 1" STS Member & Stitch
 24GA Unicote 2000 (SilPoly) Unicote 3000 (Kynar) Long Life #12 x 1 1/2" SD6 Mem with Laptek
 Special Requirement: _____
 Trim: Standard W/Gutters & Downspouts (Sculptured/Simple) Eave Trim Trim Color: _____
 Special Requirement: _____ Unicote 2000 (SilPoly) Unicote 3000 (Kynar)

STRUCTURAL FINISH: USA Standard Red Primer Special (Specify): Gray

Notify on or Before Arrival (Name) _____
 Day Phone _____
 Night Phone _____
 Cell Phone _____
 Other Notify Information _____
 Job Site Address _____
 City Spencer County Pulaski State KY

Ship Via: (Carrier) _____
 Freight Collected Prepaid Freight Line Bldg Buyer Direct (Specify Freight Line)
 Customer Pick-up Other
 Total Shipping Weight: _____

*Item No. 8
Page 151 of 196*
49924

Warehouse Maintenance

QUOTE NO. _____ JOB NO. _____ PAGE 3 OF 15

CHECK REQUIRED BUILDING CODE. ALL INFORMATION AND LOADING REQUESTED WITHIN THE BOX FOR THAT BUILDING CODE MUST BE COMPLETED. IF VALUE OF ANY LOAD REQUESTED IS "0", ENTER '0' INTO THE BLANK PROVIDED FOR THAT LOAD. Refer to Quotation and Contract Booklet for further explanation.

<p>Building Code: MBMA <input type="checkbox"/> 2002 <input checked="" type="checkbox"/> 2003 <input type="checkbox"/> 2007 <input type="checkbox"/> 2009 <input type="checkbox"/> 2010 <input type="checkbox"/> 2012 <input type="checkbox"/> 2015 <input type="checkbox"/> 2018 <input type="checkbox"/> 2022</p> <p>IBC <input type="checkbox"/> 2000 <input type="checkbox"/> 2003 <input checked="" type="checkbox"/> 2007 <input type="checkbox"/> 2009 <input type="checkbox"/> 2012 <input type="checkbox"/> 2015 <input type="checkbox"/> 2018 <input type="checkbox"/> 2022</p> <p>Live Load: <u>20</u> psf <input type="checkbox"/> Tributary Area Reduction Allowed</p> <p>Ground Snow Load: <u>15</u> psf <input type="checkbox"/> <u>15</u> psf <input type="checkbox"/> <u>0.2</u> <input type="checkbox"/> <u>1.0</u></p> <p>(Snow Load Factor Requirement Sheet 3 Must be Completed)</p> <p>Collateral Load: <u>10/15</u> psf <input type="checkbox"/> See Drawing SY.1</p> <p>Wind Load: <u>90</u> mph <input type="checkbox"/> <u>115</u> mph <input type="checkbox"/> Wind Exposure: <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D</p> <p>Seismic Load: <u>SS</u> <u>0.35</u> <u>SI</u> <u>0.10</u> <u>US</u> <u>1.35</u> <u>Imp</u> <u>1.35</u></p> <p>Site Class: <input type="checkbox"/> A <input type="checkbox"/> B <input checked="" type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/> E <input type="checkbox"/> F</p> <p>Auxiliary Load Requirements: _____</p> <p>See Notes _____ for Additional Loads:</p>	<p>Building Code: <input type="checkbox"/> Enclosed <input checked="" type="checkbox"/> Partially Enclosed <input type="checkbox"/> Fully Open</p> <p>Occupancy: <input type="checkbox"/> Normal <input checked="" type="checkbox"/> Special Occupancy <input type="checkbox"/> Essential <input type="checkbox"/> Low Hazard</p> <p>Adjacent Structure: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>(If yes, include existing building information sheet)</p> <p>Hurricane Coast: <input type="checkbox"/> <50 miles <input type="checkbox"/> 50-100 miles <input checked="" type="checkbox"/> >100 miles</p> <p>(Refer to 1998 MBMA Section A22, ONLY for Miles from Coast)</p> <p>Design Building: <input type="checkbox"/> with <input checked="" type="checkbox"/> without suction straps</p> <p>Topographical Factor: <u>K₁</u> <u>K₂</u> <u>K₃</u> <u>K₄</u></p> <p>Deflection: <input type="checkbox"/> Per USA Standard <input checked="" type="checkbox"/> See Drawing SY.1</p> <p><input checked="" type="checkbox"/> Other as Specified: Frames: <u>H</u> <u>U</u> Purlins: <u>L</u> <u>150</u> <u>14/240</u></p> <p>Girts: <u>U</u> E.W. Rafter: <u>U</u> E.W. Col: <u>U</u> Bracing: <u>H/16</u></p> <p>Building Exposure: <input type="checkbox"/> Partially <input checked="" type="checkbox"/> Fully <input type="checkbox"/> Sheltered</p>
<p>Building Code: USC <input type="checkbox"/> 1987</p> <p>Live Load: _____ psf <input type="checkbox"/> Tributary Area Reduction Allowed</p> <p>Ground Snow Load: _____ psf <input type="checkbox"/> <u>15</u> psf <input type="checkbox"/> <u>0.2</u> <input type="checkbox"/> <u>1.0</u></p> <p>(Snow Load Factor Requirement Sheet 3 Must be Completed)</p> <p>Collateral Load: _____ psf</p> <p>Wind Load: _____ mph <u>115</u> mph <input type="checkbox"/> Wind Exposure: <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D</p> <p>Seismic Load: Zone _____ Imp= _____</p> <p>Site Class <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/> E <input type="checkbox"/> F</p> <p>Auxiliary Load Requirements: _____</p> <p>See Notes _____ for Additional Loads:</p>	<p>Building Code: <input type="checkbox"/> Enclosed <input type="checkbox"/> Partially Enclosed <input type="checkbox"/> Fully Open</p> <p>Occupancy: <input type="checkbox"/> Normal <input type="checkbox"/> Special Occupancy <input type="checkbox"/> Essential <input type="checkbox"/> Low Hazard</p> <p>Adjacent Structure: <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>(If yes, include existing building information sheet)</p> <p>Hurricane Coast: <input type="checkbox"/> <50 miles <input type="checkbox"/> 50-100 miles <input type="checkbox"/> >100 miles</p> <p>(Refer to 1998 MBMA Section A22, ONLY for Miles from Coast)</p> <p>Design Building: <input type="checkbox"/> with <input type="checkbox"/> without suction straps</p> <p>Deflection: <input type="checkbox"/> Per USA Standard</p> <p><input type="checkbox"/> Other as Specified: Frames: <u>H</u> <u>U</u> Purlins: <u>L</u></p> <p>Girts: <u>U</u> E.W. Rafter: <u>U</u> E.W. Col: <u>U</u> Bracing: _____</p> <p>Building Exposure: <input type="checkbox"/> Partially <input type="checkbox"/> Fully <input type="checkbox"/> Sheltered</p>
<p>Building Code: BOCA <input type="checkbox"/> 1998 <input type="checkbox"/> 1999</p> <p>Live Load: _____ psf <input type="checkbox"/> Tributary Area Reduction Allowed</p> <p>Ground Snow Load: _____ psf <input type="checkbox"/> <u>15</u> psf <input type="checkbox"/> <u>0.2</u> <input type="checkbox"/> <u>1.0</u></p> <p>(Snow Load Factor Requirement Sheet 3 Must be Completed)</p> <p>Collateral Load: _____ psf</p> <p>Wind Load: _____ mph <u>115</u> mph <input type="checkbox"/> Wind Exposure: <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D</p> <p>Seismic Load: <u>A_s</u> <u>A_v</u> <u>Group</u> <u>Category</u></p> <p>Soil Profile: <input type="checkbox"/> S1 <input type="checkbox"/> S2 <input type="checkbox"/> S3 <input type="checkbox"/> S4</p> <p>Auxiliary Load Requirements: _____</p> <p>See Notes _____ for Additional Loads:</p>	<p>Building Code: <input type="checkbox"/> Enclosed <input type="checkbox"/> Partially Enclosed <input type="checkbox"/> Fully Open</p> <p>Occupancy: <input type="checkbox"/> Normal <input type="checkbox"/> Special Occupancy <input type="checkbox"/> Essential <input type="checkbox"/> Low Hazard</p> <p>Adjacent Structure: <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>(If yes, include existing building information sheet)</p> <p>Hurricane Coast: <input type="checkbox"/> <50 miles <input type="checkbox"/> 50-100 miles <input type="checkbox"/> >100 miles</p> <p>(Refer to 1998 MBMA Section A22, ONLY for Miles from Coast)</p> <p>Design Building: <input type="checkbox"/> with <input type="checkbox"/> without suction straps</p> <p>Deflection: <input type="checkbox"/> Per USA Standard</p> <p><input type="checkbox"/> Other as Specified: Frames: <u>H</u> <u>U</u> Purlins: <u>U</u></p> <p>Girts: <u>U</u> E.W. Rafter: <u>U</u> E.W. Col: <u>U</u> Bracing: _____</p> <p>Building Exposure: <input type="checkbox"/> Partially <input type="checkbox"/> Fully <input type="checkbox"/> Sheltered</p>
<p>Building Code: SBC <input type="checkbox"/> 1997 <input type="checkbox"/> 1999</p> <p>Live Load: _____ psf <input type="checkbox"/> Tributary Area Reduction Allowed</p> <p>Ground Snow Load: _____ psf <input type="checkbox"/> <u>15</u> psf <input type="checkbox"/> <u>0.2</u> <input type="checkbox"/> <u>1.0</u></p> <p>(Snow Load Factor Requirement Sheet 3 Must be Completed)</p> <p>Collateral Load: _____ psf</p> <p>Wind Load: _____ mph <u>115</u> mph <input type="checkbox"/> Wind Exposure: <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D</p> <p>Seismic Load: <u>A_s</u> <u>A_v</u> <u>Group</u> <u>Category</u></p> <p>Soil Profile: <input type="checkbox"/> S1 <input type="checkbox"/> S2 <input type="checkbox"/> S3 <input type="checkbox"/> S4</p> <p>Auxiliary Load Requirements: _____</p> <p>See Notes _____ for Additional Loads:</p>	<p>Building Code: <input type="checkbox"/> Enclosed <input type="checkbox"/> Partially Enclosed <input type="checkbox"/> Fully Open</p> <p>Occupancy: <input type="checkbox"/> Normal <input type="checkbox"/> Special Occupancy <input type="checkbox"/> Essential <input type="checkbox"/> Low Hazard</p> <p>Adjacent Structure: <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>(If yes, include existing building information sheet)</p> <p>Hurricane Coast: <input type="checkbox"/> <50 miles <input type="checkbox"/> 50-100 miles <input type="checkbox"/> >100 miles</p> <p>(Refer to 1998 MBMA Section A22, ONLY for Miles from Coast)</p> <p>Design Building: <input type="checkbox"/> with <input type="checkbox"/> without suction straps</p> <p>Deflection: <input type="checkbox"/> Per USA Standard</p> <p><input type="checkbox"/> Other as Specified: Frames: <u>H</u> <u>U</u> Purlins: <u>U</u></p> <p>Girts: <u>U</u> E.W. Rafter: <u>U</u> E.W. Col: <u>U</u> Bracing: _____</p> <p>Building Exposure: <input type="checkbox"/> Partially <input type="checkbox"/> Fully <input type="checkbox"/> Sheltered</p>

Deflection Criteria: As a standard USA will use the governing building code and USA's min serviceability limits as a minimum for design. A customer may specify any serviceability requirements desired so long as they meet USA's minimum requirements and are in accordance with code. Reference the Quotation and Contract Booklet for all of USA's minimum serviceability requirements.

Item No. 8
 Page 152 of 196

Warehouse + Maintenance

QUOTE NO. 49924 JOB NO. _____ PAGE 4 OF 15

USE THIS BOX FOR BUILDINGS LOCATED IN AN AREA GOVERNED BY A CODE OTHER THAN THE NATIONAL CODES NOTED ON PAGE 2

Building Code: List Code _____ Edition _____
 Live Load _____ psf Tributary Area Reduction Allowed
 Ground Snow Load: _____ psf Is _____ Co _____ Ca _____
 (Show Load Factor Requirement Sheet & Must be Completed)
 Collateral Load: _____ psf
 Wind Load _____ mph Wx _____ Wind Exposure: B C D
 Seismic Load: _____ Impa _____
 Auxiliary Load Requirements: _____
 See Notes _____ for Additional Loads:

Building Code: Enclosed Partially Enclosed Fully Open
 Occupancy: Normal Special Occupancy
 Essential Low Hazard
 Adjacent Structure: Yes No (If yes, include ex. on bldg info sheet)
 Hurricane Code: <50 miles 50-100 miles >100 miles
 (Refer to 1995 MBMA Section A22, ONLY for Miles from Coast)
 Design Building: with without suction straps
 Deflection: Per USA Standard
 Other as Specified: Frames: H/ _____ L/ _____ Purlins: L/ _____
 Girts: L/ _____ E.W. Rafter: L/ _____ E.W. Col: L/ _____ Bracing: _____

Snow Load Factor Requirement Sheet

To Determine the Load Factors noted on page 2, use the following charts.

Snow Exposure Factor (Ce) 0.9

Wind Exposure	Fully Exposed	Partially Exposed	Sheltered
B	0.9	1.0	1.2
C	0.8	1.0	1.1
D	0.8	0.9	1.0

Definitions:
 Partially Exposed --- All roofs except as indicated below. Buildings with parapet or mansard facades or large mechanical equipment located on roof.
 Fully Exposed --- Roofs exposed on all sides with no shelter from terrain, higher buildings, or trees.
 Sheltered --- Roofs located tight among other structures. Also includes buildings located in valley areas or tight among evergreen trees.

Thermal Factor (Ct) 1.0
 1. All structures except as indicated below = 1.0
 2. Structures kept just above freezing and others with cold, ventilated roofs = 1.1
 3. Unheated structures and structures intentionally kept below freezing = 1.2

Snow Importance Factor (Is) 1.0
 1. Normal, all buildings not listed in 2, 3, or 4 = 1.0
 2. Special Occupancy = 1.1
 3. Essential, buildings designated as essential facilities (hospitals, fire stations, police stations, and buildings used for containment of toxic, explosive, or other hazardous substances) = 1.2
 4. Buildings that represent low hazard to human life (agricultural buildings) = .8

R Value of Roof Insulation _____ Building Insulation type Concrete, trapezoidal roof 5" ft, thickness wall 5" ft is to be provided by others.

Roof snow guards will will not be provided and installed by others.

As with all building codes, it is critical that the design engineers know of any higher structure (building, foliage or terrain) within 20' of this new building. Please indicate the exact location of all existing structures on the sketch sheet provided with the Quotation and Contract Form.

Building codes require consideration of snow surcharges for any lower roof of a structure within 20' of a higher structure. It is critical that the design engineers know the proximity of the new building in relation to that of any higher structure (building, foliage, or changes in terrain) within 20' of this new building. Please check the appropriate box and indicate the exact size, location, and distance to all existing structures, foliage, or changes in terrain on the sketch sheet on page 6 or provide drawings. For new buildings which tie to existing structures, show complete details of the existing building regarding common wall conditions, eave height, width, length, roof slope, and bay spacing. (Include existing building information sheet.)

Building by itself - not within 20' of any other structure. Information supplied to USA, Inc. does not indicate a higher structure present within 20' envelope, therefore, USA, Inc. has not considered snow surcharge in the design.

Other Structures within 20' and Snow Buildup to New USA Building. Information supplied to USA, Inc. indicates a higher structure present within the 20' envelope, therefore, USA, Inc. has considered snow surcharge in the new USA, Inc. structure design.

Other Structures within 20' and Snow Buildup on Existing (Non-USA) Building. The existing structure may require field modifications or additional reinforcement due to additive loads imposed by the new USA, Inc. structure. The review of the new imposed loads to the existing structure is not in USA, Inc.'s scope of work. USA, Inc. strongly recommends the original designer or a local professional engineer assess any possible detrimental effect placed on the existing structure.

GENERAL REQUIREMENTS	Job Status	<input type="checkbox"/> Production	<input type="checkbox"/> Approval	<input type="checkbox"/> Permit	Mail Drawings to:	<input type="checkbox"/> Builder Address (FOR EXPANDED MAIL)
	<input checked="" type="checkbox"/> 3 Sets of Approval Drawings	<input checked="" type="checkbox"/> with Seal	<input type="checkbox"/> without Seal		<input type="checkbox"/>	
	<input checked="" type="checkbox"/> 3 Sets of Permit Drawings	<input checked="" type="checkbox"/> with Seal	<input type="checkbox"/> without Seal			
	<input checked="" type="checkbox"/> 3 Sets of Calculations (w/seal)	<input checked="" type="checkbox"/> Letter of Certification				
	<input checked="" type="checkbox"/> 3 Sets of Anchor Bolt Plans				<input type="checkbox"/> E-mail drawings to:	
	<input checked="" type="checkbox"/> Engineer's Seal (Requested) For State of <u>TX</u>				Note: 3 Sets of Prints for Approval and Permit are provided as Standard Issue.	
<input checked="" type="checkbox"/> 2 Sets of Construction Drawings				2 Sets of Prints for Construction are Provided as Standard Issue		
<input checked="" type="checkbox"/> Other Requirements <u>2 extra sets</u>				There will be a \$25 charge for each additional set		

Warehouse & Maintenance

QUOTE NO. 48924 JOB NO. 0 PAGE 5 OF 15

Item No. 8
 Page 153 of 196

SHAPE	VISIT	PERIOD	ELEVATION	Left Endwall	<input type="checkbox"/> BF	<input type="checkbox"/> MF	<input type="checkbox"/> % Load Frame
:12				Wind Col Spacing	<input type="checkbox"/> USA Option	<input type="checkbox"/> Special per OWB	
Bay Spacing	<u>None</u>			Right Endwall	<input type="checkbox"/> BF	<input type="checkbox"/> MF	<input type="checkbox"/> % Load Frame
Common Wall:	<input type="checkbox"/> Open	<input type="checkbox"/> Sheeted	<input checked="" type="checkbox"/> Bracing	<input type="checkbox"/> IS	<input type="checkbox"/> IS NOT ALLOWED	Endwall Girts	<input type="checkbox"/> By-Pass <input type="checkbox"/> Flush
						Sidewall Girts	<input type="checkbox"/> By-Pass <input type="checkbox"/> Flush

Note (1) All Open Walls Will Contain Necessary Columns Unless Otherwise Noted

Back/Low Sidewall (Side 2)	Long X _____	High "X" Bracing Allowed	<input type="checkbox"/> Yes <input type="checkbox"/> NO	Open for _____
Left Endwall (Side 3)	Long X _____	High "X" Bracing Allowed	<input type="checkbox"/> Yes <input type="checkbox"/> NO	Open for _____
Right Endwall (Side 4)	Long X _____	High "X" Bracing Allowed	<input type="checkbox"/> Yes <input type="checkbox"/> NO	Open for _____
Base Condition	<input type="checkbox"/> USA STD Base Angle	<input type="checkbox"/> Base Channel	<input type="checkbox"/> Base Girt	<input type="checkbox"/> 6001 Base Trim (<input type="checkbox"/> White <input type="checkbox"/> B Base)
	<input type="checkbox"/> MP01 (Same Color as Wall Color)	<input type="checkbox"/> Base Closures	<input type="checkbox"/> Other _____	

FINISH 9.38 Linear Feet Liner x 10' High as Located on Sketch; Panel 26 GA USA "PBR" Color Sm. note 6 & 7

PARTITION 205 1/2' Linear Feet Partition x Full High as Located on Sketch; Panel 24 GA USA "PBR" Color None

<input type="checkbox"/> Eave Canopy (Below Eave)	Above Finished Floor	<input type="checkbox"/> With <input type="checkbox"/> Without	Soffit 26ga "PBR"
Wide X _____	Long _____	:12 Slope	<input type="checkbox"/> Return DS <input type="checkbox"/> Plg Spout
<input type="checkbox"/> Eave Canopy (Below Eave)	Above Finished Floor	<input type="checkbox"/> With <input type="checkbox"/> Without	Soffit 26ga "PBR"
Wide X _____	Long _____	:12 Slope	<input type="checkbox"/> Return DS <input type="checkbox"/> Plg Spout
<input type="checkbox"/> Purlin Ext	Wide X _____	Long <input type="checkbox"/> With <input type="checkbox"/> Without	Soffit "PBR" Color
<input type="checkbox"/> Purlin Ext	Wide X _____	Long <input type="checkbox"/> With <input type="checkbox"/> Without	Soffit "PBR" Color

Lineal Feet Vertical Fascia X _____ High X _____ Projection as Located on Sketch

Lineal Feet Blinded Fascia X _____ High X _____ Projection 3:12 Slope as Located on Sketch

Fascia Panel "PBA" "PBR" Color Trim Color: _____

Soffit Panel "PBA" "PBR" Color Elevation to Bottom of Soffit Panel _____

NOTE: The bottom of all Fascias must be at least 2'-0" below building eave height, and if Fascia is located on the eave, the top of Fascia must be at least 6" above building peak.

Capacity _____ (Attach Crane Data Sheet - Locate on Sketch) Top Running Underslung Monorail

Design by USA Design by (USA Others) Beams by (USA Others) Is ASCE Hall by (USA Others)

If beams are by others specify size beam _____ Cap _____ Beams will be installed (Immediately In the Future)

SPECIFY CRANE SERVICE CLASSIFICATION: A B C D

DESIGN LOADS TO BE PSP Collateral PSF (Any load other than LL or DL supported by Mezz above or below)

Other (Specify) _____ Specify Thickness of Floor _____ Lightweight Standard Concrete

MEZZANINE FRAMING TO BE SET ON A (_____) GRID SEE SKETCH Elev to Top of Mezz Finished Floor

SUPPORT BEAMS TO BE By USA By Others (Locate on Sketch) Clear Below Mezz Steel

COLUMNS TO BE By USA By Others (Locate on Sketch)

JOIST TO BE By USA By Others Joist Spacing USA Dealer Other

DECK TO BE By USA By Others USA Design Specify Type

Edge Angle to Be By USA By Others

Frame Opening Ref.	No.	Width	Length

Unless specifically listed below, no drawings or specifications have been furnished and therefore are not considered part of this contract

List Drawings Furnished with Quotation/Contract: S1.8 S1.9 S1.10 SKS AL3 AL4 AZ.1 Issue Date: 4-7-08

List Specifications Furnished with Quotation/Contract: 13121 Issue Date: _____

Other Documentation: A3.1 A4.2 A5.3 (See Attached Exhibit _____)

NOTE: IF BUILDING ORDER HAS PLANS AND SPECIFICATIONS, BUILDING MUST BE QUOTED BY USA'S ESTIMATING DEPARTMENT USING THE PLANS AND SPECIFICATIONS INCLUDED WITH THE ORDER. USA utilizes those standards, specifications and/or interpretations and recommendations of professionally recognized agencies and groups, such as: AISC, AWS, AISI, NEMA, etc., as a basis for establishing its own design, fabrication and quality standards, criteria, practices, methods and tolerances. In all events, unless stipulated otherwise, USA's design, fabrication and quality standards, criteria, practices, methods and tolerances will govern the work.

Item No. 8
 49924 Page 154 of 196

Warehouse + Maintenance

QUOTE NO.

JOB NO.

PAGE 6 OF 15

No	Description	No	Width	Height	Wall Framed Openings Per (Locate on Sketch)	
8050	Alum Sash <input type="checkbox"/> Clear <input type="checkbox"/> Insulated <input type="checkbox"/> PMF <input type="checkbox"/> B Sit	4	24'	20'	OKD with jamb Flash	
3030	Alum Sash <input type="checkbox"/> Clear <input type="checkbox"/> Obscure <input type="checkbox"/> Insulated <input type="checkbox"/> PMF <input type="checkbox"/> B Sit	4	24'	16'	OKD with jamb Flash	
1070	2070 Slim Line Window <input type="checkbox"/> T. med <input type="checkbox"/> Insulated	3	14'	16'	OKD with jamb Flash	
8070	<input type="checkbox"/> M <input type="checkbox"/> LV (No Glass) <input type="checkbox"/> PreAssembled <input type="checkbox"/> Whi <input type="checkbox"/> B Sit	9	12'	10'	OKD with jamb Flash	
6070	<input type="checkbox"/> M <input type="checkbox"/> LV (No Glass) <input type="checkbox"/> PreAssembled <input type="checkbox"/> Whi <input type="checkbox"/> B Sit	1	18'	10'	OKD with jamb Flash	
	<input type="checkbox"/> Lever Lockset <input type="checkbox"/> Drop Bolt (Swing Req'd) <input type="checkbox"/> Weatherstrip	9	4'	6'	Window with sill	
	<input type="checkbox"/> Closures <input type="checkbox"/> Panic Hardware (One) (Two) Leaf(s)	9	3'4"	7'2"	Door	
	<input type="checkbox"/> Other	2	6'4"	7'2"	Door	
Skylites: x 11'0" <input type="checkbox"/> Insulated <input type="checkbox"/> UL 90 <input type="checkbox"/> Ins Trim						
Wallites: <input type="checkbox"/> "A" 10'-0" <input type="checkbox"/> "A" 8'-0" <input type="checkbox"/> "R" 11'-0" <input type="checkbox"/> "R" 5'-0"						
Width X High (Adj) (Fixed) Louvers w/Screen Color Wall Shaded <input type="checkbox"/> Above <input type="checkbox"/> Below Louver						
Vents <input type="checkbox"/> 9" <input type="checkbox"/> 12" x 10'-0" w/BS & Damper <input type="checkbox"/> White <input type="checkbox"/> Al Zinc <input type="checkbox"/> Color (Specify)						
Vents <input type="checkbox"/> 12" <input type="checkbox"/> 20" Round w/BS & Damper <input type="checkbox"/> White <input type="checkbox"/> Al Zinc <input type="checkbox"/> Color (Specify)						
Low Profile Ridge Vent w/Ventilation Cap <input type="checkbox"/> White <input type="checkbox"/> Al Zinc <input type="checkbox"/> Color (Specify)						
Roof Framed Openings for Roof Top Units (Locate on Sketch)						
No	Width	Length	Curb	Color	Unit Weight	Unit Model Number
			<input type="checkbox"/> By USA <input type="checkbox"/> By Others <input type="checkbox"/> Al Zinc <input type="checkbox"/> Color			
			<input type="checkbox"/> By USA <input type="checkbox"/> By Others <input type="checkbox"/> Al Zinc <input type="checkbox"/> Color			
			<input type="checkbox"/> By USA <input type="checkbox"/> By Others <input type="checkbox"/> Al Zinc <input type="checkbox"/> Color			

YES NO Accessories are adequate to meet all loads described in order document to insure building envelope integrity. If NO, please list accessories that do not meet criteria.

List any additional information in the space provided below.

- Column base plates to go -8" below the finish floor.
- Line 2 will have 2 interior columns with X bracing. See drawing 51.9
- See 51.8, 51.9 and 51.10 drawings for type and location of bracing also shown on drawing 58.1X
- Gray primer
- Provide USA class I weather-tightness warranty and 20-year finish warranty
- Provide trim for liner framed openings and corners. 4 Dual Jamb trim for OKD at 10' long. 14 trim kits for 2070 doors in liner. 5 trim kits for 6070 doors in liner. 4 Trim kits for 4 6'x5' windows with sill. 36 inside corners at 10' long & outside corners 10' long
- Provide 3"x3"x1/8" base angle and trim per drawing A5.3 at liner panel
- UL 90
- Not providing standard primer which is equal in performance to PC-TP-604.

EXCLUSIONS:

- Catcher bolts, OFFICE BUILDING, JIB CRANE, RAILING, 2" GALV. STEEL RAIL GUARDS, ROOF STRUCTURE BETWEEN Wks A-E,

Item NO. 8
 Page 155 of 196
 QUOTE NO. 49924 JOB NO. _____ PAGE 7 of 15



Fleet Parking QUOTATION & CONTRACT

THIS QUOTATION & CONTRACT IS SUBJECT TO THE TERMS AND CONDITIONS APPEARING ON PAGE ____ AND ____ HEREOF.

RD. BOX 60222
 HOUSTON, TEXAS 77261-6022
 281-442-2217
 WWW: www.usa-usa.com

1812 BUSCHONG
 HOUSTON, TEXAS 77055
 FAX (281) 442-2217
 WWW: www.usa-usa.com

Name: G&G Contracting Inc
 Street: 579 Medlock Ln
 City/State/Zip: Annville KY 40402
 Attention: Greg Laker
 Fax: (606) 764-3250
 Cell: ()
 Phone: (606) 764-2011

USA Quote No: _____ Rev. No: _____
 Price Required by: 5-13-08
 If Quote is for Bid Purposes, Bid Date: 5:00 PM
 Special Instructions: _____

Building Frame Type: RF BC Other
 SW Girt Type: By-Pass Flush Col. Type: USA Option Straight
 If BC Type Int. Columns to be spaced @ 20'90"
 Left Endwall: BF MF X Load Frame Endwall Girt By-Pass Flush
 Wind Col Spacing: USA Option Special per dwgs
 Right Endwall: BF MF X Load Frame Endwall Girt By-Pass Flush
 Wind Col Spacing: USA Option Special per dwgs

USA Job No. _____ Building ID _____
 District Manager: Tommy Carver 35112
 Week Shipments Requested: _____
 Buyer Order No. _____
 End Use Customer (Full Name of Co. Occupying Bldg.):
Rural Electric Cooperative Corp.
 End Use of Building:
Fleet Parking

SPAN	WIDTH	HEIGHT	EAVERYS
.12	80'	317'	17'
Bay Spacing <u>27', 10' @ 25', 13', 27'</u>			

Note (1) All Open Walls Will Contain Necessary Columns Unless Otherwise Noted

Front/High Sidewall (Side 1)	<u>Full</u> Long X <u>Full</u> High	"X" Bracing Allowed <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO Open for <u>Passage</u>
Back/Low Sidewall (Side 2)	<u>Full</u> Long X <u>Full</u> High	"X" Bracing Allowed <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO Open for <u>Passage</u>
Left Endwall (Side 3)	_____ Long X _____ High	"X" Bracing Allowed <input type="checkbox"/> YES <input type="checkbox"/> NO Open for _____
Right Endwall (Side 4)	_____ Long X _____ High	"X" Bracing Allowed <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO Open for _____

Base Condition: USA STD Base Angle Base Channel Base Girt 0801 Base Trim (White B Slate)
 MP01 (Same Color as Wall Color) Base Closure Other _____

Roof	<input type="checkbox"/> 24GA <input type="checkbox"/> USA PDR <input type="checkbox"/> White <input type="checkbox"/> Aluminum Zinc <input type="checkbox"/> Color _____	Fastener: <input type="checkbox"/> #14 x 1" ST9 Member & Gutch <input type="checkbox"/> #12 x 1 1/2" SDS Member Only
	<input type="checkbox"/> 24GA <input type="checkbox"/> Unico 2000 (SIP Poly) <input type="checkbox"/> Unico 3000 (Kynar)	<input type="checkbox"/> #12 x 1 1/2" SDS Mem with Laptek
Wall	<input type="checkbox"/> 24GA USA "Guardian P" SSPR <input type="checkbox"/> Aluminum Zinc <input type="checkbox"/> Color _____	Clip: <input checked="" type="checkbox"/> Low <input type="checkbox"/> High
	<input checked="" type="checkbox"/> 24GA USA "Guardian II" SSPR <input type="checkbox"/> Unico 3000 (Kynar)	Thermal Blocks: <input type="checkbox"/> By USA <input type="checkbox"/> By Others
Trim	<input checked="" type="checkbox"/> 24GA USA "Bura Lok" SSPR <input type="checkbox"/> Special Requirement: <u>UL90</u>	<input type="checkbox"/> Fixed <input checked="" type="checkbox"/> Floating <input type="checkbox"/> Articulating
	<input type="checkbox"/> 24GA USA "Supreme Lok" SSPR <input type="checkbox"/> Unico 2000 (SIP Poly) <input checked="" type="checkbox"/> Unico 3000 (Kynar)	Fastener: <input type="checkbox"/> #14 x 1" ST9 Member & Gutch <input type="checkbox"/> #12 x 1 1/2" SDS Member Only

*Requires Mechanical Beaming, Mechanical Seamer Rental Agreement is Required.

USA Standard Red Primer Special (Specify) C-004

Notify on or Before Arrival (NBA) _____	Ship Via: (Carrier) _____
Day Phone _____	<input type="checkbox"/> Freight Collect <input type="checkbox"/> Prepaid <input type="checkbox"/> Freight Line Bills Buyer Direct (Specify Freight Line)
Night Phone _____	<input type="checkbox"/> Customer Pickup <input type="checkbox"/> Other _____
Cell Phone _____	Total Shipping Weight: _____
Other Notify Information _____	
Jobsite Address: <u>Chy Somerset</u> County <u>Alaska</u> State <u>KY</u>	

Item No. 8
Page 157 of 196
 QUOTE NO. 49924 JOB NO. _____ PAGE 9 OF 15

Fleet Parking

USE THIS BOX FOR BUILDINGS LOCATED IN AN AREA GOVERNED BY A CODE OTHER THAN THE NATIONAL CODES NOTED ON PAGE 2

Building Code: Use Code Edition _____ Building Code: Enclosed Partially Enclosed Fully Open
 Live Load: _____ psf Tributary Area Reduction Allowed Occupancy: Normal Special Occupancy
 Ground Snow Load: _____ psf Is= _____ Cs= _____ Cst= _____ Essential Low Hazard
 (Snow Load Factor Requirement Sheet 3 Must be Completed) Adjacent Structure: Yes No (if yes, include extant bldg info sheet)
 Collateral Load: _____ psf Hurricane Coast: <50 miles 50-100 miles >100 miles
 Wind Load: _____ mph Iwh= _____ Wind Exposure: B C D (Refer to 1989 ASCE Section A22, ONLY for Miles from Coast)
 Seismic Load: _____ Imp= _____ Design Building: with without suction straps
 Auxiliary Load Requirements: _____ Detention: Per Building Code
 See Notes _____ for Additional Loads: Other as Specified: _____

Snow Load Factor Requirement Sheet

To Determine the Load Factors noted on page 2, use the following charts.

• Snow Exposure Factor (Ce) 0.9

Wind Exposure	Fully Exposed	Partially Exposed	Sheltered
B	0.9	1.0	1.2
C	0.9	1.0	1.1
D	0.8	0.9	1.0

Definitions:
 Partially Exposed — All roofs except as indicated below. Buildings with parapet or mansard facades or large mechanical equipment located on roof.
 Fully Exposed — Roofs exposed on all sides with no shelter from terrain, higher buildings, or trees.
 Sheltered — Roofs located tight among other structures. Also includes buildings located in valley areas or tight among evergreen trees.

• Thermal Factor (Ct) 1.2
 1. All structures except as indicated below = 1.0
 2. Structures kept just above freezing and others with cold, ventilated roofs = 1.1
 3. Unheated structures and structures intentionally kept below freezing = 1.2

• Snow Importance Factor (Is) 1.1
 1. Normal, all buildings not listed in 2, 3, or 4 = 1.0
 2. Special Occupancy = 1.1
 3. Essential, buildings designated as essential facilities (hospitals, fire stations, police stations, and buildings used for containment of toxic, explosive, or other hazardous substances) = 1.2
 4. Buildings that represent low hazard to human life (agricultural buildings) = .8

• R Value of Roof Insulation _____ Building insulation type _____, thickness roof _____, thickness wall _____ is to be provided by others.

• Roof snow guards with will not be provided and installed by others.

As with all building codes, it is critical that the design engineers know of any higher structure (building, foliage or terrain) within 20' of this new building. Please indicate the exact location of all existing structures on the sketch sheet provided with the Quotation and Contract Form.

Building codes require consideration of snow surcharges for any lower roof of a structure within 20' of a higher structure. It is critical that the design engineers know the proximity of the new building in relation to that of any higher structure (building, foliage, or changes in terrain) within 20' of this new building. Please check the appropriate box and indicate the exact size, location, and distance to all existing structures, foliage, or changes in terrain on the sketch sheet on page 9 or provide drawings. For new buildings which tie to existing structures, show complete details of the existing building regarding common wall conditions, eave height, width, length, roof slope, and bay spacing. (include existing building information sheet.)

Building by itself - not within 20' of any other structure. Information supplied to USA, Inc. does not indicate a higher structure present within 20' envelope, therefore, USA, Inc. has not considered snow surcharge in the design.

Other Structure within 20' and Snow Buildup to New USA Building. Information supplied to USA, Inc. indicates a higher structure present within the 20' envelope, therefore, USA, Inc. has considered snow surcharge in the new USA, Inc. structure design.

Other Structure within 20' and Snow Buildup on Existing (Non-USA) Building. The existing structure may require field modifications or additional reinforcement due to additive loads imposed by the new USA, Inc. structure. The review of the new imposed loads to the existing structure is not in USA, Inc.'s scope of work. USA, Inc. strongly recommends the original designer or a local professional engineer assess any possible detrimental affect placed on the existing structure.

Job Status	<input type="checkbox"/> Production	<input type="checkbox"/> Approval	<input type="checkbox"/> Permit	Mail Drawings to:	<input type="checkbox"/> Builder Address (on express mail)
<input checked="" type="checkbox"/> 3 Sets of Approval Drawings	<input checked="" type="checkbox"/> With Seal	<input type="checkbox"/> Without Seal			
<input checked="" type="checkbox"/> 3 Sets of Permit Drawings	<input checked="" type="checkbox"/> With Seal	<input type="checkbox"/> Without Seal			
<input checked="" type="checkbox"/> 1 Set of Calculations (w/seal)	<input checked="" type="checkbox"/> Letter of Certification				
<input checked="" type="checkbox"/> 3 Sets of Anchor Bolt Plans				<input type="checkbox"/> E-mail drwgs to:	
<input checked="" type="checkbox"/> Engineer's Seal (Requested) For State of: <u>KY</u>				Note: 3 Sets of Prints for Approval and Permit are provided as Standard Issue	
<input checked="" type="checkbox"/> 2 Sets of Construction Drawings				2 Sets of Prints for Construction are Provided as Standard Issue	
<input checked="" type="checkbox"/> Other Requirements <u>2 extra sets</u>				There will be a \$25 charge for each additional set	

Item No. 8
 Page 158 of 196

QUOTE NO. 48924 JOB NO. _____ PAGE 15 OF 15

Fleet Parking

Left Endwall	<input type="checkbox"/> BF	<input type="checkbox"/> MF	<input type="checkbox"/> X Load Frame
Wind Owl Spacing	<input type="checkbox"/> USA Option	<input type="checkbox"/> Special per dwg	
Right Endwall	<input type="checkbox"/> BF	<input type="checkbox"/> MF	<input type="checkbox"/> X Load Frame
Wind Owl Spacing	<input type="checkbox"/> USA Option	<input type="checkbox"/> Special per dwg	
Common Wall	<input type="checkbox"/> Open	<input type="checkbox"/> Sheeted	<input type="checkbox"/> X" Bracing <input type="checkbox"/> IS <input type="checkbox"/> 16 NOT ALLOWED
		Endwall Girts	<input type="checkbox"/> By-Pass <input type="checkbox"/> Flush
		Blowwall Girts	<input type="checkbox"/> By-Pass <input type="checkbox"/> Flush

Note (1) All Open Walls Will Contain Necessary Columns Unless Otherwise Noted

Back/Low Stairwell (Sketch 2)	Long X _____	High X" Bracing Allowed	<input type="checkbox"/> Yes <input type="checkbox"/> NO	Open for _____
Left Endwall (Side 3)	Long X _____	High X" Bracing Allowed	<input type="checkbox"/> Yes <input type="checkbox"/> NO	Open for _____
Right Endwall (Sketch 4)	Long X _____	High X" Bracing Allowed	<input type="checkbox"/> Yes <input type="checkbox"/> NO	Open for _____
Base Condition	<input type="checkbox"/> USA STD Base Angle	<input type="checkbox"/> Base Channel	<input type="checkbox"/> Base Girt	<input type="checkbox"/> 201 Base Trim (<input type="checkbox"/> White <input type="checkbox"/> D Slate)
	<input type="checkbox"/> MFOT (Same Color as Wall Color)	<input type="checkbox"/> Base Closures	<input type="checkbox"/> Other _____	

Lineal Feet Liner X _____ High as Located on Sketch: Panel 20 GA USA "PBR" Color

Lineal Feet Partition X 290' High as Located on Sketch: Panel 26 GA USA "PBR" Color Sheet each side

<input type="checkbox"/> Eave Canopy (Below Eave)	Above Finished Floor	<input type="checkbox"/> With <input type="checkbox"/> Without Gomi Edge "PBR"
Wide X _____	Long _____	<input type="checkbox"/> Return DE <input type="checkbox"/> Pig Spout
<input type="checkbox"/> Eave Canopy	Above Finished Floor	<input type="checkbox"/> With <input type="checkbox"/> Without Gomi Edge "PBR"
Wide X _____	Long _____	<input type="checkbox"/> Return DE <input type="checkbox"/> Pig Spout
<input type="checkbox"/> Pullin. Ext	Wide X _____	Long <input type="checkbox"/> With <input type="checkbox"/> Without Soffit "PBR" Color
<input type="checkbox"/> Pullin. Ext	Wide X _____	Long <input type="checkbox"/> With <input type="checkbox"/> Without Soffit "PBR" Color

Lineal Feet Vertical Fascia X _____	High X _____	Projection as Located on Sketch
Lineal Feet Sloped Fascia X _____	High X _____	Projection 3:12 Slope as Located on Sketch
Fascia Panel <input type="checkbox"/> "PBA" <input type="checkbox"/> "PBR" Color	Trim Color _____	
Soffit Panel <input type="checkbox"/> "PBA" <input type="checkbox"/> "PBR" Color	Elevation to Bottom of Soffit Panel _____	

NOTE: The bottom of all Fascias must be at least 2'-0" below building eave height, and if Fascia is located on the endwall, the top of Fascia must be at least 6" above building post.

Capacity _____ (AISC Crane Data Sheet - Located on Sketch) Top Running Underhung Monorail

Design by USA By USA By Others (Locate on Sketch) Beams by USA Others ASCE Roll by USA Others

If beams are by others specify size count _____ Cap _____ Beams will be installed Immediately In the Future

SPECIFY CRANE SERVICE CLASSIFICATION: A B C D

DESIGN LOADS TO BE PSP Corrosional PSF (Any load other than LL or DL supported by Mezz above or below)

Other (Specify) _____ Specify Thickness of Floor _____ Lightweight Standard Concrete

MEZZANINE FRAMING TO BE SET ON A _____ GRID SEE SKETCH _____ Elev to Top of Mezz Finished Floor

SUPPORT BEAMS TO BE By USA By Others (Locate on Sketch) _____ Clear Below Mezz Steel

COLUMNS TO BE By USA By Others (Locate on Sketch) _____

JOIST TO BE By USA By Others Joist Spacing _____ USA Design Other _____

DECK TO BE By USA By Others USA Design Specify Type _____

Edge Angle to Be By USA By Others _____

Pressed Openings Req'd:	No.	Width	Length

Unless specifically listed below, no drawings or specifications have been furnished and therefore are not considered part of this contract

List Drawings Furnished with Quotation/Contract: 51.11, 51.12, 54.9, A1.5 Issue Date: 4-7-08

List Specifications Furnished with Quotation/Contract: A312 Issue Date: _____

Other Documentation: _____ (See Attached Exhibit _____)

NOTE: IF BUILDING ORDER HAS PLANS AND SPECIFICATIONS, BUILDING MUST BE QUOTED BY USA'S ESTIMATING DEPARTMENT USING THE PLANS AND SPECIFICATIONS INCLUDED WITH THE ORDER. USA utilizes those standards, specifications and/or interpretations and recommendations of professionally recognized agencies and groups, such as: AISC, AWS, AISI, MBMA, etc., as a basis for establishing its own design, fabrication and quality criteria, standards, practices, methods and tolerances. In all events, unless stipulated otherwise, USA's design, fabrication and quality standards, criteria, practices, methods and tolerances will govern the work.

Item No. 3
 Page 159 of 196

QUOTE NO. 48924 JOB NO. _____ PAGE # OF 15

Fleet Parking


No	Description	No	Width	Height	Wall Framed Openings For: (Locate on Sketch)	
	8030 Alum Bash <input type="checkbox"/> Clear <input type="checkbox"/> Insulated <input type="checkbox"/> PMF <input type="checkbox"/> B SH					
	3030 Alum Bash <input type="checkbox"/> Clear <input type="checkbox"/> Obscure <input type="checkbox"/> Insulated <input type="checkbox"/> PMF <input type="checkbox"/> B SH					
	<input type="checkbox"/> 1070 <input type="checkbox"/> 2070 Blm Line Window <input type="checkbox"/> Tinted <input type="checkbox"/> Insulated					
	3070 <input type="checkbox"/> M <input type="checkbox"/> LV (No Glass) <input type="checkbox"/> PreAssembled <input type="checkbox"/> Wht <input type="checkbox"/> B SH					
	6070 <input type="checkbox"/> M <input type="checkbox"/> LV (No Glass) <input type="checkbox"/> PreAssembled <input type="checkbox"/> Wht <input type="checkbox"/> B SH					
	<input type="checkbox"/> Lever Lock <input type="checkbox"/> Dead Bolt (Swing Req'd) <input type="checkbox"/> Weatherstrip					
	<input type="checkbox"/> Closures <input type="checkbox"/> Panic Hardware (One) (Two) Leaf(s)					
	<input type="checkbox"/> Other _____					
	Skylites: x 11'0" <input type="checkbox"/> Insulated <input type="checkbox"/> UL 90 <input type="checkbox"/> Ine Trim					
	Walltes: <input type="checkbox"/> "A" 13'-6" <input type="checkbox"/> "A" 6'-9" <input type="checkbox"/> "R" 11'-0" <input type="checkbox"/> "R" 6'-6"					
	Wide X _____ High (Adj) (Fixed) Louvers w/Boron Color _____ Wall Shielded <input type="checkbox"/> Above <input type="checkbox"/> Below Louver					
	Vents <input type="checkbox"/> 9" <input type="checkbox"/> 12" x 10'-0" w/BS & Damper <input type="checkbox"/> White <input type="checkbox"/> Al Zinc <input type="checkbox"/> Color (Specify) _____					
	Vents <input type="checkbox"/> 12" <input type="checkbox"/> 20" Round w/BS & Damper <input type="checkbox"/> White <input type="checkbox"/> Al Zinc <input type="checkbox"/> Color (Specify) _____					
	Low Profile Ridge Vent w/Ventilation Core <input type="checkbox"/> White <input type="checkbox"/> Al Zinc <input type="checkbox"/> Color (Specify) _____					
Roof Framed Openings for Roof Top Units Locate on Sketch						
No.	Width	Length	Curb	Color	Unit Weight	Unit Model Number
			<input type="checkbox"/> By USA <input type="checkbox"/> By Others	<input type="checkbox"/> Al Zinc <input type="checkbox"/> Color _____		
			<input type="checkbox"/> By USA <input type="checkbox"/> By Others	<input type="checkbox"/> Al Zinc <input type="checkbox"/> Color _____		
			<input type="checkbox"/> By USA <input type="checkbox"/> By Others	<input type="checkbox"/> Al Zinc <input type="checkbox"/> Color _____		

YES NO Accessories are adequate to restore all losses described in contract document to insure building envelope integrity. If NO, please list accessories that do not meet criteria.

List any additional information in the space provided below.

1. Column base plates to go 3" below the finish floor.
2. See S.K.4 for X bracing locations.
3. W190
4. Grey Primer
5. USA Class 1 weather tightness warranty 20 Year
6. 20 Year finish warranty

**CLASS I LIMITED
TWENTY YEAR
WEATHERTIGHTNESS
WARRANTY**



UNITED STRUCTURES OF AMERICA

**STANDING SEAM
ROOF PANELS**

The Builder identified below hereby agrees, and UNITED STRUCTURES OF AMERICA, INC., hereinafter referred to as U.S.A., hereby guarantees the Builder's performance for a term of twenty (20) years, that the Builder will correct any roof leaks identified within the building as described below arising out of or caused by ordinary wear and tear of the elements, and SUBJECT TO THE PROVISIONS PRINTED ON THE REVERSE SIDE HEREOF.

It is agreed between U.S.A. and the Builder that the Builder accepts sole liability for his performance and shall indemnify and hold U.S.A. harmless during the initial two (2) years of the term, and further, that the Builder accepts primary liability for his performance during the remaining eighteen (18) years of the term of this agreement.

LIABILITY, AS COMBINED TO BOTH U.S.A. AND THE BUILDER, UNDER THIS AGREEMENT SHALL BE LIMITED TO THE ACTUAL COST OF THE REPAIR WORK, AND IN NO EVENT SHALL BE MORE THAN \$ 1000. NEITHER U.S.A NOR THE BUILDER MAKE ANY WARRANTY OR EXTENDS ANY GUARANTEE OF PERFORMANCE, EITHER EXPRESSED OR IMPLIED, BEYOND THAT GIVEN HEREIN, INCLUDING AND WITHOUT LIMITATION, WARRANTIES OF FITNESS AND/OR MERCHANTABILITY; AND IN NO EVENT SHALL U.S.A. OR THE BUILDER BE RESPONSIBLE OR LIABLE FOR ANY CONSEQUENTIAL OR SPECIAL DAMAGES, OR OTHER LOSS TO THE BUILDING OR TO ITS CONTENTS, OR OTHER MATERIALS, OR ANY LOSS TO PROFITS ARISING THEREFROM.

Name of Purchaser

U.S.A. Job Number

Building Location

Address, City, State

Date Shipped

Warranty No.

UNITED STRUCTURES OF AMERICA, INC.

Authorized U.S.A. Signature

Date

Date

Purchaser

Title

assigned.

SAM

Item No. 8 PAGE 14
 14 of 15
 Pass 1 to 2

G&G CONTRACTING

USA

6063643250
 2814422125

05/14/2008 12:50
 05/14/2008 10:21 FAX

Item No. 8

Page No. 18/196

15 of 16

STANDARD PROVISIONS

1. This guarantee shall become valid only when signed by an authorized U.S.A. representative, the original Owner (assignee), and the Builder, and the term of this agreement shall commence at the date of shipment identified on the reverse side. No modifications as to any of the terms and conditions of this agreement shall be valid in any event, and the purchaser expressly waived the right to rely thereon. This guarantee is for the sole benefit of the original Owner (assignee) as named over and is not transferable or assignable.
2. This warranty shall not be enforceable if the building was not (a) erected in accordance with U.S.A. standard documents, (b) within continental North America or the Hawaiian Islands, (c) new construction furnished principally by U.S.A., and (d) at the location at which it was first erected.
3. This warranty does not apply to or cover any damage or leakage caused by or associated with (a) defects in or failure of any part of the foundation of the building, (b) earthquakes, tornadoes, hurricanes, or other acts of God, explosion, fire, riot, or civil commotion or acts of war, (c) falling objects, scraping, or damage to any part of the warranted roof caused by physical blows, (d) hanging or suspension of any weight in excess of the designated conditions, (e) contact with or exposure to radiation, gases, fumes, chemicals, foreign substances in the atmosphere, or abnormal environmental conditions, (f) water runoff from lead or copper, (g) mechanical, chemical or other damages sustained during shipment, storage, erection or after erection, (h) failure to provide free drainage of water including internal condensation, (i) failure to remove debris from all roof surfaces, (j) damage caused by improper scouring or cleaning procedures, (k) deterioration caused by contact with green or wet lumber, (l) presence of damp insulation or other corrosive materials in contact with or close proximity to the roof materials, (m) use or presence of fasteners not compatible with the zinc-aluminum alloy coated steel panels, (n) area at or within the immediate vicinity of condensate from cooling equipment, (o) roof mounted ventilators, exhausters, vent penetrations, skylights, gutters, valleys,

flushing to parapets or to other structures mounted upon or within the roof associated with signs, equipment or other causes, whether supplied by U.S.A. or not, (p) evidence of abuse from snow or ice removal whether the effort was mechanical or chemical in nature, (q) evidence of abuse by servicing or maintaining personnel, (r) evidence of metal chips, shavings or other metallic debris having remained on the roof to oxidize, (s) evidence of previous repair efforts by unqualified personnel, and/or (t) any alterations or modifications to U.S.A. materials or any other cause beyond the control of U.S.A.

In the event of any defects in the roof covered by this warranty, purchaser must notify U.S.A. in writing within thirty (30) days after the discovery of such defects, or the purchaser shall be barred from any remedy for the breach of this warranty. As a condition precedent to U.S.A. liability under this warranty, purchaser must present with his written claim to U.S.A. the original or a copy of the face of this warranty or duly authenticated record so as to enable U.S.A. to verify this warranty. Purchaser shall also present to U.S.A. such evidence that establishes any claimed nonconformance or defect was due to a breach of this warranty, and U.S.A. shall have a reasonable period of time to verify said nonconformity. U.S.A.'s liability for breach of this warranty shall be limited to repairing, repainting, or replacing the nonconforming roof utilizing such material, methods, and workmanship as should result in providing the prorated performance remaining under this warranty. U.S.A. shall have the sole discretion to determine which of the above methods will be used to fulfill its obligation.

5. This warranty shall be construed and interpreted in accordance with the laws and customs of the State of Texas.
6. All notice given to U.S.A. pursuant to this warranty shall be in writing and sent by certified mail, postage prepaid, return receipt requested, as follows: United Structures of America, Inc., RD. Box 60089, Houston, Texas 77206-0089.

Item No. 8
Page 162 of 196



Ceco Building Systems

a Robertson Ceco company
Southern Region
P.O. DRAWER 911, COLUMBUS, MISSISSIPPI 39703-0911

FACSIMILE

DATE: 05-15-08
FROM: Ervin Farmer
Ceco Building Systems
859-236-2045 (Telephone)
859-936-1689 (Fax)

TO: NAME Josh Sword FAX 859-263-5692
COMPANY D.W. Wilburn, Inc.
CITY & STATE Lexington, Ky.
SUBJECT: South Kentucky RECC as per the enclosed Estimate Request form:

FLEET PARKING & FUEL COVER

Total Materials Delivered \$ 236,222 Plus Tax

WAREHOUSE MAINTENANCE BUILDINGS

Total Materials Delivered \$ 616,039 Plus Tax

EXCLUSIONS:

- Anchor Bolts
- Insulation
- Overhead Doors
- Walk Doors
- Windows

30 long
70 wide.
w/ 2 End-frames.

covers not enough

50' would need over joist.

Please review and let me know if you see anything that needs changed. Call for discussion.


He has all wall panels.

Thanks,
Ervin

S. P. W.

Ceco will honor this quote for fourteen (14) days from the date of this offer. Orders that do not ship within twelve (12) weeks from the date received at the Ceco Plant will be subject to price increases.

1 PAGES INCLUDING COVER SHEET



Ceco Building Systems

a Robertson Ceco company
Southern Region
P.O. DRAWER 911, COLUMBUS, MISSISSIPPI 39703-0911

*Item #10.8
Page 163 of 196*

FACSIMILE

DATE: 05-15-08

FROM: Ervin Farmer
Ceco Building Systems
859-236-2045 (Telephone)
859-936-1689 (Fax)

TO: NAME Josh Sword FAX 859-263-5692
COMPANY D.W. Wilburn, Inc.
CITY & STATE Lexington, Ky.

SUBJECT: South Kentucky RECC as per the enclosed Estimate Request form:

FLEET PARKING & FUEL COVER

Total Materials Delivered \$ To Follow Plus Tax

WAREHOUSE MAINTENANCE BUILDINGS

Total Materials Delivered \$ To Follow Plus Tax

EXCLUSIONS:

- Anchor Bolts
- Insulation
- Overhead Doors
- Walk Doors
- Windows


Please review and let me know if you see anything that needs changed. Call for discussion.

Thanks,
Ervin

Ceco will honor this quote for fourteen (14) days from the date of this offer. Orders that do not ship within twelve (12) weeks from the date received at the Ceco Plant will be subject to price increases.

18 PAGES INCLUDING COVER SHEET

Item #0.8



**Proposal Report
CecoPRO 2008A
05/14/2008**

**Ceco Building Systems
2105 Waterworks Road
Danville, , KY, 40422
Southern Region**

Page 167 of 196

GENERAL INFORMATION

Project ID:	SOUTH KY RECC FLEET PARK	Status:	Fabrication
Plant:	COL	Price Status:	For Pricing
CecoPRO Complexity:	5	Estimate Date:	5/13/2008 6:12:42 AM
Est. Complexity:	N/A	Estimator:	E. FARMER
Discount Authorization:	E. Farmer	Quote Number:	N/A
		Additional Cut:	N/A
Purchaser:	D.W. Wilburn, Inc.	Requested Delivery:	
Purchaser's Contact:	Josh Sword	City Limits:	Inside
Purchaser's E-mail:			
Owner's Name:	South Ky RECC Corporate Office Facilities	Shipping Terms:	FOB plant with Freight allowed to job
Owner's Contact:		Freight Terms:	Pre-Paid
Owner's Business:		Carrier:	Ceco
		PO Number:	
Shipping Contact:	Josh Sword	Tax Exempt Status:	Taxable
Shipping Day Phone:	859-263-2720	Tax Exempt Number:	N/A
Shipping Night Phone:	859-263-2720		
Credit Contact:	Josh Sword		
Credit Day Phone:	859-263-2720		
Credit Terms:	Ceco Established Terms 303 MANUFACTURING - EQUIPMENT SERVICE		
End Use of Building:			No
Using Builder System generated Anchor Rod Plan (Order must contain Anchor Rod Plan and Design Report):			

LOCATIONS

Jobsite

Country: United States
State: KY
County: Pulaski
City: Somerset,
Address 1:
Address 2:
Postal/Zip Code: 42501

Owner

Country: United States
State: KY
County: Pulaski
City: Somerset,
Address 1:
Address 2:
Postal/Zip Code: 42501


Ship To

Country: United States
State: KY
County: Pulaski
City: Somerset,
Address 1:
Address 2:
Postal/Zip Code: 42501

Purchaser

Country: United States
State: KY
County: Fayette
City: Lexington,
Address 1: 153 Blue Sky Parkway
Address 2:
Postal/Zip Code: 40509

*Item No. 8
Page 165 of 196*



**Proposal Report
CecoPRO 2008A
05/14/2008**

**Ceco Building Systems
2105 Waterworks Road
Danville, , KY, 40422
Southern Region**

BUILDING CODE

Project Use Category:	Commercial	Jobsite State:	KY
Building Code:	2007 Kentucky	Jobsite County:	Pulaski
Live/Wind			
Live Load:	20.000 psf	Wind Exposure:	Exposure C
Trib. Area Reduction Allowed:	No	Wind Category:	N/A
Wind Load:	90.00 mph	Miles From Coastline:	N/A
1/10 Year Wind:	N/A		
1/30 Year Wind:	N/A		
Snow			
Ground Snow Load:	15.000 psf	Snow Exposure:	Fully Exposed
Min Roof Snow Load:	None	Rain Load:	N/A
Seismic			
Spectral Response(Ss):	26.60 %	% of Snow Load for Seismic:	Normal
Spectral Response(Sh):	N/A	Seismic Zone:	N/A
Spectral Response(S1):	9.70 %	Acceleration Zone(Za):	N/A
Spectral Response(S2):	N/A	Velocity Zone(Zv):	N/A
Accelerated Coefficient(Aa):	N/A	Zonal Velocity Ratio:	N/A
Velocity Coefficient(Av):	N/A	Near Source Factor:	N/A
Soil Type:	(D) Stiff Soil	Design Seismic For Schools:	N/A


* Note - Soil types (A, B, or C), (1, 2, or 3), (SA, SB, or SC), (S1, S2, or S3) result in smaller forces imposed on a building during a seismic event. In the absence of a soils report prepared by a licensed design professional the building code specifies that the worst case, soil type (D), (4), (SD), (S4), be used by the building designer for determining seismic forces. Otherwise the conservative soil type (D), (4), (SD), (S4) must be assumed for design. Ordinarily, for buildings with metal roof and wall and no collateral materials with high mass, specifying the conservative soil type will not affect the design or price of materials supplied by Ceco Building Systems.

DRAWINGS

Licensed Engineering Seal:	KY, United States	Courier:	N/A
Method Mailed:	Rolled	Account Number:	N/A
		Overnight:	Yes

Quantity	Type	Purpose	Seal
1	Letter of Cert.	Final	Sealed
5	Anchor Rod Plan	Final	Sealed
5	Erection	Final	Sealed
5	Erection	Permit	Sealed

* Note - Three (3) sets of anchor rod settings and erection drawings will be sent with each order, unless otherwise required. Only unsealed drawings may be emailed. Three (3) sets will be sent in addition to emailed copies.



**Proposal Report
CecoPRO 2008A
05/14/2008**

Ceco Building Systems
2105 Waterworks Road *Page 166*
Danville, , KY, 40422 *8/19/08*
Southern Region

BUILDING A - South Ky RECC Fleet Parking

BUILDING INFORMATION

Label:	A	Type:	Stand Alone
Structure:	Priced	Frame Type:	Symmetrical
Attachment:	No	Elevation A:	Sidewall
Width:	80'-0"	SWA:	<u>Roof Slope</u> 1.00 / 12
Length:	317'-0"	SWC:	<u>Eave Height</u> 19'-0"
			<u>Dist. to Ridge</u> 40'-0"
Bay Spacing (EWB-EWD):	27'-0", 25'-0", 25'-0", 25'-0", 25'-0", 25'-0", 25'-0", 25'-0", 25'-0", 25'-0", 25'-0", 25'-0", 13'-0", 27'-0"		

SWA Girt Locations (Base to Eave):	System Standard
SWC Girt Locations (Base to Eave):	System Standard
EWB Girt Locations (Base to Peak):	System Standard
EWD Girt Locations (Base to Peak):	System Standard
Purlin Spacing (Nominal):	System Standard

BUILDING A - South Ky RECC Fleet Parking

FRAME INFORMATION

Design 1


Frame Type:	Symmetrical
Frame Lines:	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Span Dim. on Multi-Span frame:	40'-0", 40'-0"

	<u>Col. Type</u>	<u>Col. Base</u>	<u>Col. Top</u>	<u>Baseplate Elevation</u>	<u>Max Col. Web Depth</u>	<u>Max Rafter Web Depth</u>
WA:	Tapered Allowed	N/A	N/A	100'-0"	70.00"	70.00"
WC:	Tapered Allowed	N/A	N/A	100'-0"	70.00"	70.00"
Interior:	Hot Rolled	Pinned	Pinned	99'-4"	N/A	N/A

BUILDING A - South Ky RECC Fleet Parking

SIDEWALL / ENDWALL INFORMATION

SWA		SWC	
Girts:	8.5" Z - Bypass	Girts:	8.5" Z - Bypass
EWB		EWD	
Girts:	8.5" Z - Bypass	Girts:	8.5" Z - Bypass
Frame Type:	Bearing Hot Rolled	Frame Type:	Bearing Hot Rolled
Endframe Setback:	1'-2"	Endframe Setback:	1'-2"
Endpost Spacing:	Mixed	Endpost Spacing:	Mixed
Spacing:	20'-0", 20'-0", 20'-0", 20'-0"	Spacing:	20'-0", 20'-0", 20'-0", 20'-0"
Purlins:	8.5" Z		
Shop Coat:	Gray		
Pregalvanized Secondary:	No		
Frame Bolt Washers:	No		



Proposal Report
CecoPRO 2008A
05/14/2008

Ceco Building Systems
2105 Waterworks Road
Danville, , KY, 40422
Southern Region

Item No. 8
Page 167
9/19/06

BUILDING A - South Ky RECC Fleet Parking LOADS, WIND ENCLOSURE, DEFLECTIONS & DRIFTS

Building Loads

Roof Snow Load By Design: 12.474 psf
Occupancy Category: III - High Occupancy
Thermal Condition: Unheated
Seismic Design Category: C

Wind Enclosure

Wind Enclosure: Calculated - Enclosed
Are all Framed Openings enclosed with materials designed to resist building wind loads: Yes
Are all Open Areas for Other enclosed with materials designed to resist building wind loads: Yes

Uniform Collateral Loads

Ceiling Load: 0.000 psf
Plaster/Sheetrock Ceiling: No
Brittle Wall/Dryvit: No
Sprinkler: 3.000 psf
Other: 7.000 psf

Deflections

Purlins Live: L/150 - Default
Purlins Snow: L/180 - Default
Purlins Wind: L/180 - Default
Purlins Total Gravity: L/120 - Default
Purlins Total Uplift: L/N/A - Default
s: L/90 - Default
Rafters Live: L/180 - Default
Rafters Snow: L/180 - Default
Rafters Wind: L/180 - Default
Rafters Total Gravity: L/120 - Default
Rafters Total Uplift: L/N/A - Default
Endwall Columns: L/90 - Default

Drifts

Portal Frame Wind: H/60 - Default
Portal Frame Seismic: H/50 - Default
Crane: H/100 - Default
Frame Live: H/60 - Default (by design H/90)
Frame Snow: H/60 - Default (by design H/90)
Frame Wind: H/60 - Default
Frame Seismic: H/50 - Default
Frame Total Gravity: H/60 - Default (by design H/90)
Frame Total Wind: H/240
Frame Total Seismic: H/50 - Default

* Note - Frame Drift (by design) values are determined by Building Code, Crane, and Open conditions.

* Note - It is the responsibility of the Builder to interpret all aspects of the End Customer's specifications and incorporate the appropriate specifications, design criteria, and design loads into the Order Documents submitted to Ceco Building Systems.



Proposal Report
CecoPRO 2008A
05/14/2008

Ceco Building Systems
2105 Waterworks Road
Danville, , KY, 40422
Southern Region

Item no. 8
Page 168
of 196

BUILDING A - South Ky RECC Fleet Parking

TOPOGRAPHY - ESCARPMENTS

Does the building lie on the upper half of a hill, ridge, or escarpment?: No

Is this hill, ridge or escarpment unobstructed in any direction by another similar topographic feature within a distance of 100 times its height or 2 miles (3.21 km), whichever is less?: No

Is the hill or escarpment at least twice as tall as any other topographic features within 2 miles (3.21 km)?: No

Does the average slope on the top half of the hill, ridge, or escarpment equal or exceed 20% (11.3°)?: No

Is the height of the hill, ridge or escarpment equal to or greater than 15 feet (4.9.21 m) for Exposure C or D, or 60ft (196.8 m) for Exposure B?: No

TOPOGRAPHIC EFFECTS

Hill Shape:	N/A
Lh, Horizontal distance of crest to half height of hill or escarpment:	N/A
H, Height of hill or escarpment:	N/A
X, Distance from the crest to the building site:	N/A



**Proposal Report
CecoPRO 2008A
05/14/2008**

**Ceco Building Systems
2105 Waterworks Road
Danville, , KY, 40422
Southern Region**

Page 169
9/19/06

BUILDING A - South Ky RECC Fleet Parking

BRACING DATA

	<u>Type</u>	<u>Location</u>
Roof:	Rod	3, 11
SWA:	Portal Frame	3, 11
SWC:	Portal Frame	11, 3
EWB:	Rod	3
EWD:	Rod	2
	<u>Plumbing Rods</u>	
Purlin Bracing:	None	Sets: 0
Girt Bracing:	None	Bay Width: N/A

BUILDING A - South Ky RECC Fleet Parking

ROOF DATA

Roof Panel (25,448 sqft)

Type:	CXP	Gauge:	24
Finish:	SIG - 300	Fasteners:	SD Cast Alloy
Color:	To Be Determined	Sealed Roof:	Yes
UL90:	Yes	Sealed Eave:	Yes
Thick Insulation:	Yes	Thermal Blocks:	Yes
Warranty:		Metal Rib Closure:	No

BUILDING A - South Ky RECC Fleet Parking

WALL DATA

Wall Panel (3,174 sqft)

Type:	MAP	Gauge:	24
Finish:	SIG - 300	Fasteners:	SD w/washer, Stitch no washer
Color:	To Be Determined	Base:	A - Base Angle Trim
Sealed Wall:	No	Eave Closure:	No
Notch:	No	Base Closure Strip:	No
Rake Closure:	Yes	Base Detail:	
		Base Trim:	

BUILDING A - South Ky RECC Fleet Parking

TRIM DATA

Trim Options

SWA Type:	Standard Gutter	Finish:	SIG - 200
SWC Type:	Standard Gutter	Color:	To Be Determined
EWB Type:	Rake Trim		
EWD Type:	Rake Trim		

* Note - For additional information on gutters/downspouts options, please see Accessories section of report.

p.8
Item NO.8
Page 170
of 196



Proposal Report
CecoPRO 2008A
05/14/2008

Ceco Building Systems
2105 Waterworks Road
Danville, , KY, 40422
Southern Region

BUILDING A - South Ky RECC Fleet Parking

ADD LINES

List

Description:	24 ga, Signature 300 partition wall panels
Quantity:	14158.00
By Ceco:	No
Quote #:	N/A
Estimator's Initials:	N/A
Expires on:	N/A

Net

Description:	Fuel Surcharge
Quantity:	450.00
By Ceco:	No
Quote #:	N/A
Estimator's Initials:	N/A
Expires on:	N/A



Proposal Report
CecoPRO 2008A
05/14/2008


Ceco Building Systems
2105 Waterworks Road
Danville, , KY, 40422
Southern Region

Item No. 8
Page 171
06 196

BUILDING A - South Ky RECC Fleet Parking

PARTITIONS

Type:	Longitudinal	<u>Distance from</u>	
Length:	317'-0"	Left Corner:	0'-0"
Height:	N/A	Sidewall:	40'-0"
Full Height:	Yes		
Girt Type:	Inset	Base Conditions:	Channel
Panel Type:	MAP	Sheet Both Sides:	Yes
Panel Gauge:	26		
Panel Finish:	SIG - 200		
Column Spacing:	27'-0", 25'-0", 25'-0", 25'-0", 25'-0", 25'-0", 25'-0", 25'-0", 25'-0", 25'-0", 13'-0"		



Proposal Report
CecoPRO 2008A
05/14/2008

Ceco Building Systems
2105 Waterworks Road
Danville, , KY, 40422
Southern Region

Item No. 8
Page 172
06196

BUILDING A - South Ky RECC Fleet Parking

ACCESSORIES

Open Areas

Type:	Full Height	Base Detail:	Open Wall Detail I
Width:	317'-0"	Height:	19'-0"
Open For:	Wind	% Open:	100.00
Left Jamb:	Yes	Right Jamb:	Yes
Left Jamb Flash:	Yes	Right Jamb Flash:	Yes
Material Thickness:	N/A	Dist. Steelline to Material:	0'-0"
Material Weight:	N/A	Dist. Steelline to Beam:	0'-0"
Masonry Type:	N/A	Header Flash Type:	N/A
Masonry Reinforcement:	N/A	Flash Color:	
Shear Wall:	No	Allowable Drift:	N/A
Elevation:	A	Bay:	1
Dist. from Left Column:	0'-0"	Dist from Left Steelline:	N/A
Columns to be Braced by Masonry/Tilt-up:			No

**** Support Beam is Not by Ceco Building Systems ****


Type:	Full Height	Base Detail:	Open Wall Detail I
Width:	317'-0"	Height:	19'-0"
Open For:	Wind	% Open:	100.00
Left Jamb:	Yes	Right Jamb:	Yes
Left Jamb Flash:	Yes	Right Jamb Flash:	Yes
Material Thickness:	N/A	Dist. Steelline to Material:	0'-0"
Material Weight:	N/A	Dist. Steelline to Beam:	0'-0"
Masonry Type:	N/A	Header Flash Type:	N/A
Masonry Reinforcement:	N/A	Flash Color:	
Shear Wall:	No	Allowable Drift:	N/A
Elevation:	C	Bay:	1
Dist. from Left Column:	0'-0"	Dist from Left Steelline:	N/A
Columns to be Braced by Masonry/Tilt-up:			No

**** Support Beam is Not by Ceco Building Systems ****

Gutters

Quantity: 1
Length: 317'-0" Type: Standard Gutter
Elevation: A

Quantity: 1
Length: 317'-0" Type: Standard Gutter
Elevation: C



Proposal Report
CecoPRO 2008A
05/14/2008

Ceco Building Systems
2105 Waterworks Road
Danville, , KY, 40422
Southern Region


Item 110.8
Page 173
8/196

BUILDING A - South Ky RECC Fleet Parking

ACCESSORIES

Downspouts

Drops:	6	Drainage:	2000
Height:	19'-0"	Elevation:	A
Drops:	6	Drainage:	2000
Height:	19'-0"	Elevation:	C



**Proposal Report
CecoPRO 2008A
05/14/2008**

Ceco Building Systems *Item No. 8*
2105 Waterworks Road
Danville, , KY, 40422 *Page 174*
Southern Region *06196*

BUILDING B - South Ky RECC Fuel Cover

BUILDING INFORMATION

Label: B Type: Stand Alone
Structure: Priced Frame Type: Symmetrical
Attachment: No Elevation A: Sidewall

Width:	70'-0"	SWA:	<u>Roof Slope</u>	<u>Eave Height</u>	<u>Dist. to Ridge</u>
Length:	30'-0"	SWC:	1.00 / 12	18'-0"	35'-0"
			1.00 / 12	18'-0"	35'-0"

Bay Spacing (EWB-EWD): 30'-0"

SWA Girt Locations (Base to Eave): System Standard
SWC Girt Locations (Base to Eave): System Standard
EWB Girt Locations (Base to Peak): System Standard
EWD Girt Locations (Base to Peak): System Standard
Purlin Spacing (Nominal): System Standard

BUILDING B - South Ky RECC Fuel Cover

STAND ALONE INFORMATION

X Direction from Building A: B - Left Y Direction from Building A: C - Up
X Distance from Building A: 30'-0" Y Distance from Building A: 5'-0"

BUILDING B - South Ky RECC Fuel Cover

FRAME INFORMATION

Design 1


Frame Type: Symmetrical
Frame Lines: L, 2
Span Dim. on Multi-Span frame: Clearspan

	<u>Col. Type</u>	<u>Col. Base</u>	<u>Col. Top</u>	<u>Baseplate Elevation</u>	<u>Max Col. Web Depth</u>	<u>Max Rafter Web Depth</u>
SWA:	Tapered Allowed	N/A	N/A	100'-0"	70.00"	70.00"
SWC:	Tapered Allowed	N/A	N/A	100'-0"	70.00"	70.00"
Interior:				N/A	N/A	N/A

BUILDING B - South Ky RECC Fuel Cover

SIDEWALL / ENDWALL INFORMATION

<u>SWA</u> Girts:	8.5" Z - Bypass	<u>SWC</u> Girts:	8.5" Z - Bypass
<u>EWB</u> Girts:	8.5" Z - Bypass	<u>EWD</u> Girts:	8.5" Z - Bypass
Frame Type:	Non-Expandable Frame	Frame Type:	Non-Expandable Frame
Endframe Setback:	1'-2"	Endframe Setback:	1'-2"
Endpost Spacing:	Open (See Open Areas)	Endpost Spacing:	Open (See Open Areas)
Spacing:	70'-0"	Spacing:	70'-0"
Purlins:	10.0" Z		
Shop Coat:	Gray		
Pregalvanized Secondary:	No		
Frame Bolt Washers:	No		



**Proposal Report
CecoPRO 2008A
05/14/2008**

**Ceco Building Systems
2105 Waterworks Road
Danville, , KY, 40422
Southern Region**

*Page 175
of 196*

BUILDING B - South Ky RECC Fuel Cover LOADS, WIND ENCLOSURE, DEFLECTIONS & DRIFTS


Building Loads

Roof Snow Load By Design: 12.474 psf
Occupancy Category: III - High Occupancy
Thermal Condition: Unheated
Seismic Design Category: C

Received Time: May. 14. 2008 8:27PM No. 4011

Wind Enclosure:
All Framed Openings enclosed with materials designed to resist building wind loads.

Calculated - Enclosed



**Proposal Report
CecoPRO 2008A
05/14/2008**

**Ceco Building Systems
2105 Waterworks Road
Danville, , KY, 40422
Southern Region**

*Item #6. 8
Page 176
06 196*

BUILDING B - South Ky RECC Fuel Cover

TOPOGRAPHY - ESCARPMENTS

Does the building lie on the upper half of a hill, ridge, or escarpment? No

Is this hill, ridge or escarpment unobstructed in any direction by another similar topographic feature within a distance of 100 times its height or 2 miles (3.21 km), whichever is less? No

Is the hill or escarpment at least twice as tall as any other topographic features within 2 miles (3.21 km)? No


Does the average slope on the top half of the hill, ridge, or escarpment equal or exceed 20% (11.3")? No

Is the height of the hill, ridge or escarpment equal to or greater than 15 feet (49.21 m) for Exposure C or D, or 60ft (196.8 m) for Exposure B? No

TOPOGRAPHIC EFFECTS

Hill Shape:	N/A
Lh, Horizontal distance of crest to half height of hill or escarpment:	N/A
H, Height of hill or escarpment:	N/A
X, Distance from the crest to the building site:	N/A

p2
Item no 8
Page 177
Of 196



**Proposal Report
CecoPRO 2008A
05/14/2008**

**Ceco Building Systems
2105 Waterworks Road
Danville, , KY, 40422
Southern Region**

BUILDING B - South Ky RECC Fuel Cover

BRACING DATA

	<u>Type</u>	<u>Location</u>
Roof:	Rod	1
SWA:	1-Tier Rod	1
SWC:	1-Tier Rod	1
EWB:	None	No Bays
EWD:	None	No Bays
		<u>Plumbing Rods</u>
Purlin Bracing:	None	Sets: 0
Girt Bracing:	None	Bay Width: N/A

BUILDING B - South Ky RECC Fuel Cover

ROOF DATA

Roof Panel (2,108 sqft)

Type:	CXP	Gauge:	24
Finish:	SIG - 300	Fasteners:	SD Cast Alloy
Color:	To Be Determined	Sealed Roof:	Yes
UL90:	Yes	Sealed Eave:	Yes
Thick Insulation:	Yes	Thermal Blocks:	No
Warranty:		Metal Rib Closure:	No

BUILDING B - South Ky RECC Fuel Cover

WALL DATA

Wall Panel (0 sqft)

Color:	MAP	Gauge:	24
Finish:	SIG - 300	Fasteners:	SD w/washer, Stitch no washer
Color:	To Be Determined	Base:	A - Base Angle Trim
Sealed Wall:	No	Eave Closure:	No
Notch:	No	Base Closure Strip:	No
Rake Closure:	No	Base Detail:	
		Base Trim:	


BUILDING B - South Ky RECC Fuel Cover

TRIM DATA

Trim Options

SWA Type:	Standard Gutter	Finish:	SIG - 300
SWC Type:	Standard Gutter	Color:	To Be Determined
EWB Type:	Rake Trim		
EWD Type:	Rake Trim		

* Note - For additional information on gutters/downspouts options, please see Accessories section of report.



Proposal Report
CecoPRO 2008A
05/14/2008

Ceco Building Systems
2105 Waterworks Road
Danville, KY, 40422
Southern Region

Item No. 8
Page 178
of 196

BUILDING B - South Ky RECC Fuel Cover

ACCESSORIES

Open Areas


Type:	Full Height	Base Detail:	Open Wall Detail 1
Width:	30'-0"	Height:	18'-0"
Open For:	Wind	% Open:	100.00
Left Jamb:	Yes	Right Jamb:	Yes
Left Jamb Flash:	Yes	Right Jamb Flash:	Yes
Material Thickness:	N/A	Dist. Steelline to Material:	0'-0"
Material Weight:	N/A	Dist. Steelline to Beam:	0'-0"
Masonry Type:	N/A	Header Flash Type:	N/A
Masonry Reinforcement:	N/A	Flash Color:	
Shear Wall:	No	Allowable Drift:	N/A
Elevation:	A	Bay:	1
Dist. from Left Column:	0'-0"	Dist from Left Steelline:	N/A
Columns to be Braced by Masonry/Tilt-up:			No

**** Support Beam is Not by Ceco Building Systems ****

Type:	Full Height	Base Detail:	Open Wall Detail 1
Width:	70'-0"	Height:	18'-0"
Open For:	Other	% Open:	0.00
Left Jamb:	No	Right Jamb:	No
Left Jamb Flash:	No	Right Jamb Flash:	No
Material Thickness:	N/A	Dist. Steelline to Material:	0'-0"
Material Weight:	N/A	Dist. Steelline to Beam:	0'-0"
Masonry Type:	N/A	Header Flash Type:	N/A
Masonry Reinforcement:	N/A	Flash Color:	N/A
Shear Wall:	No	Allowable Drift:	N/A
Elevation:	B	Bay:	1
Dist. from Left Column:	0'-0"	Dist from Left Steelline:	N/A
Columns to be Braced by Masonry/Tilt-up:			No

**** Support Beam is Not by Ceco Building Systems ****

Item NO. 8



Proposal Report
CecoPRO 2008A
05/14/2008

Ceco Building Systems
2105 Waterworks Road
Danville, KY, 40422
Southern Region

Page 179
of 196

BUILDING B - South Ky RECC Fuel Cover


ACCESSORIES

Open Areas

Type:	Full Height	Base Detail:	Open Wall Detail 1
Width:	30'-0"	Height:	18'-0"
Open For:	Wind	% Open:	100.00
Left Jamb:	Yes	Right Jamb:	Yes
Left Jamb Flash:	Yes	Right Jamb Flash:	Yes
Material Thickness:	N/A	Dist. Steelline to Material:	0'-0"
Material Weight:	N/A	Dist. Steelline to Beam:	0'-0"
Masonry Type:	N/A	Header Flash Type:	N/A
Masonry Reinforcement:	N/A	Flash Color:	
Shear Wall:	No	Allowable Drift:	N/A
Elevation:	C	Bay:	1
Dist. from Left Column:	0'-0"	Dist from Left Steelline:	N/A
Columns to be Braced by Masonry/Tilt-up:			No

**** Support Beam is Not by Ceco Building Systems ****

Type:	Full Height	Base Detail:	Open Wall Detail 1
Width:	70'-0"	Height:	18'-0"
Open For:	Other	% Open:	0.00
Left Jamb:	No	Right Jamb:	No
Left Jamb Flash:	No	Right Jamb Flash:	No
Material Thickness:	N/A	Dist. Steelline to Material:	0'-0"
Material Weight:	N/A	Dist. Steelline to Beam:	0'-0"
Masonry Type:	N/A	Header Flash Type:	N/A
Masonry Reinforcement:	N/A	Flash Color:	N/A
Received Time May. 14, 2008 8:31PM		Allowable Drift:	N/A
Elevation:	D	Bay:	1
Dist from Left Column:	0'-0"	Dist from Left Steelline:	N/A



"An Employee Owned Company"

D-C ELEVATOR COMPANY, INC.

Item No. 8
Page 180 of 196
Member

FAX # (859) 231-8740

FACSIMILE TRANSMITTAL

TO: D.W. WILBURN INC. DATE: 4-22-08
ATTN: CHRIS JOB: BID
FAX: 263-5692

REFERENCE/SUBJECT: SOUTH KENTUCKY RECC, SOMERSET

MESSAGE/COMMENTS: OUR BID FOR PROVIDING AND INSTALLING ONE (1) ELEVATOR PER
PLANS AND SPECIFICATIONS WILL BE \$ 44,590.00
WE INCLUDE TAX, PERMITS AND INSPECTION FEE.
PLEASE CALL IF YOU HAVE ANY QUESTIONS.

ADDENDUM —

EXCEPTIONS: NONE

FROM: MIKE WILSON TITLE _____
NAME TITLE

WE ARE TRANSMITTING 1 PAGES (INCLUDING THIS COVER)

124 Venture Court - Suite 1
Lexington, Kentucky 40511
(859) 254-8224 • FAX (859) 231-8740

140 East Woodlawn Avenue
Louisville, Kentucky 40214
(502) 363-5961 • FAX (502) 363-6026


7930 Tanners Gate Lane
Florence, Kentucky 41042
(859) 746-8990 • FAX (859) 746-8991

An Equal Opportunity Employer



TOTAL
2,429,570

Item No. 8
Page 181 of 196



1318 Lebanon Road, Danville, KY 40422
PH (859) 236-8695 FAX (859) 236-9020

May 15, 2008

To: All bidders

Project: SOUTHERN RECC. - SOMERSET, KY

We propose to furnish and install the complete HVAC & PLUMBING portion of above referenced project. All work in accordance with plans and specifications.

Included:

Necessary equipment, fixtures, materials, geothermal wells, hydronics, labor, taxes, permits, controls, also includes outside utilities pertaining to plumbing.

Excluded:

Any concrete pads, patching, power wiring, sprinkler system, dumpster fees, painting.

We do acknowledge (4) addendums.

Total price base bid: \$ 1,799,785.00 \$ 1,464,455

Alternate no. 1 \$ 335,330.00

ADD. Deduct for sewer plant and associated manholes and sewer lines to 5' from the building. *all pipe/manholes.*

Alternate no. 4 \$ 629,785.00


Add for complete maintenance building. *sanitary to oil separator.*

**Note: This price does not include a bond.

If you have any questions please do not hesitate to call

1, 464, 455
629, 785
2,094, 240
1, 1

Thank you,
Bobby Foster Jr., Estimator
Foster Heating & Air Conditioning, LLC



Proposal Report
CecoPRO 2008A
05/14/2008

Ceco Building Systems
2105 Waterworks Road
Danville, , KY, 40422
Southern Region

Item NO. 8
Page 183
of 196

BUILDING B - South Ky RECC Fuel Cover

ACCESSORIES

Downspouts

Drops:	2	Drainage:	2000
Height:	18'-0"	Elevation:	A
Drops:	2	Drainage:	2000
Height:	18'-0"	Elevation:	C



EPPERSON

2,319,491
Item NO. 8
Page 184 of 196

Air Conditioning.Heating.Plumbing.Electric

112 W UNIVERSITY DRIVE
SOMERSET KY 42503

TELEPHONE 606-679-7476
FAX 606-679-7900

Date: 5/15/2008

- () Urgent
- () Normal
- () Confirm Receipt

TO:		From:	David Thompson
FAX NUMBER:	859-263-5692	Number of pages	2

IF YOU DID NOT RECEIVE ALL PAGES, PLEASE CALL ME AT THE ABOVE TELEPHONE NUMBER IMMEDIATELY.

MESSAGE: Somerset S.K.R.E.C.C. Plumbing bid
Thanks

Call me if you have any questions. Thank you!

PROPOSAL

EPPERSON

*Item No. 8
Page 185 of 196*

Conditioning, Heating, Plumbing, Electric
112 West University Dr.
Somerset, KY 42503-2460
(606) 679-7476 Fax (606) 679-7900
License # MO1101 MP1514 CE6437

D.W. Wilburn
153 Blue Sky Parkway
Lexington, Ky. 40509

Date: 5-15-08
Prepared by: David Thompson
Ph# 859-263-2720
Fax# 859-263-5692

Epperson Agrees To Furnish and Install the Following:

Plumbing in the South Ky RECC according to plans and specs dated April 7 2008. Scope of work to include inside plumbing, fixtures, floor drains, cleanouts, 155' of trench drain, air line piping to owner furnished air compressor with 7 drops and 3 hose reels, used oil piping to 2 heaters from owner furnished tank, pumps etc.
Inside permit only **Price: \$338,360.00**

Exclusions:

Due to lack of information outside sewer, water, waste water treatment plant, and fire protection

****Rock Clause:** Any rock that is encountered by Epperson that can not be removed by normal digging practices, shall be removed by Contractor at a price agreed upon by Owner and Epperson.

If accepted, please sign and return 1 copy of the proposal to the office.

The proposal constitutes an offer, and it is the agreement of the parties that upon the acceptance of the offer binding contract be formed under which Epperson agrees to furnish the above stated material and labor and the undersigned agrees to pay SAME AS ABOVE for this material and labor. The above prices, specifications and conditions are satisfactory and are hereby accepted and Epperson is authorized to do the work as specified. In addition, the undersigned agrees that if the above stated consideration has not been paid within thirty (30) days of the completion of the work and if legal action is filed for the purpose of collecting payment, the undersigned will be liable for and pay reasonable attorneys fees.

We Propose hereby to furnish material and labor --- complete in accordance with the above specifications, for the sum of:

Payment to be made as follows: Pay 50% before work begins or as job progresses with approved credit.
Account thirty days or more due, subject 2% per month finance charge.

All material is guaranteed to be as specified. All work to be completed in a professional manner according to standard practices. Any alteration or deviation from above specification involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado, and other necessary insurance. Our workers are fully covered by Worker's compensation insurance.

Authorized Signature _____

Proposal valid for 30 days

Acceptance of Proposal The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Signature _____

Date of Acceptance: _____

Signature _____

PROPOSAL

2,319,491 Item NO. 8
Page 186 of 196

EPPERSON

Conditioning, Heating, Plumbing, Electric
112 West University Dr.
Somerset, KY 42503-2460
(606) 679-7476 Fax (606) 679-7900
License # MO1101 MP1514 CE6437

D.W. Wilburn
153 Blue Sky Parkway
Lexington KY, 40509

Date: May 15, 2008
Prepared By: Jim Mink
Phone: 859-263-2720 Fax: 859-263-5692

Attn: Josh Sword
RE: South KY RECC

Epperson Agrees To Furnish And Install The Following:

Furnish and install HVAC in South KY RECC according to plans and specs dated April 7, 2008. Scope of work to include Geothermal drilling and piping, interior hydronic piping, HVAC equipment ductwork and insulation, GRDS controls and test and balance.

Exclusion:

High Voltage Wiring
Plumbing
Grade Work
Sodding
Casing for Geothermal Wells

Oil and Air Lines
Concrete Pads
Seeding
Rock Removal

\$ 1,981,131.00

enda 1,2,3,4 acknowledged

Break out for Geo Wellfield
(\$ 494,732)

Unit Price
GEOTHERMAL well casing 14.35

If accepted, please sign and return 1 copy of the proposal to the office.


The proposal constitutes an offer, and it is the agreement of the parties that upon the acceptance of the offer binding contract be formed under which Epperson agrees to furnish the above stated material and labor and the undersigned agrees to pay SAME AS ABOVE for this material and labor. The above prices, specifications and conditions are satisfactory and are hereby accepted and Epperson is authorized to do the work as specified. In addition, the undersigned agrees that if the above stated consideration has not been paid within thirty (30) days of the completion of the work and if legal action is filed for the purpose of collecting payment, the undersigned will be liable for and pay reasonable attorneys fees.

We Propose hereby to furnish material and labor --- complete in accordance with the above specifications, for the sum of:
\$(Same as above)

Payment to be made as follows: Pay 50% before work begins, or as job progresses with approved credit
Account thirty days or more due, subject 2% per month finance charge.

All material is guaranteed to be as specified. All work to be completed in a professional manner according to standard practices. Any alteration or deviation from above specification involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado, and other necessary insurance. Our workers are fully covered by Worker's compensation Insurance.

Authorized Signature



Proposal valid for 30 days

Acceptance of Proposal The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as stated above.

Signature _____

Date of Acceptance: _____

Signature _____

Item No. 8
Page 187 of 196

**FAX COVER SHEET
FOR
DIAMOND ELECTRIC, INC.**

1052 E. Hwy 635
Science Hill, KY 42553
606-423-4500 phone
606-423-9610 fax

South Ky RECC

There were no specs for UPS(uninterrupted power supply) for electric panels OEF, OEG and MEC. A budget of \$57,000.00 has been added for this. It is included in our base bid of \$1,700,000.00.

Panel OED shows a UPS(NIC) not in contract, therefore this one is not included in the \$57,000.00.

Joey

Item #0.8
Page 188 of 196
\$ 1,874,132

CALL ME
DONNA

QUOTE FOR DIAMOND ELECTRIC, INC.

1052 E. Hwy 635
Science Hill, KY 42553
606-423-4500 phone
606-423-9610 fax

South Ky RECC

Base bid includes site electric, power and lighting for office, warehouse/maintenance and fleet parking. There is raceway, conduit, runway and rough-in for specification 16710, 16715, and 16725 for office building only.

Base bid.....	\$1,700,000.00
Alt. 1.....add	\$5,675.00
Alt. 2.....add	\$116,159.00
Alt. 3.....add	\$ 33,488.00
Alt. 4.....add	\$ 18,810.00
Alt. 5.....	\$0.00

1,874,132

We learned this morning that there was a difference in the way Joey interpreted the alternates. This quote is based on our interpretation.

Alternates 2,3 and 4 concern the specifications 16710, 16715, 16725 only as stated on Addendum 3.

Alternate 5 there are no drawings showing Fleet parking specs 16710, 16715, 16725. That is why the price is \$0.00

WE REGRET ANY MISUNDERSTANDING OR MISINTERPETATION.

Diamond Electric

D.W. Wilburn Inc.

153 Blue Sky Parkway
Lexington, KY 40509

Phone 859-263-2720
Fax 859-263-5692
Email jsword@dwwilburn.com

May 12, 2008

South Kentucky Rural Electric Cooperative Corporation
Corporate Office Facilities
Somerset, Kentucky

Addendum 3 (Three Pages)

Prospective Subcontractors,

- A) Provide brick per a \$600.00 per a thousand material allowance. This allowance shall include all taxes, mark-up, and delivery "to the project site", no labor.
- B) The generator shall be bid as a \$100,000.00 allowance. This allowance shall be for a 350 kw diesel generator with a sound attenuated, weatherproof enclosure in place with transfer switches.
- C) Revise Addendum 1 - It shall read as "We are requesting that subcontractors provide add alternate for such;

5675⁰⁰ → (1) All items associated with the lift station; including the packaged lift station, fencing at such, sanitary sewers to such, power, Electric and the aggregate road to such.

116,159⁰⁰ → (2) All wire, equipment, and testing as required by specification 16710 Communication Systems, 16715 Fiber Optic Data Transmission System, and 16725 Fire Alarm Addressable/Voice at the office building. This breakout shall not include any raceway, conduit, runways, rough-in, etc.

33,488⁰⁰ → (3) All wire, equipment, and testing as required by specification 16710 Communication Systems, 16715 Fiber Optic Data Transmission System, and 16725 Fire Alarm Addressable/Voice at the Maintenance Building. This breakout shall not include any raceway, conduit, runways, rough-in, etc.

D) We currently have three alternates (Addendum 1) and are adding four additional alternates. They are as follows;

18810 - Alternate 4 - Provide an add alternate for a complete Maintenance Building. This breakout shall only include raceway, conduit, runways,

Diamond Electric

D.W. Wilburn Inc.

153 Blue Sky Parkway
Lexington, KY 40509

Phone 859-263-2720
Fax 859-263-5692
Email jsword@dwwilburn.com

rough-in, etc. for specification 16710 Communication Systems, 16715
Fiber Optic Data Transmission System, and 16725 Fire Alarm
Addressable/Voice.

— 0 -- →
Alternate 5 - Provide an add alternate for a complete Fleet Storage
Building. This breakout shall only include raceway, conduit, runways,
rough-in, etc. for specification 16710 Communication Systems, 16715
Fiber Optic Data Transmission System, and 16725 Fire Alarm
Addressable/Voice.

Alternate 6 - *Specification 8520 - Aluminum Windows*, provide per
specification BFCO Corp. Model 810-1 in lieu of Model 510 and omit
specification 3131 - *Insulated Concrete Form Accessories - Integrated
Assemblies*. Provide a gypsum board return at the interior window areas.
Please indicate if this is an add or deduct in your scope.

E) Please see second page with more information.

All proposals shall reference this addendum.

Please contact us if you have any questions or concerns.

Thank you.



Item No. 8
Page 191 of 196

390 Blue Sky Parkway
Lexington, Kentucky 40509
Phone: (859) 263-8620
Fax: (859) 263-8721

PROPOSAL

PROPOSAL SUBMITTED TO	PHONE	DATE
D.W. WILBURN, INC.	859-263-2720	5.15.2008
ATTN: ESTIMATING	859-263-5692	
STREET	JOB NAME	
	SOUTH KENTUCKY RECC	
CITY, STATE AND ZIP CODE	JOB LOCATION	
ARCHITECT	DATE OF PLANS	JOB PHONE

We hereby submit specifications and estimates for:

Fayette Electrical Services proposes to furnish and install all materials and labor for a complete division 16 package in accordance with the contract documents and addenda #1 thru 6. Price includes trenching/excavation for electrical work, branch power and lighting, light fixtures, dimming systems, lightning protection system, devices, cable tray, floor duct, switchgear and panels, starters and disconnects, voice and data system rough-in, ceiling speakers installation, security system rough-in, fire alarm system installation and all power connections to mechanical equipment. FES will provide temporary power for construction and power to construction trailer after permanent power from utility company is in place. Dumpster and housekeeping pads to be provided by G.C. See attached for scope and alternate pricing.

We Propose hereby to furnish material and labor - complete in accordance with above specification, for the sum of:

BASE --(\$ 1,848,840.00)

Payment to be made as follows:

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alterations or deviation from above specification involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado and other necessary insurance. Our workers are fully covered by Workmen's Compensation Insurance.

Authorized Signature
James C. Brewer


Note: This proposal may be withdrawn by us if no accepted within 30 days

Acceptance of Proposal - The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do work as specified. Payment will be made as outlined above

Signature _____

Date of Acceptance _____

Signature _____



390 Blue Sky Parkway
Lexington, Kentucky 40509
Office (859) 263-8620
Fax (859) 263-8721

May 15, 2008

Mr. Joshua Sword
D. W. Wilburn, Inc.
153 Blue Sky Parkway
Lexington, Kentucky 40509.

RE: SOUTH KENTUCKY RECC

ALTERNATE #1 - ADD \$29,000.00

Due to information not being available for the requirements of the lift station the price for this item includes a 100A., 277/480V.-3 phase-4 wire service. Additional work for this item would be an add to the project.

ALTERNATE #2 - ADD \$134,500.00

ALTERNATE #3 - ADD \$38,080.00

The base price includes the following allowances:

1. Per addenda generator and transfer switches - \$100,000.00
2. UPS systems (Qty of 3) - \$30,000.00
3. Inspections if required -- \$19,000.00

Exclusions:

1. Panel "MEC" - This panel is shown on the riser, however, is not shown on the floor plan and there is not a schedule for this item.
2. Lighting control panel is included in price. Circuits required to be controlled thru this panel have not been identified on the drawings.
3. Lighting in the warehouse, loading dock and fleet storage does not show any controls. Assuming that they will be controlled from breakers in the panel only.
4. Dumpster and housekeeping pads by others.

Item No. 8
Page 192 of 196
4/20/08


TOTAL - 2,050,100

Base 1,848,840

1
Item NO. 8
Page 193 of 196

5. Only speakers are included for paging system (included in alternate #2 and #3).
There was no specification on the system or the amplifier.

Thank you for the opportunity to provide services on this project.

Sincerely,

James Reesor
President



Item No. 8
Page 194 of 196

FAX TRANSMITTAL SHEET

F.I.E. ELECTRIC, INC.
521 CRANE ROAD
SOMERSET, KY 42501
(606) 676-9633 - Office
(606) 678-9116 - Fax

TO: D.W. Wilburn, Inc. FROM: Dave Phipps

FAX NUMBER: 1-859-263-5692

ATTN: Josh Sword DATE: May 15, 2008

RE: SKRECC Somerset NO. PAGES: _____
INCLUDING COVER

MESSAGE: If accepted, please sign
and fax back.

Thank you!
Courtney D. [Signature]

SKRECC OFFICE SOMERSET

\$1,025,675
F.I.E. ELECTRIC

Item No. 8
Page 195 of 196

DATE: MAY 15, 2008
SUBMITTED TO: D.W. WILBURN, INC.
ATTENTION: JOSH SWORD
JOB: SKRECC OFFICE SOMERSET

DP-543

SCOPE OF WORK

- Supply and install ELECTRICAL SYSTEM AS PER PLAN DRAWINGS E0.1, ES1.0 THROUGH E1.15, E2.1 THROUGH E2.3, E5.1 through E5.5 AND E6.1.
- Office Building Fiber Optic, F / A – Voice, and Communication Systems rough in are included in base quote.
- Lighting Protection is included in quote.
- All security rough in for all buildings is included in quote.
- \$100,000 Generator allowance is included in quote.

We will supply and install all materials, labor, and equipment as per Electrical drawings, Div .16 specifications and addenda 6 inclusive for the total amount of \$1,435,521.00

ALTERNATE ADDITIONS

Alternate Addition #1 - Lift Station Power and Ditching \$7,291.00

Alternate Addition #2 – Office - F/A/Voice, Fiber, Communication Systems Only \$132,510.00

Alternate Addition #3 – Warehouse Building – F/A/Voice, Fiber, Communication Systems Only \$39,210.00

Alternate Addition #4 – Warehouse Building – F/A/Voice, Fiber, Communication Raceways & Rough Ins \$11,143.00

ALTERNATE DEDUCTS

Alternate Deduct #1 – Deduct \$110,262.00 if all digging, patching, pole bases, and transformer pads are supplied by others.

Alternate Deduct #2 – Deduct \$4,710.00 if electrical inspection fees are not required and will be supplied by SKRECC.

SPECIAL NOTES:

- Poles LS1 through LS5 are to be provided by owner.
- Cable Tray to be Wiremold brand with divider (No Specs Provided).
- UPS SYSTEM to be LIEBERT NX SINGLE MODULE SYSTEM (No Specs Provided).
- Specialized roofing adhesive for roofing manufacture warranty is not included in quote (LIGHTING PROTECTION).

→ This is on Add. 5 Schedule

F.I.E. Electric, Inc ■ 521 Crane Rd. ■ Somerset, KY 42501 ■ (606) 676-9633 Phone ■ (606) 678-9116 Fax

Item NO. 8

F.I.E. ELECTRIC

Page 196 of 196


SKRECC OFFICE SOMERSET

GENERAL CONDITIONS

- 1) All applicable taxes are included in our submission.
- 2) The electrical contractor shall not be held liable for errors or omissions in the designs of others, nor inadequacies of materials and equipment specified or supplied by others.
- 3) Equipment and materials supplied by the electrical contractor are warranted only to the extent that the same are warranted by the manufacturer.
- 4) The electrical contractor shall not be liable for indirect loss or damage.
- 5) Unless included in this proposal, all bonding and/or special insurance requirements are supplied at additional cost.
- 6) If a formal contract is required, its conditions must not deviate from this proposal without our prior approval.
- 7) Anything verbal, written, expressed, or implied elsewhere, which is contrary to these conditions, shall be null and void.
- 8) This quote **IS NOT** based on Kentucky Prevailing Wage Rates.
- 9) This quote is valid for 30 days from May 15, 2008.

Respectfully Submitted,

Accepted by:



 Dave Phipps

 D.W. Wilburn, Inc.

RESPONSE TO COMMISSION STAFF'S SECOND DATA REQUEST

Question:

Refer to your response to question 4(h). You state, "The Somerset Office has gone out for bid, and the bids received should contain accurate numbers."

- a. Provide a copy of the bid which was sent.
- b. Provide a list to whom the bid was sent.
- c. Provide a copy of all the responses and indicate how the successful bidder was chosen.

Response

- a&b Attached you will find a listing of the firms who were solicited to provide a bid.
- c. A copy of the bids received is included in the response to Item 8. No bidders have been selected and under normal circumstances the low bidder is selected.

D. W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, Kentucky 40509
(859) 263-2720
FAX (859) 263-5692

November 24th, 2008

South Kentucky RECC
925-929 North Main Street
Somerset, Kentucky 42503

ATTN: Allen Anderson

RE: South Kentucky RECC Corporate Office/Warehouse

In follow up to our conversation on Friday, please find attached a recap of our efforts to competitively bid the above project.

Attached is a memo regarding our efforts regarding advertising with construction reporting agencies. We posted advertisements with the two most used agencies in Kentucky. These postings were advertised 1-2 months prior to bidding, with prior reports advertising that the project was forthcoming.

Also attached is a subcontractor listing which we used for telephone soliciting. There are also letters of transmittals attached detailing plans that were forwarded to subcontractors. This does not include any subcontractors who have accessed plans thru Dodge or Builders Exchange construction agencies noted above.

As you can see, this project was well advertised and well covered for competitive bidding. Should you have any further questions, feel free to contact me.

Sincerely,
D. W. Wilburn, Inc.



Doug Wilburn
President

D. W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, Kentucky 40509
(859) 263-2720
FAX (859) 263-5692

November 24th, 2008

MEMO

To: Doug Wilburn

From: Josh Sword

RE: South Kentucky RECC
Corporate Office Facilities
Somerset, Kentucky

Concerning the South Kentucky Rural Electric Project in Pulaski County, KY, the project was published one month prior to bid via McGraw Hill Dodge Plan Room and Builders Exchange in Louisville and Lexington, KY.

Jodie Wills is out contact at McGraw Hill Dodge and she can be reached via phone at 866.589.6872 ext. 5.

The Builders Exchange phone number in Louisville, KY is 502.459.9800 and the Lexington phone number is 859.288.0011.

Sub-Contractors	Contact Name	Phone #	Fax #	Cell #	
<i>Item No. 9</i> <i>Spec Drawing</i> <i>Page 4 of 91</i>					
Earthwork-Utility-Storm					
Weddle	Shane	606.678.4057	606-678-0107		SD
Foot	Jim/Mark	606.864.5268	606-864-8094		SD
K and K	Ron	606.864.7384	606.878.9225		SD
McGowan	Royce	606-871-7445	606.783.5092		SD
Concrete-ICF					
Holofast-Nadura	Martin	502.457.4493		502.457.4493	
MMI	Lenny	859.255.0070	859.231.6522		SD
Ameristeel	Mike Graw	502.245.0256			CD
Reward Systems	Thad	402.871.4198		402.803.0387	CD
Dixie Insulation	Glen Hamilton	502.493.0711			DRAWING
Masonry					
Kenny Burton	Kenny	606.451.1712	606.451.1712	606.305.5402	SD
Carmicle	Roger	606.787.6102	606-787-6102		SD
Southerland Masonry	Steve	606.346.4969	606-346-0953		SD
Houston Barger	Houston	859.986.9761	859-986-7237		SD
Steel					
Gordon	Ken/Bill	859.255.2442	859-231-7991		CD
FAB	Jeff	859.253.0630	859-254-8841		SD
Diverse Erection	Larry Smith	859.293.5061	859-987-8393	859.229.2381	SD
M	Walt	270.384.5433	270-384-5433		SD
Dallas	Phil Cole	270.678.3349	270-678-3351		CD
Designers Palette	Mark		513-553-1390		SD
Casework --Carpentry					
Atlas	Johnthan	502.968.5445	502.969.2486		CD
Casework of KY	Danny	859.744.8234	859-744-4573		
KY Casework	David Wright	606.676.9548	606 676 9570		CD
Roof					
Issaacs	Delbert	859.985.9694	859-985-9790		CD
Dixie	Brad	423.562.0031	865-544-3808	423.871.2007	CD
ABR	Dave	859.254.2866	859-855-2712		
JBK Roofing	Brandon	888.317.7003			SD
Kerkan Roofing		513-821-2279			
JC Industries		502-955-7207			
Joint Sealant-Firestopping					
ABG	Otis	423.587.0638	423-587-3921		SD
SCC	Scott	270.576.3182	270-866-9009		SD
Topgun	Tad	859.792.2302	859-748-9314		LOOKING ON P
Windows-Stormfronts					
Stanford	Rick	606.365.8052	606.365.9317		CD
Rogers	Dianna/Danny	270.343.2172	270.343.2175		SD

Progress	Dave	859.263.2303	859-263-2006	
Green River	Ricky	270-789-3709	270-789-4435	
Overhead Doors				
Burnside Garage Door	Brian	606.679.8478	606.679.4244	SD
Overhead Door of Lexington	Vic	859.254.6606	859-254-6608	CD
Door	Phil	859.233.0802	859.254.9364	CD
HM/Wood/Hardware				
Atlas	Jonathan	502.968.5445	502.969.2486	CD
Floor/Carpet/VCT				
Bennetts	Ivan/Buddy	270.866.6930	270.858.2303	CD
Wilder	George	859.623.5446	859-623-5066	SD
CDI	Jim Clarity	270.754.5041	270-754-5046	CD
House of Carpet		606.679.1565	606-679-1565	SD
Gyp/Metal Stud/Ceiling				
Bennetts	Ivan/Buddy	270.866.6930	270.858.2303	CD
Wilder	George	859.623.5446	859-623-5066	SD
CN Drywall	Randy Cain	606.878.8596	606-862-0111	
Precision Walls	Ross	502.499.4399	502-499-9299	CD
CK	Tim	859.281.6828	859-258-2037	SD
Grayhawk	Joe/Kent	859.255.2754	859-259-0957	SD
Spectrum Interiors		859-331-2696	859-331-4322	
Tile/Terrazzo				
Bennetts	Ivan/Buddy	270.866.6930	270.858.2303	CD
Rosa Mosaic	Anna	502.368.5893	502.368.5894	SD
Martina	Dino	859.255.3602	859.255.2075	SD
Paint				
Fox	John	606.864.6809	859-873-9775	SD
H H Painting	Scott Hoover	859.248.2871	859.623.6860	SD
Boggs	Jim	859.873.9775	606-878-2684	SD
Cook	Mike		270.403.4578	SD
Misc. Specialty				
Atlas	Jonathan	502.968.5445	502.969.2486	CD
Wheeldon	Appliances	606.679.2060		
Dixie Lite Blinds	Blinds	859.269.4924	859.269.8734	
Best	Blinds	502.584.8655	502-583-2951	
Electrical				
Diamond	Joey/Donna	606.423.4500	606-423-4503	SD
Fayette	James	859.263.8620	859-263-8721	SD
FIE	Dave Phipps	606.676.9633	606-678-9116	SD
Mech				
REI	Dustin/Desi	606.676.0549	606-678-5255	SD
Foster	Bobby	859.236.8695	859-236-9020	SD
Opperson	Jim Mink	606.679.7476	606-679-7900	SD

Item No 9
SD
Page 5 of 91

Item No. 91
Page 6 of 91

Geothermal				
Withers	Andy	270.384.5455		
Eastern Well		606.573.3069		SD
Energy America	Scott Brown	432.618.8854		505.318.6762 CD
Moses Drilling	Kevin	606-523-1215		SD
Fire Protection				
Landmark		859.254.4422	859-233-2320	SD
Asphalt				
Kay & Kay	Ron	606.864.7384	606.878.9225	SD
Hinkle	Greg	606.679.4055	606-679-8849	SD
Metal Bulding				
Highlands	Steel Erection	423.663.2901	423.663.2915	CD
Joe Stevens	Joe	270.487.8202	270.487.8011	270.427.8882
G.G	Great Lakes	606.364.2011	606.364.3250	SD & CD
Owens	Owens	270.866.5772	270.866.7104	SD
Ervin Farmer	Ervin	859.236.5045	859.936.1689	859.238.0733 SD
A & S Building System	Jim Shokley	423.245.7688	423.245.6196	
Wood/Metal/Trusses				
Grayhawk		859.255.2754	859.259.0957	CD
Tri-state	Ed French	502.957.1234	502.957.1230	SD
Truss Setters	Niva	931.729.1463		CD
Seating/Bleachers				
Atlas	Jonathan	502.968.5445	502.969.2486	CD
Irwin	Mark Edwards	937.433.2360	937-433-6225	502.376.6746 SD
Toadvine	Mike/Chris	877.211.6925	502-241-2288	
Fencing				
Geddes		859.885.2215	859-885-2219	SD
Flenor	Scott	270.257.8376	270-257-0983	SD
Elevators				
D.C		859.254.8224	859-231-8740	SD
Tyson				CD
Landscape/Modular Walls				
Miracle Lawn	Willis	606-679-4064	606-679-1705	SD
Simpson Corporate	Jim	606-305-7710	606-423-5192	SD
Foam in place Insulation				
Trioty one	Brad	513.922.0203	513-922-1193	SD
Omni	Kristy	513.870.9115	513-870-9312	CD
Laminated Timber Roof Decking				
Daylan Lumber	Davis	865-584-4542		
Laminated Timberland	Tim		606-878-6496	

Banking Equipment

Dave Descepoli

502-350-1001

502-507-4638

Item No. 9

Page 7 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

Item No. 9
Page 8 of 191

LETTER OF TRANSMITTAL

Waddle

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

*South Kentucky Rural
Electric Cooperative Corporation*

Recc

Attn: Shaw

GENTLEMEN -

- WE ARE SENDING YOU Attached Under separate cover via _____ the following items
- Shop drawings Prints Plans Samples Specifications
- Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			<i>Invitation</i>
			<i>Unit Price</i>
			<i>Wages</i>
			<i>Allowance</i>
			<i>Spec</i>
			<i>Drawing</i>
			<i>C.O.D.</i>

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed *Chapman*

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

*Item No. 9
Page 9 of 91*

TO: Philip

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

South Kentucky Rural
Electric Cooperative Corporation

Recc

Attn: Jim
GENTLEMEN -

- WE ARE SENDING YOU Attached Under separate cover via _____ the following items
- Shop drawings Prints Plans Samples Specifications
- Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec
			Drawing
			C.O.D.

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____

Signed _____

Chris Smith

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Page 10 of 91

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

South Kentucky Rural
Electric Cooperative Corporation
Recc

To: Kay and Kay

GENTLEMEN -


- WE ARE SENDING YOU Attached Under separate cover via _____ the following items
- Shop drawings Prints Plans Samples Specifications
- Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			Wages
			Allowance
			Spec
			Drawing
			C.O.D.

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed 

Item No. 9

D.W. WILBURN, INC.

153 Blue Sky Parkway

Lexington, KY 40509

(859) 263-2720

Fax (859) 263-5692

LETTER OF TRANSMITTAL

Page 11 of 11

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO: McGowan

South Kentucky Rural
Electric Cooperative Corporation
Recc

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec
			Drawing
			C.O.D.

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval

For your use Approved as noted Submit _____ copies for distribution

As requested Returned for corrections Return _____ corrected prints

For review and comment _____

FORBIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED
DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE
CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID
DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chris Smith

Item No. 9
Page 12 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

TO: Hinkle

DATE _____ JOB NO. _____
ATTENTION _____
RE: South Kentucky Rural
Electric Cooperative Corporation
RECC

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items
 Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec
			Drawing
			C.O.D.

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chris Smith

Item No. 9
Page 13 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE: 4/2/08 JOB NO. _____

ATTENTION _____

RE: _____

Recc

Somerset, Ky

TO: KAY and KAY

Attn Rev

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Drawing Site
			Spec Div 2
			Co Report
			April 18, 3:00

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

marks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

[Handwritten Signature]

Item No. 9
Page 14 of 91

LETTER OF TRANSMITTAL

D.W. WILBURN, INC.
153 Blue Sky Parkway
Lexington, KY 40509
(859) 263-2720 Fax (859) 263-5692

DATE 4/2/08 JOB NO. _____

ATTENTION _____

RE: _____

Recc

Somerset, Ky

TO: McGowan

Attn: Royce

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following item
 Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			<u>Drawing Site</u>
			<u>Spec Div 2</u>
			<u>Geo Report</u>

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE DATE IF YOU HAVE ANY CONCERNS.

Copy to _____

Signed _____

Chris Covert

-ESTIMATE-

Item No. 9
Page 15 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE: 4/2/08 JOB NO.

ATTENTION

RE:

Recc

Somerset, Ky

O: Weddle

ATTN: Shane

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items
 Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Drawing Site
			Spec Div 2
			Ceo Report

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID
IF YOU HAVE ANY CONCERNS.

Copy to _____

Signed

Chris Lovett

EST

Item No. 9
Page 16 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE: 4/2/08 JOB NO. _____

ATTENTION _____

RE: _____

Recc

Somerset, Ky

TO:

Hinkle

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following item

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			<u>Drawing Site</u>
			<u>Spec Div 2</u>
			<u>Geo Report</u>

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints

For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____

Signed

ESTIM

Item No. 9
Page 17 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE 4/2/08 JOB NO. _____

ATTENTION _____

RE: _____

Recc

Somerset, Ky

TO: Philpot

ATTN: Jim

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following item:

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			<u>Drawing Site</u>
			<u>Spec Div 2</u>
			<u>Geo Report</u>

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____

FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE DATE IF YOU HAVE ANY CONCERNS.

Copy to _____

Signed

Chris Crest

Item No. 9
Page 18 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE 4/6/08 JOB NO. _____

ATTENTION _____

RE: _____

TO: Weddle

Recc

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			<u>New Site Grading Sheet</u>

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed [Signature]

Item No. 9
Page 19 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE 4/6/08 JOB NO. _____

ATTENTION _____

RE: _____

Recc

TO: McGowan

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items
 Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			<u>New Site Grading Sheet</u>

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed [Signature]

Item No. 9
Page 20 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE 4/16/08 JOB NO. _____

ATTENTION _____

RE: _____

Recc

TO: Kay and Kay

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items
 Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			<u>New Site Grading Sheet</u>

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed CLC

Item No. 9
Page 21 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE 4/16/08 JOB NO. _____

ATTENTION _____

RE: _____

To: Hinkle

Recc

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			<u>New Site Grading Sheet</u>

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval

For your use Approved as noted Submit _____ copies for distribution

As requested Returned for corrections Return _____ corrected prints

For review and comment _____

FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed [Signature]

Item No. 9
Page 22 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE 4/16/08 JOB NO. _____

ATTENTION _____

RE: _____

Recc

to: Philpot

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

- Shop drawings
- Prints
- Plans
- Samples
- Specifications
- Copy of letter
- Change order
- _____

COPIES	DATE	NO	DESCRIPTION
			<u>New Site Grading Sheet</u>

THESE ARE TRANSMITTED as checked below:

- For approval
- Approved as submitted
- Resubmit _____ copies for approval
- For your use
- Approved as noted
- Submit _____ copies for distribution
- As requested
- Returned for corrections
- Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____
- PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed [Signature]

D.W. WILBURN, INC.
153 Blue Sky Parkway
Lexington, KY 40509
(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE _____ JOB NO: _____
 ATTENTION _____
 RE: _____
 South Kentucky Rural
 Electric Cooperative Corporation
 Recd

TO: Bluegrass Window

ATTN: Don
GENTLEMEN -

- WE ARE SENDING YOU Attached Under separate cover via _____ the following items
- Shop drawings Prints Plans Samples Specifications
- Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec <u>Spec Book</u>
			Drawing <u>Arch + structure</u>
			C.D.

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BIDDING IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chas Smith

Item No. 9
Page 24 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

South Kentucky Rural
Electric Cooperative Corporation

Recc

TO: Houston Barger

GENTLEMEN -


WE ARE SENDING YOU Attached Under separate cover via _____ the following items
 Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			Wages
			Allowance
			Spec
			Drawing
			C.O.D.
			07065 04810 Du 4 Structural & Civil & Arch

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed 

Item No. 9
Page 25 of 91

D.W. WILBURN, INC.
153 Blue Sky Parkway
Lexington, KY 40509
(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

South Kentucky Rural
Electric Cooperative Corporation

Recc

TO: Kenny Burton

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items
 Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			Wages
			Allowance
			Spec 04065, 04810 Rev 4
			Drawing Arch, Structure, Civil
			C.O.D.

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID
IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chris Smith

Item No 9
Page 26 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO:

Carmide

South Kentucky Rural
Electric Cooperative Corporation

Recc

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

- Shop drawings
- Prints
- Plans
- Samples
- Specifications
- Copy of letter
- Change order
- _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			Wages
			Allowance
			Spec
			Drawing <u>Div 4 04065 04810</u>
			<u>Arch + Structure + Civil</u>
			C.O.D.


THESE ARE TRANSMITTED as checked below:

- For approval
- Approved as submitted
- Resubmit _____ copies for approval
- For your use
- Approved as noted
- Submit _____ copies for distribution
- As requested
- Returned for corrections
- Return _____ corrected prints
- For review and comment
- _____
- FOR BIDS DUE _____ 20 _____
- PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BIDDING PROCESS IF YOU HAVE ANY CONCERNS.

Copy to _____

Signed _____



-ESTIMATING

Item No 9
Page 27 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

TO: Gedde Fence

DATE _____ JOB NO. _____
ATTENTION _____
RE: South Kentucky Rural
Electric Cooperative Corporation
Recc

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitations
			Unit Price
			WAGES
			Allowance
			Spec <u>Div 2 Back</u>
			Drawing <u>Civil</u>
			C.O.D.

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval

For your use Approved as noted Submit _____ copies for distribution

As requested Returned for corrections Return _____ corrected prints

For review and comment _____

FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED
DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE
RECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID
DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chapman

Item No 9
Page 66 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO:

Bennetts

South Kentucky Rural
Electric Cooperative Corporation

Recc

Attn: Bobby

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			Wages
			Allowance
			Spec
			Drawing
			C.D.

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval

For your use Approved as noted Submit _____ copies for distribution

As requested Returned for corrections Return _____ corrected prints


For review and comment _____

FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED
DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE
CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID
TE IF YOU HAVE ANY CONCERNS.

Copy to _____

Signed _____



Item No 9
Pase 67 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

ISSAACS Roofing

South Kentucky Rural
Electric Cooperative Corporation
Recc

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items
 Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____


COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec
			Drawing
			C.D.

CD

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed 

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Item No 2
Page 68 of 91

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO: Reward Systems

South Kentucky Rural
Electric Cooperative Corporation
Recc

Attn:
GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items
 Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			Wages
			Allowance
			Spec
			Drawing
			C.O.D.

sent C.D.

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED
DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE
CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID
DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chapman

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Item No 9
Page 69 of 91

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

South Kentucky Rural
Electric Cooperative Corporation

Recc

Overhead Line of Lexington

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			Wages
			Allowance
			Spec
			Drawing
			C.D.


THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____

Signed _____



D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

Energy America

Item No 9
LETTER OF TRANSMITTAL

Page 76 of 91

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

South Kentucky Rural
Electric Cooperative Corporation

Recc

GENTLEMEN -


- WE ARE SENDING YOU Attached Under separate cover via _____ the following items
- Shop drawings Prints Plans Samples Specifications
- Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance CD
			Spec
			Drawing
			C.D.

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed 

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Item No. 9
Page 71 of 91

DATE May 16 JOB NO. _____

ATTENTION _____

RE: _____

South KY Rec

TC

Hurry Gordon Steel

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
1			Disk w/ drawings / Specs
1			App. 1-5
			↳ Buildings broke out separate.

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE ASAP 20 PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Josh Swen

Item No. 9
Page 72 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO: JBK Roofing

South Kentucky Rural
Electric Cooperative Corporation

Recc

Mrs. Brandon

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec D-7
			Drawing Arch + Structure
			C.O.D.

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BIDDING IF YOU HAVE ANY CONCERNS.

Copy to _____

Signed _____

Item No 9
Page 23 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO: Melson Roofing

South Kentucky Rural
Electric Cooperative Corporation

Recc

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items
 Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec
			Drawing Arch + Structure
			C.o.D.

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks, D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chapman

Item No 9
Page 74 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO: D.C. Elavater

South Kentucky Rural
Electric Cooperative Corporation
Recc

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec
			Drawing
			C.O.D.

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BIDDING IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chapman

Item NO 9
Page 75 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO: ABG

South Kentucky Rural
Electric Cooperative Corporation

Recc

ATTN: OTTIS
GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec
			Drawing Arch
			C.O.D.

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval

For your use Approved as noted Submit _____ copies for distribution

As requested Returned for corrections Return _____ corrected prints

For review and comment _____

FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BIDDING PROCESS IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chapman

Item No 9
Page 76 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

TO: Burnside Deers

DATE	JOB NO.
ATTENTION	
RE:	
<u>South Kentucky Rural</u>	
<u>Electric Cooperative Corporation</u>	
<u>Recc</u>	

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO.	DESCRIPTION
			<u>Invitation</u>
			<u>Unit Price</u>
			<u>WAGES</u>
			<u>Allowance</u>
			<u>Spec</u>
			<u>Drawing Arch</u>
			<u>C.O.D.</u>

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval

For your use Approved as noted Submit _____ copies for distribution

As requested Returned for corrections Return _____ corrected prints

For review and comment _____

FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chris Smith

Item No 9
Page 77 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO: Eastern Wells

South Kentucky Rural
Electric Cooperative Corporation
Recc

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items
 Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec
			Drawing
			C.D.
			Civil + Utilities Geo Report

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to

Signed Chris Smith

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

Item No 9
LETTER OF TRANSMITTAL

Page 7 of 91

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

Simpson Corporate
156 Deerwood drive
Science Hill Ky 42553

South Kentucky Rural
Electric Cooperative Corporation
Recc

Mr. Jim
GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items


- Shop drawings
- Prints
- Plans
- Samples
- Specifications
- Copy of letter
- Change order
- _____

COPIES	DATE	NO	DESCRIPTION
			Invitation NA Drawing SD. 2.3, 3.0, 4.0
			Unit Price NA should be changed with the
			Wages NA over that are lost.
			Allowance NA
			Spec 02920 02936
			Drawing Civil
			C.O.D. NA

THESE ARE TRANSMITTED as checked below:

- For approval
- Approved as submitted
- Resubmit _____ copies for approval
- For your use
- Approved as noted
- Submit _____ copies for distribution
- As requested
- Returned for corrections
- Return _____ corrected prints
- For review and comment
- _____
- FOR BIDS DUE _____ 20 _____
- PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR/MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed 

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Item 1009
Page 80 of 91

DATE 4/28/08

JOB NO

ATTENTION

RE:

Recc

TL. Priority One

Attn Brad.
GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			CD
			Drawings
			Spec

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____

Signed _____

Item No 9

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Page 81 of 91

DATE 4/28/08 JOB NO. _____

ATTENTION _____

RE: _____

Recc

To: JBK Roofing

Mr. Brandon

GENTLEMEN -

- WE ARE SENDING YOU Attached Under separate cover via _____ the following items
- Shop drawings Prints Plans Samples Specifications
- Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			CD
			Drawings
			Spec

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed [Signature]

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

TO: G.C.

Item No 9

LETTER OF TRANSMITTAL

Page 8 of 91

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

South Kentucky Rural
Electric Cooperative Corporation
Recc

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec <u>Div 13</u>
			Drawing <u>Complete</u>
			C.O.D.

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chris Smith

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Item No 4
PISC 83 of 91

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

South Kentucky Rural
Electric Cooperative Corporation
Recc

TO: *Tristate*

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			<i>Invitation</i>
			<i>Unit Price</i>
			<i>Wages</i>
			<i>Allowance</i>
			<i>Spec Drawing</i> <i>Spec Book</i>
			<i>C.O.D.</i> <i>Arch + Structure</i>

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed *Chapman*

Item No 9

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Page 84 of 90

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO: Ervin Farmer

South Kentucky Rural
Electric Cooperative Corporation
Recc

GENTLEMEN -

- WE ARE SENDING YOU Attached Under separate cover via _____ the following items
- Shop drawings Prints Plans Samples Specifications
- Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			Wages
			Allowance
			Spec Div 13
			Drawing Complete
			C.O.D.

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED
DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE
CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID
DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chris Smith

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Item No 9
Page 85 of 91

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO: Wildec

South Kentucky Rural
Electric Cooperative Corporation
Recc

Attn: Gary

GENTLEMEN -

- WE ARE SENDING YOU Attached Under separate cover via _____ the following items
- Shop drawings Prints Plans Samples Specifications
- Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			Wages
			Allowance
			Spec
			Drawing <u>Spec Book</u>
			C.O.D. <u>Structure - deck</u>

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chris Smith

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Item No 9
Page 86 of 91

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO: Grayhawk

South Kentucky Rural
Electric Cooperative Corporation
Recc

GENTLEMEN -

- WE ARE SENDING YOU Attached Under separate cover via _____ the following items
- Shop drawings Prints Plans Samples Specifications
- Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			Wages
			Allowance
			Spec <i>see Book</i>
			Drawing Arch & structure
			C.O.D.

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed *Chris Smith*

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Item NO 9
Page 87 of 91

TO: MARTINA

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

South Kentucky Rural
Electric Cooperative Corporation
Recc

M.W. BIRD
GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items
 Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec <u>Arch</u> Spec Book
			DRAWINGS
			C.D.

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED
DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE
CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID
DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chris Smith

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Item No 9
Page 88 of 91

TO:

Rosa Mosaic

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

South Kentucky Rural
Electric Cooperative Corporation

Recc

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			Wages
			Allowance
			Spec <i>Spec Book</i>
			Drawing <i>Arch</i>
			C.O.D.

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed *Chris Smith*

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Item No 4
Page 89 of 91

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO: CK Construction

South Kentucky Rural
Electric Cooperative Corporation
Recc

Attn. Tim
GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items
 Shop drawings Prints Plans Samples Specifications
 Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec
			Drawing ^{Spec Book} Structure + Arch
			C.O.D.

THESE ARE TRANSMITTED as checked below:

For approval Approved as submitted Resubmit _____ copies for approval
 For your use Approved as noted Submit _____ copies for distribution
 As requested Returned for corrections Return _____ corrected prints
 For review and comment _____
 FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chris Smith

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

Item No 9
Page 90 of 91

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO: House of Carpet

South Kentucky Rural
Electric Cooperative Corporation
Recc

GENTLEMEN -

WE ARE SENDING YOU Attached Under separate cover via _____ the following items

Shop drawings Prints Plans Samples Specifications

Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			Wages
			Allowance
			Spec <u>5000 Book</u>
			Drawing <u>Arch</u>
			C.O.D.

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID DATE IF YOU HAVE ANY CONCERNS.

Copy to _____ Signed Chris Smith

Item 109
Page 91 of 91

D.W. WILBURN, INC.

153 Blue Sky Parkway
Lexington, KY 40509

(859) 263-2720 Fax (859) 263-5692

LETTER OF TRANSMITTAL

DATE _____ JOB NO. _____

ATTENTION _____

RE: _____

TO: Reece Alum

South Kentucky Rural
Electric Cooperative Corporation

Recc

Attn: Danny
GENTLEMEN -

- WE ARE SENDING YOU Attached Under separate cover via _____ the following items
- Shop drawings Prints Plans Samples Specifications
- Copy of letter Change order _____

COPIES	DATE	NO	DESCRIPTION
			Invitation
			Unit Price
			WAGES
			Allowance
			Spec <u>spec Brock</u>
			Drawing <u>Arch. + Structure</u>
			C.O.D.

THESE ARE TRANSMITTED as checked below:

- For approval Approved as submitted Resubmit _____ copies for approval
- For your use Approved as noted Submit _____ copies for distribution
- As requested Returned for corrections Return _____ corrected prints
- For review and comment _____
- FOR BIDS DUE _____ 20 _____ PRINTS RETURNED AFTER LOAN TO US

Remarks. D.W. WILBURN, INC. DOES NOT GUARANTEE THE COMPLETENESS OR SCALE OF COPIED DRAWINGS. IT IS THE RESPONSIBILITY OF THE SUB-CONTRACTOR / MATERIAL SUPPLIER TO VERIFY THE CORRECT NUMBER OF DRAWINGS AND SPECIFICATIONS. PLEASE CONTACT OUR OFFICE PRIOR TO THE BID IF YOU HAVE ANY CONCERNS.

Copy to _____

Signed _____

RESPONSE TO COMMISSION STAFF'S SECOND DATA REQUEST

Question

In Case No. 2008-00402, South Kentucky provided a ten-year financial forecast from 2006 through 2015 that reflected the impact of the Russell Springs and Albany construction, which indicated the need for a rate increase near the end of the forecast period. (2014). In the current case, South Kentucky indicates that a rate increase is needed in 2012. Explain the difference between the two financial forecasts.

Response

The basic assumptions for both of these forecasts were the same except for two areas. The first one deals with the fact that the current forecast has updated operating expense data from South Kentucky and updated revenue as well. The second area deals with load growth with the current financial forecasting containing load growth data that reflects a significantly decreased rate of growth in energy for South Kentucky. The average growth rate used in the current financial forecast has an average rate of approximately 1.2% per year. The previous forecast had a growth rate of approximately 2.8% per year. It is this change in growth rates that is the primary cause for the need for a rate increase earlier than forecasted two years ago.