

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

OZARK SLONE AND KIM SLONE)	
)	
COMPLAINANTS)	
V.)	CASE NO.
)	2013-00383
SOUTHERN WATER & SEWER DISTRICT)	
)	
DEFENDANT)	

ORDER


On November 1, 2013, the Commission ordered Southern Water & Sewer District ("Southern District") to satisfy the matters complained of by Complainants or file a written answer to the complaint within ten days. On November 19, 2013, the Commission received a response that failed to comply with 807 KAR 5:001, Section 4(4). On December 4, 2013, Southern District was given ten days to file an Answer in compliance with 807 KAR 5:001. As of this date, Southern District has not complied with the November 1, 2013 Order.

IT IS THEREFORE ORDERED that Southern District shall show cause in writing by January 17, 2014, why its failure to comply with the Commission's Order of November 1, 2013, should not be considered an admission of the allegations contained in the complaint regarding the utility's alleged practice of removing the water meter without notifying the property owner, and why the Commission should not grant the relief the Complainants seek regarding that practice.

By the Commission

ENTERED ¹¹
DEC 23 2013
KENTUCKY PUBLIC
SERVICE COMMISSION

ATTEST:



Executive Director

Case No. 2013-00383

Hubert Halbert
District Manager
Southern Water & Sewer District
245 Kentucky Route 680
P. O. Box 610
McDowell, KY 41647

Ozark and Kim Slone
26028 KY Route 122
Melvin, KENTUCKY 41650