



Matthew G. Bevin  
Governor

Charles G. Snively  
Secretary  
Energy and Environment Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Michael J. Schmitt  
Chairman

Robert Cicero  
Vice Chairman

Daniel E. Logsdon Jr.  
Commissioner

December 7, 2016

Marty Futrell  
Murray #2 Water District  
201 New Providence Road  
Murray, KY 42071

RE: Murray #2 Water District  
Case No. 2016-00400 - Filing Deficiencies

The Commission Staff has reviewed the application in the above case. This filing is rejected for the reasons set forth below.

Filing deficiencies pursuant to:

- (1) 807 KAR 5:001, Section 4(3)(a) - A paper shall be signed by the submitting party or attorney and shall include the name, address, telephone number, facsimile number, and electronic mail address, if any, of the attorney of record or submitting party.
- (2) 807 KAR 5:001, Section 4(4) - A person shall not file a paper on behalf of another person, or otherwise represent another person, unless the person is an attorney licensed to practice law in Kentucky or an attorney who has complied with SCR 3.030(2). An attorney who is not licensed to practice law in Kentucky shall present evidence of his or her compliance with SCR 3.030(2) if appearing before the commission.

The statutory time period in which the Commission must process this case will not commence until Murray #2 Water District's application is submitted by an attorney licensed to practice law in Kentucky. You are requested to submit this application within 10 days of the date of this letter.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

Talina R. Mathews  
Executive Director

\*Murray #2 Water District  
201 New Providence Road  
Murray, KY 42071

\*Marty Futrell  
Murray #2 Water District  
201 New Providence Road  
Murray, KY 42071