



Matthew G. Bevin
Governor

Charles G. Snavely
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Michael J. Schmitt
Chairman

Robert Cicero
Vice Chairman

Talina R. Mathews
Commissioner

August 29, 2017

Linda Price
Secretary/Treasurer
Herrington Haven Wastewater Company, Inc.
P.O. Box 546
Lancaster, Kentucky 40444

RE: **Herrington Haven Wastewater Company, Inc.**
Case No. 2017-00311 - Filing Deficiency

The Commission Staff has reviewed the application in the above case and issued a Deficiency Letter on July 31, 2017. On August 18, 2017, Herrington Haven Wastewater Company, Inc. issued a response to deficiencies. Upon further review, this filing has been rejected for the reason set forth below.

Filing deficiency pursuant to:

- (1) **807 KAR 5:071: Section 3(2)(b)** - A comparative income statement showing test period; per books, revenues and expenses, pro forma adjustments to those figures, and explanations for each adjusted entry.

You are requested to submit the information necessary to cure the deficiency within 10 days of the date of this letter.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

John S. Lyons
Acting Executive Director

*Herrington Haven Wastewater Company, Inc.
4500 Poor Ridge Pike
P. O. Box 546
Lancaster, KY 40444

*Linda Price
Herrington Haven Wastewater Company, Inc.
P. O. Box 546
Lancaster, KY 40444