

DOC11R

Case Management System - KY Public Service Commission*Regular Cases Before the Commission as of February 15, 2026***2014-00382**

RECEIVED: 10/29/14

FILED: 10/29/14

FINAL: 04/29/15

REOPENED:

SUSPENSION DATE:

CASE CODE

Demand-Side Management

UTILITIES:

Atmos Energy Corporation

INDEX OF EVENTS:

04/29/15 Order Entered: Atmos's DSM Program shall be approved as set out herein effective on and after May 1, 2015, through April 30, 2018.
 2. Atmos's proposed residential and commercial DSM rates are denied.
 3. The DSM rates in the Appendix to this Order are approved for final meter readings on and after May 1, 2015. The residential and commercial DBA rates are those proposed by Atmos at the time it filed its Application.
 4. Atmos shall include cost-effectiveness tests as set out in finding paragraph 4 above with its next application, due no later than October 31, 2017, for further extension of its DSM programs.
 5. Within 20 days of the date of this Order, Atmos shall file with this Commission, using the Commission's electronic Tariff Filing System, revised tariff sheets setting out the rates approved herein and reflecting that they were approved pursuant to this Order.

03/17/15 Atmos Energy Response to Second Request for Data

03/03/15 COMMISSION STAFF'S SECOND REQUEST FOR INFORMATION
TO ATMOS ENERGY CORPORATION

02/26/15 Atmos Energy Response to Question 12 - New CD Submission

01/14/15 Atmos Energy Response to First Information Request

12/18/14 Order Entered: Atmos shall file its response to the Commission Staff's Initial Request for Information on or before January 15, 2015.

12/09/14 Atmos Energy request for additional time to file response to PSC initial request for info

12/05/14 Commission Staff's Initial Request for Information to Atmos Energy Corporation

11/03/14 Acknowledge Receipt of Filing

10/29/14 Atmos Energy Corporation Application to Extend Its Demand-Side Management Program, as Amended, and Cost Recovery Mechanism, as Amended, for Three (3) Years

 Total Number of Cases: 1