COMMONWEALTH OF KENTUCKY BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

THE	KENTUCKY	PUBLIC	SERVICE	COMMISSION)	
)	
vs.)	CASE NO
)	9339
PARI	KWAY WATI	ER ASSOC	IATION.	INC.)	

SHOW CAUSE ORDER

On August 27, 1984, a periodic inspection was made of the Parkway Water Association, Inc., ("Parkway") by a staff member of this Commission. The report of that inspection described certain operational matters that were not meeting the minimum requirements of the Commission's regulations and recommended that corrective actions be taken by Parkway. A copy of the report was mailed to Parkway and a response with regard to the recommended corrective actions was requested by September 28, 1984. Parkway did not respond as requested and has not responded to the staff's follow-up letters dated october 4, 1984, November 12, 1984, and December 3, 1984.

The case was scheduled for hearing on June 13, 1985, at 9:00 a.m., Eastern Daylight Time, in the Commission's offices at Frankfort, Kentucky. Parkway did not appear at the hearing and no testimony with respect to this case has been received.

The Commission, having considered the matter and being advised, HEREBY ORDERS that this case be and it hereby is set for hearing on July 24, 1985, at 1:30 p.m., Eastern Daylight Time, in Hearing Room No. 2, in the offices of the Commission in Frankfort, Kentucky.

IT IS FURTHER ORDERED that Parkway shall appear at the hearing and show cause, if any it can, as to why it should not be subject to the penalties prescribed in KRS 278.990 for failure to comply with the Commission's regulations.

Done at Frankfort, Kentucky, this 1st day of July, 1985.

PUBLIC SERVICE COMMISSION

Vice Chairman

Completioner

ATTEST:

Secretary