

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

A FILING BY MOUNT STERLING)
WATER AND SEWER SYSTEM TO)
AMEND ITS CONTRACT WITH) CASE NO. 2002-00255
REID VILLAGE WATER DISTRICT)
BY ESTABLISHING A MONTHLY)
MAXIMUM PURCHASE LIMIT)

NOTICE OF INFORMAL CONFERENCE
AND
COMMISSION STAFF'S FIRST DATA REQUEST TO
MOUNT STERLING WATER AND SEWER SYSTEM

Pursuant to 807 KAR 5:001, Section 4(4), Commission Staff requests that Mount Sterling Water and Sewer System (Mount Sterling) appear for an informal conference with Commission Staff and representatives of Reid Village Water District on October 23, 2002 at 10:00 a.m., Eastern Daylight Time, in Conference Room 1 of the Commission's offices at 211 Sower Boulevard, Frankfort Kentucky.

Pursuant to 807 KAR 5:001, Mount Sterling should file with the Commission the original and eight copies of the following information, with a copy to all parties of record. The information requested herein is due on or before October 7, 2002. Include with each response the name of the person who will be responsible for responding to questions relating to the information provided. Careful attention should be given to copied material to ensure that it is legible.

1. Provide the monthly usage of Reid Village for the past 12 months.
2. What is the projected consumption of Reid Village for the year 2003?

3. What is the percentage increase or decrease in consumption by Reid Village for each of the past 5 years?

4. What is the basis used to determine the amount of the usage limit in the proposed filing? Explain in detail.

5. What negotiations have taken place between the parties?

6. Provide all correspondence, documents, and existing minutes of all meetings between the parties concerning this issue.

7. Do any of the five other wholesale customers of Mount Sterling have unlimited purchase contracts?


a. If yes, name them and state any calculated monthly production figures.

b. If no, state whether or not any study has been conducted as to each customer's present and future consumption and provide the calculations from each study.

8. What is Mount Sterling's source of supply?

a. What is that source's daily rate of supply?

b. Is that source limited by capacity or facilities?



Thomas M. Dorman
Executive Director
Public Service Commission
211 Sower Boulevard
P. O. Box 615
Frankfort, Kentucky 40602

DATED: September, 19, 2002

cc: Parties of Record