### COMMONWEALTH OF KENTUCKY

#### BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

## THE APPLICATION OF EAST LAUREL WATER DISTRICT TO REVISE CERTAIN NONRECURRING CHARGES

) CASE NO. 2008-00337

#### <u>O R D E R</u>

On August 14, 2008, East Laurel Water District ("East Laurel") applied for authority to revise certain nonrecurring charges. East Laurel has provided adequate evidence of the individual expenses incurred to provide the services associated with the proposed charges.

The Commission, having reviewed the record and being sufficiently advised, finds that:

1. The proposed charges are equal to the expenses incurred to provide the associated services.

2. The charges set forth in the Appendix to this Order are fair, just, and reasonable and should be approved.

IT IS THEREFORE ORDERED that:

1. The charges in the Appendix are approved for services rendered on and after the date of this Order.

2. Within 20 days of the date of this Order, East Laurel shall file with the Commission revised tariff sheets showing the rates approved herein.

Done at Frankfort, Kentucky, this 13th day of November, 2008.

By the Commission

ATTE tumbo **Executive Director** 

Case No. 2008-00337

### APPENDIX

# APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE COMMISSION IN CASE NO. 2008-00337 DATED NOVEMBER 13, 2008

The following rates and charges are prescribed for the customers in the area served by East Laurel Water District. All other rates and charges not specifically mentioned herein shall remain the same as those in effect under authority of the Commission prior to the effective date of this Order.

## Nonrecurring Charges

Additional Trip charge	\$40.00
Deposit - Residential	\$60.00
Deposit - Commercial	\$100.00
Reconnection / Service charge	\$40.00
Reconnection charge (after hours)	\$80.00
Returned Check Charge	\$25.00

A charge of \$40.00 will be charged to the London Utility Commission for reconnection of water service for its sewer customers.

### **METER CONNECTION CHARGES:**

5/8-Inch X 3/4-Inch

\$530.00