

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

DEXTER-ALMO HEIGHTS WATER DISTRICT AND)	
ITS INDIVIDUAL COMMISSIONERS,)	CASE NO.
JOE DAN TAYLOR, CHARLES BOREN,)	2017-00468
AND PAT PASCHALL)	
_____)	
)	
ALLEGED FAILURE TO COMPLY)	
WITH KRS 278.300)	

ORDER

On February 19, 2018, the Commission issued an Order granting a motion for an extension of hearing date and denying a motion for a teleconference, both filed by Dexter-Almo Heights Water District (“Dexter-Almo”) on January 25, 2018. The Order rescheduled this matter for hearing on March 21, 2018, at 9:00 a.m. Eastern Daylight Time, rather than February 27, 2018, at 9:00 a.m. Eastern Standard Time. Having discovered an error in the Commission’s February 19, 2018 Order, the Commission, on its own motion, finds that ordering paragraph 1 should read “Dexter-Almo’s Motion for Extension of Hearing Date is granted and the Board of Commissioners of Dexter-Almo shall appear on March 21, 2018, at 9:00 a.m. Eastern Daylight Time, rather than February 27, 2018, at 9:00 a.m. Eastern Standard Time, in Hearing Room 1 of the Commission’s offices at 211 Sower Boulevard in Frankfort, Kentucky to show cause, if any, why it should not be subject to penalties pursuant to KRS 278.990 for failure to comply with the requirements of KRS 278.300.”

IT IS THEREFORE ORDERED, *nunc pro tunc*, that:

1. Ordering paragraph 1 of the Commission's February 20, 2018 Order is amended to read:

Dexter-Almo's Motion for Extension of Hearing Date is granted and the Board of Commissioners of Dexter-Almo shall appear on March 21, 2018, at 9:00 a.m. Eastern Daylight Time, rather than February 27, 2018, at 9:00 a.m. Eastern Standard Time, in Hearing Room 1 of the Commission's offices at 211 Sower Boulevard in Frankfort, Kentucky to show cause, if any, why it should not be subject to penalties pursuant to KRS 278.990 for failure to comply with the requirements of KRS 278.300.

2. All other provisions of the Commission's February 19, 2018 Order not in conflict with this Order shall remain in full force and effect.

[REMAINDER OF PAGE INTENTIONALLY LEFT BLANK]

By the Commission

ENTERED
MAR 07 2018
KENTUCKY PUBLIC
SERVICE COMMISSION

ATTEST:


Executive Director

Case No. 2017-00468

Pat Paschall
Commissioner
Dexter-Almo Heights Water District
351 Almo Road
Almo, KY 42020

Joe Dan Taylor
Commissioner
Dexter-Almo Heights Water District
351 Almo Road
Almo, KY 42020

Charles Boren
Commissioner
Dexter-Almo Heights Water District
351 Almo Road
Almo, KY 42020

*Dexter-Almo Heights Water District
351 Almo Road
Almo, KY 42020

*Dexter-Almo Heights Water District
Dexter-Almo Heights Water District
351 Almo Road
Almo, KY 42020

*Honorable Warren K Hopkins
Attorney at Law
Hopkins & Associates
405 Maple Street, Suite B
Murray, KENTUCKY 42071