## COMMONWEALTH OF KENTUCKY

## BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

ELECTRONIC APPLICATION OF JESSAMINE-<br/>SOUTH ELKHORN WATER DISTRICT FOR A<br/>RATE ADJUSTMENT PURSUANT TO 807 KAR<br/>5:076)CASE NO.<br/>2022-00050

## COMMISSION STAFF'S SECOND REQUEST FOR INFORMATION TO JESSAMINE-SOUTH ELKHORN WATER DISTRICT

Jessamine-South Elkhorn Water District (Jessamine-South Elkhorn District), pursuant to 807 KAR 5:001, is to file with the Commission an electronic version of the following information. The information requested is due on June 1, 2022. The Commission directs Jessamine-South Elkhorn District to the Commission's July 22, 2021 Order in Case No. 2020-00085<sup>1</sup> regarding filings with the Commission. Electronic documents shall be in portable document format (PDF), shall be searchable, and shall be appropriately bookmarked.

Each response shall include the question to which the response is made and shall include the name of the witness responsible for responding to the questions related to the information provided. Each response shall be answered under oath or, for representatives of a public or private corporation or a partnership or association or a governmental agency, be accompanied by a signed certification of the preparer or the person supervising the preparation of the response on behalf of the entity that the

<sup>&</sup>lt;sup>1</sup> Case No. 2020-00085, *Electronic Emergency Docket Related to the Novel Coronavirus COVID-19* (Ky. PSC July 22, 2021), Order (in which the Commission ordered that for case filings made on and after March 16, 2020, filers are NOT required to file the original physical copies of the filings required by 807 KAR 5:001, Section 8).

response is true and accurate to the best of that person's knowledge, information, and belief formed after a reasonable inquiry.

Jessamine-South Elkhorn District shall make timely amendment to any prior response if Jessamine-South Elkhorn District obtains information that indicates the response was incorrect when made or, though correct when made, is now incorrect in any material respect. For any request to which Jessamine-South Elkhorn District fails or refuses to furnish all or part of the requested information, Jessamine-South Elkhorn District shall provide a written explanation of the specific grounds for its failure to completely and precisely respond.

Careful attention shall be given to copied material to ensure that it is legible. When the requested information has been previously provided in this proceeding in the requested format, reference may be made to the specific location of that information in responding to this request. When applicable, the requested information shall be separately provided for total company operations and jurisdictional operations. When filing a paper containing personal information, Jessamine-South Elkhorn District shall, in accordance with 807 KAR 5:001, Section 4(10), encrypt or redact the paper so that personal information cannot be read.

1. Refer to Jessamine-South Elkhorn District's response to Commission Staff's First Request for Information, Item 7. Provide a detailed breakdown of the transportation costs that were used in calculating each of Jessamine-South Elkhorn District's nonrecurring charges.

2. Provide the total amount collected and number of occurrences for late payment fees assessed in calendar years 2017, 2018, and 2019.

-2-

C. Bridwell

Linda C. Bridwell, PE Executive Director Public Service Commission P.O. Box 615 Frankfort, KY 40602

DATED \_\_\_\_\_ MAY 10 2022

cc: Parties of Record

\*Robert K. Miller Straightline Kentucky LLC 113 North Birchwood Ave. Louisville, KENTUCKY 40206

\*Jessamine-South Elkhorn Water District 802 S Main Street P. O. Box 731 Nicholasville, KY 40356

\*Kim Miller Jessamine-South Elkhorn Water District 802 S Main Street P. O. Box 731 Nicholasville, KY 40356