

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

BLACK STONE PAVING, LLC DBA RIVERSIDE)	
RENTALS AND ROCK)	
_____)	CASE NO.
)	2023-00172
ALLEGED VIOLATION OF UNDERGROUND)	
FACILITY DAMAGE PREVENTION ACT)	

INITIATING ORDER FOR ALLEGED 811 VIOLATION OF THE KENTUCKY
UNDERGROUND FACILITY DAMAGE PREVENTION ACT

(Se proporciona la traducción al español de este documento como anexo/apéndice C.)

Black Stone Paving, LLC dba Riverside Rentals and Rock (Riverside Rock) has been named as a party to an investigation before the Kentucky Public Service Commission (Commission) for allegedly violating the Kentucky Underground Facility Damage Prevention Act (Act).¹ The Commission, on its own motion, finds that the hearing in this matter previously scheduled for July 28, 2023, should be rescheduled to October 27, 2023.

Pursuant to KRS 278.495(2), the Commission has jurisdiction to regulate the safety of natural gas facilities in Kentucky and to enforce minimum federal pipeline safety standards. Under the Act, the Commission has authority to investigate and assess civil penalties for any violation of the Act that results in excavation damage to an underground facility used to transport natural gas or hazardous liquid subject to federal pipeline safety

¹ KRS 367.4901 through KRS 367.4917.

laws, 49 U.S.C. § 60101, *et seq.* Any person who violates any provision of the Act is subject to assessment of a civil penalty in the amount of \$250 for the first offense, no more than \$1,000 for the second offense within one year, and no more than \$3,000 for the third and any subsequent offense. Additionally, any person whose violation of the Act results in damage to an underground facility containing any flammable, toxic, corrosive, or hazardous material or results in the release of any flammable, toxic, corrosive, or hazardous material is subject to an additional penalty of up to \$1,000.

Following receipt of a report of excavation damage to its underground gas pipeline from an operator, Commission Staff (Staff) conducted an investigation and prepared an Incident Report, a copy of which is attached to this Order as Appendix A. In its Incident Report, Commission Staff cites Riverside Rock for violation of the following provision of the Act:

KRS 367.4911(1)(a) – Each excavator, or person responsible for an excavation, planning excavation or demolition work shall, not less than two (2) full working days nor more than ten (10) full working days prior to commencing work, notify each affected operator of the excavator's intended work and work schedule. Contacting the applicable protection notification centers shall satisfy this requirement.

Based on its review of the Incident Report and being otherwise sufficiently advised, the Commission finds prima facie evidence that Riverside Rock violated the Underground Facility Damage Prevention Act. The Commission further finds that a formal investigation into the excavation damage incident shall be conducted.

IT IS THEREFORE ORDERED that:

1. Riverside Rock shall submit to the Commission, via email sent to PSCED@ky.gov with the case number of this proceeding in the subject line of the

message, a written response to the allegations contained in the Staff Incident Report within 20 days of receipt of this Order.

2. The July 28, 2023 hearing is rescheduled.

3. Riverside Rock shall appear on October 27, 2023, at 9 a.m. Eastern Daylight Time, in the Richard Raff Hearing Room of the Commission's offices at 211 Sower Boulevard in Frankfort, Kentucky, for the purpose of presenting evidence concerning the alleged violation of the Underground Facility Damage Prevention Act.

4. The October 27, 2023 hearing shall be conducted via video conferencing.

5. Riverside Rock shall attend the hearing by using the following link: <https://meet.goto.com/pscformalhearing/psc-damage-prevention-hearing>; information and instructions are attached to this Order as Appendix B.

6. Riverside Rock shall notify the Commission at least ten days prior to the hearing if Riverside Rock is unable to appear by video conferencing and will therefore appear in person.

7. Any partnership, corporation, or business entity (including a limited liability company) must be represented by an attorney licensed to practice law in Kentucky, and such representation includes the filing of papers with and appearances at hearings before the Commission.

8. An individual may submit a response to the allegations contained in the Staff Incident Report without the representation of an attorney.

9. The Staff Incident Report 54018, attached to this Order as Appendix A, is made a part of the record in this case.

10. The October 27, 2023 hearing shall be recorded by video only.

11. Please note parties who fail to appear after service will be subject to entry of a default judgment against them.

[REMAINDER OF PAGE INTENTIONALLY LEFT BLANK]

PUBLIC SERVICE COMMISSION


Chairman


Vice Chairman


Commissioner



ATTEST:


Executive Director

APPENDIX A

APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE
COMMISSION IN CASE NO. 2023-00172 DATED JUL 25 2023

FIFTEEN PAGES TO FOLLOW

PIPELINE DAMAGE INVESTIGATION REPORT

Investigation Information

Investigator Eric Tout **Incident ID** 54018 **Investigation** 9541
Incident Date 9/9/2021 12:56:00 PM **Report Submitted** 9/21/2021

Operator Information

Operator Columbia Gas of Kentucky, Inc.
Phone (859) 537-2123 **Reported By** James Rice
Email JamesRice@NiSource.com

Incident Location 2504 Indian Run Rd
Flatwoods KY 41139 **Locate Ticket Number** n/a

County Greenup

Excavator Information

Excavator JC Baldrige
Black Stone Paving L.L.C.
D/B/A Riverside Rentals and Rock
Organization ID 1161881
Phone 606-388-4032 **Email**
Address 195 Argillite Rd
Flatwoods KY 41139 **Locate Ticket Number** n/a

Damage Report (DR) Summary

Excavation Within 18" (Tolerance Zone)	Gas Or Hazardous Liquids		Type Of Equipment Used	Cost of Damage	Amount Billed
	Contained	Released			
No call-KY Contact Center (811)		Yes	Non-mechanized/Driving metal stake	\$500.00	\$500.00

The Operator reports that the Excavator damaged a one-inch gas service, driving a metal stake, forming a sidewalk and failed to contact 811.

The DR is included as Attachment 1.

INVESTIGATION

An attempt to contact the Excavator at 606-388-4032 resulted in a busy signal. An Accurint search provided the above noted address and phone number. A revers look up for phone number 606-388-4032 revealed the number is assigned to Michelle Thompson, 1217 Prospect Ave; Worthington, KY 41183-9217.

On 03/16/23 the Operator, Jams Rice, provided the following documentation:

- PSC Gas Excavation Damage Report: Outlined in the DR Summary & Attachment 1.
- Two Photographs: Depicting the incident location.
- Invoice: Indicating the Operator billed the Excavator \$1,073.46 for the damage repair.

Columbia's documents are included as Attachment 2.

Due to the inability to contact Black Stone Paving L.L.C. D/B/A Riverside Rentals and Rock a Demand Letter invoking the penalty of \$250.00 and requiring a representative attend the Damage Prevention Course will be mailed.

PIPELINE DAMAGE INVESTIGATION REPORT

VIOLATIONS¹

KRS 367.4911(1)(a) Each excavator, or person responsible for an excavation, planning excavation or demolition work shall, not less than two (2) full working days nor more than ten (10) full working days prior to commencing work, notify each affected operator of the excavator's intended work and work schedule. Contacting the applicable protection notification centers shall satisfy this requirement.

of Offences Within 365 Days

(Including this incident)

Excavator	Last Offence Incident #	Last Offence Incident Date	Revert to 1st Offence Date (Last Offence Date +366 Days)
1 st	See above	09/09/21	09/10/22

¹ A revision of the Underground Facility Damage Prevention Act took effect on January 1, 2022. All incidents of damage dated prior to January 1, 2022 will be reviewed under the former version of the Act

Attachment 1

Gas Excavation Damage Report

Columbia Gas of Kentucky, Inc.

Submitted 9/21/2021 Incident ID: 54018

[Set back to Edit](#)

[Staff Edit](#)

[Print \(PDFForm.aspx?Rpt=GasInvestigation&IG=54018\)](#)

Reported By:

Name: James Rice
Phone: (859) 537-2123
Email: JamesRice@NiSource.com

Gas Line Incident Occured:

Date: 9/9/2021
Time: 12:56 PM

Details:

Reported Date: 9/20/2021 4:26 PM

Incident Location Address:

Location:
Address: 2504 Indian Run Rd
City: Flatwoods
State: KY
County: Greenup
Zip: 41139
Confirm Code: Y

Number of Customers out: 1

Was gas or hazardous liquids contained in the underground facility?

Was gas or hazardous liquids released into the atmosphere?

Locate Request Ticket No.: n/a

Excavator: Contractor

Excavator Address:

First Name: JC
Last Name: Baldrige
Organization ID:
Company: Riverside Rock
Phone: 606-388-4032
Email:
Address: 195 Argillite Rd
City: Flatwoods
State: KY
Zip: 41139
Confirm Code: Y

Excavation Damage: No notification made to the One Call Center

Description of Incident Riverside Rock struck a plastic one inch natural gas service line with non-mechanized equipment.

Summary Information

9/21/2021

Full details such as the cause Riverside Rock was excavating without a locate ticket. While driving a metal stake to form for a walkway, Riverside Rock struck and damaged a plastic one inch natural gas service line.

Extent of the damage	A plastic one inch natural gas service line was punctured, and the service line was repaired.
Cost of the damage	\$500.00
Steps taken to prevent re-occurrence	CKY employees advised Riverside Rock to always call 811 prior to any excavating activities.
Amount billed to excavator	\$500.00

Attachment 2

Tout, Eric V (PSC)

From: Rice \ James \ D <jamesrice@nisource.com>
Sent: Thursday, March 16, 2023 5:15 PM
To: Tout, Eric V (PSC)
Subject: RE: 54018, 9/9/2021, 2504 Indian Run Rd., Flatwoods, Riverside Rentals and Rock
Attachments: 2504 Indian Run Rd - Ash - No notification made to 811.pdf; 2504 indian run rd - flatwoods ky - damage pictures.pdf; KY21-1131 Claim invoice.pdf; KY21-1131 Claim letter.pdf

****CAUTION** PDF attachments may contain links to malicious sites. Please contact the COT Service Desk ServiceCorrespondence@ky.gov for any assistance.**

This Message Originated from Outside the Organization

This Message Is From an External Sender.

Report Suspicious

See attached.

-james

From: Tout, Eric V (PSC) <ericv.tout@ky.gov>
Sent: Monday, February 27, 2023 12:42 PM
To: Rice \ James \ D <jamesrice@nisource.com>
Subject: 54018, 9/9/2021, 2504 Indian Run Rd., Flatwoods, Riverside Rentals and Rock

USE CAUTION: This email was sent from an external source. Think before you click links or open attachments. If suspicious, please forward to security@nisource.com for review.

Hello James,

Please send reports, photos pre & post, invoices and payment info (copy of check) if paid.

*Thanks,
Eric V. Tout
Kentucky Public Services Commission*

Division of Inspections / Damage Prevention
211 Sower Blvd., Frankfort, KY 40601
Office: 502-782-2622
Fax: 502-564-1582



PSC Gas Excavation Damage Report

Excavation Damage Occurred

Date: 09/09/2021

Time: 12:56 PM

JO #: 21-9384031-00

Incident Location

Address: 2504 Indian Run Rd

City: Flatwoods

County: Greenup

Zip: 41139

Cust. Lost: 1

Was gas released into the atmosphere? Y

Locate Request Ticket Number: N/A

Excavator Information

Excavator Type: Contractor

First Name: JC

Last Name: Baldrige

Company: Riverside Rock

Phone: 606-388-4032

Email: Unknown

Address: 195 Argillite Rd

City: Flatwoods

State: KY

Zip: 41139



Incident Details

KY PSC - Cause of Damage: No notification made to the One Call Center

Columbia DIMP Root Cause: Failed To Notify One Call/Failure to call one call center

Description of Incident: Riverside Rock struck a plastic one inch natural gas service line with non-mechanized equipment.

Full details such as the cause: Riverside Rock was excavating without a locate ticket. While driving a metal stake to form for a walkway, Riverside Rock struck and damaged a plastic one inch natural gas service line.

Extent of the damage: A plastic one inch natural gas service line was punctured, and the service line was repaired.

Cost of the damage: \$500

Steps taken to prevent re-occurrence: CKY employees advised Riverside Rock to always call 811 prior to any excavating activities.

Amount billed to excavator: \$500



DamageRyan Cumpton to: dyoung@nisource.com 09/09/2021 07:45 AM

From: Ryan Cumpton <rhyno159@live.com>

To: "dyoung@nisource.com" <dyoung@nisource.com>

USE CAUTION: This email was sent from an external source. Think before you click links or open attachments. If suspicious, please forward to security@nisource.com for review.





Sent from my iPhone

Columbia Gas/NiSource

INVOICE

CLAIM NO.: KY21-1131

JOB ORDER NO.: 21-9384031-00

DATE: November 02, 2021

MRA ACCOUNT NUMBER: 21095411-000-001-1

PAYMENT DUE 28 DAYS FROM ABOVE DATE
PLEASE MAKE REMITTANCE PAYABLE TO:

Riverside Rock
195 Argillite Rd
Flatwoods, Kentucky 41139

Columbia Gas / NiSource
3101 N. Ridge Rd. E.
Lorain, Ohio 44055
ATTN: Damage Prevention Support

AMOUNT DUE

\$1,073.46

PLEASE CUT HERE AND RETURN TOP WITH PAYMENT

Itemization of the charges for the damages which occurred on 09/08/2021 in the vicinity of 2504 Indian Run Rd, Flatwoods, Kentucky 41139.

ITEMS	AMOUNT
Labor	\$475.29
Materials	\$11.17
Equipment	\$583.23
Gas Loss	\$3.10
Contracted Fees	\$0.00
Taxes	\$0.67
TOTAL EXPENSE	\$1,073.46

Notes:

If you have any questions regarding this bill, please contact Nicole Gillette,
Facility Damage Coordinator, at (440)420-2717.



Know what's below.
Call before you dig.

Columbia Gas/NiSource

INVOICE

CLAIM NO.: KY21-1131

JOB ORDER NO.: 21-9384031-00

DATE: November 02, 2021



**Columbia Gas of Kentucky, Inc.
Damage Prevention Support**

3101 N Ridge Road E
Lorain, Ohio 44055

11/02/2021

(440)420-2717

Riverside Rock
195 Argillite Rd
Flatwoods, Kentucky 41139

Re: Our Claim: KY21-1131

Gentlemen,

Enclosed is our damage claim invoice in the amount of \$1,073.46, which is the expense our company incurred as the result of your contact with our facilities, located in the vicinity of 2504 Indian Run Rd, Flatwoods, Kentucky 41139. Our reports indicate that our facilities were damaged on 09/08/2021, due to failure to request a utility locate.

If you have insurance to cover this type of damage claim, please forward the enclosed damage claim invoice and envelope to your insurance carrier for payment. Then please advise our department of your insurance company's name and address so that we can follow the matter to a conclusion. In the event you are not insured, your check, draft or money order in the above amount is hereby requested. To insure proper credit to your account, please remit the top portion of the damage claim invoice, along with your payment, in the enclosed pre-addressed envelope.

If you wish to discuss this matter further, please contact the undersigned.

Sincerely,

Nicole Gillette
Facility Damage Coordinator
ngillette@nisource.com

Enclosure

APPENDIX B

APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE
COMMISSION IN CASE NO. 2023-00172 DATED JUL 25 2023

Information and Instructions for Hearing

You are required to attend a formal hearing with the Kentucky Public Service Commission. Please note the hearing is scheduled in the **Eastern Time Zone**, and the hearing date and time are on the Order that accompanied these instructions.

You are **strongly encouraged** to download the GoToMeeting app now and be ready for your hearing. If you cannot appear via video using this app, at least ten days prior to your scheduled hearing you must call the Commission's offices at the number provided below. You will receive instructions on appearing in person in the Richard Raff Hearing Room of the Commission's offices at 211 Sower Boulevard in Frankfort, Kentucky at the time and date of your scheduled hearing.

Please direct any questions to Andrea Wise, Commission Division of Inspections: Andrea.Wise@ky.gov or 502-782-2656.

To download the GoToMeeting app go to:

<https://global.gotomeeting.com/install/258846301>

On the day of your hearing using your computer, tablet, or video enabled smartphone. **Access the proceeding at:**

<https://meet.goto.com/pscformalhearing/psc-damage-prevention-hearing>

More information about using GoToMeeting can be found at:

GoToMeeting - Attendee Quick Start

<https://www.youtube.com/embed/8VaHHVP0FCU?autoplay=1&showinfo=0&controls=0&rel=0>

GoToMeeting - How to Join a Meeting

https://www.youtube.com/embed/Ojl1q_sPrP0?autoplay=1&showinfo=0&controls=0&rel=0

Technical Requirements for Using GoToMeeting

Operating System:

Windows 7 – Windows 10

Mac OS X 10.9 (Mavericks) – mac OS Big Sur (11)

Linux/Ubuntu (Web App only)

Google Chrome OS (Web App only)

iOS 11 – iOS 13

Android OS 5 (Lollipop) – Android 10

Web Browser: (Applies to Web App only)

Google Chrome v72 or newer

Microsoft Edge v77 or newer

Internet Connection:

Computer: 1 Mbps or better (broadband recommended)

Mobile device and Chromebook: 3G or better (WiFi recommended for VoIP)

Software:

GoToMeeting desktop app (JavaScript enabled)

GoToMeeting app from the Apple Store, Google Play Store, or Windows Store

Hardware:

2GB of RAM (minimum), 4GB or more of RAM (recommended)

Webcam device*

Microphone and speakers** (USB headset recommended)

Mobile Device:

iPhone 5 or newer

iPad 3rd gen or newer

Note: * You MUST have a camera on your device or connected to your device to appear at the hearing.

** Most devices have built-in speakers, but you will get better audio quality while connected via VoIP if you use a headset

APPENDIX C

APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE
COMMISSION IN CASE NO. 2023-00172 DATED JUL 25 2023

EIGHT PAGES TO FOLLOW

ESTADO DE KENTUCKY
ANTE LA COMISIÓN DE SERVICIOS PÚBLICOS

Concerniente:

BLACK STONE PAVING, LLC DBA RIVERSIDE)	
RENTALS AND ROCK)	
_____)	CASO NO.
)	2023-00172
PRESUNTA INFRACCIÓN DE LA LEY DE)	
PREVENCIÓN DE DAÑOS EN INSTALACIONES)	
SUBTERRÁNEAS)	

ORDEN DE INICIACIÓN POR LA PRESUNTA INFRACCIÓN DE TIPO 811 DE LA LEY
DE PREVENCIÓN DE DAÑOS EN INSTALACIONES SUBTERRÁNEAS DE
KENTUCKY

Black Stone Paving, LLC dba Riverside Rentals and Rock (Riverside Rock) ha sido implicado como parte de una investigación ante la Comisión de Servicios Públicos de Kentucky (Comisión) por la presunta infracción de la Ley de Prevención de Daños a Instalaciones Subterráneas de Kentucky (la Ley).² La Comisión, de oficio, considera que la audiencia sobre este asunto previamente programada para el 28 de Julio de 2023 debe reprogramarse para el 27 de Octubre de 2023.

Conforme a la norma KRS 278.495(2), la Comisión tiene jurisdicción para regular la seguridad de las instalaciones de gas natural en Kentucky y para hacer cumplir las normas federales mínimas de seguridad de las tuberías. En virtud de la Ley, la Comisión tiene autoridad para investigar y evaluar las sanciones civiles por cualquier infracción de la Ley que resulte en daños de excavación a una instalación subterránea utilizada para

² KRS 367.4901 a KRS 367.4917.

transportar gas natural o líquidos peligrosos sujetos a las leyes federales de seguridad de tuberías, 49 U.S.C. §. 60101 *et seq.* Toda persona que infrinja cualquier disposición de la Ley está sujeta a la imposición de una sanción civil por un importe de 250 dólares por la primera infracción, no más de 1,000 dólares por la segunda infracción en el plazo de un año, y no más de 3,000 dólares por la tercera infracción y las siguientes. Además, cualquier persona cuya infracción de la ley provoque daños en una instalación subterránea que contenga cualquier material inflamable, tóxico, corrosivo o peligroso, o que provoque la liberación de cualquier material inflamable, tóxico, corrosivo o peligroso, está sujeta a una sanción adicional de hasta 1,000 dólares.

Tras recibir un informe de daños por excavación en su gasoducto subterráneo por parte de un operador, el personal de la Comisión (el Personal) llevó a cabo una investigación y preparó un Informe de Incidentes, cuya copia se adjunta a esta Orden como Apéndice A. En su Informe de Incidentes, el Personal cita a Riverside Rock por la infracción de la siguiente disposición de la Ley:

KRS 367.4911(1)(a) Cada excavador, o persona responsable de una excavación, que planifique un trabajo de excavación o demolición deberá notificar a cada operador afectado sobre el trabajo previsto del excavador y el cronograma de trabajo no menos de dos (2) días hábiles completos ni más de diez (10) días hábiles completos antes de comenzar el trabajo. Hacer contacto con los centros de notificación de protección aplicables satisfará este requisito.

Basándose en su revisión del Informe de Incidentes y estando suficientemente informada, la Comisión encuentra pruebas *prima facie* de que Riverside Rock violó la Ley de Prevención de Daños a Instalaciones Subterráneas. La Comisión considera, además, que debe llevarse a cabo una investigación formal sobre el incidente de los daños causados por la excavación.

POR LO TANTO SE ORDENA que:

1. Riverside Rock deberá presentar a la Comisión una respuesta por escrito a las alegaciones contenidas en el Informe de Incidencia del Personal en un plazo de 20 días a partir de la recepción de esta Orden a través de un correo electrónico enviado a PSCED@ky.gov con el número de caso de este procedimiento en el asunto del mensaje.
2. Se reprograma la audiencia del 28 de Julio de 2023.
3. Riverside Rock comparecerá el 27 de Octubre de 2023, a las 9 a.m. hora del este, en la sala de audiencias Richard Raff de las oficinas de la Comisión en 211 Sower Boulevard en Frankfort, Kentucky, con el fin de presentar pruebas relativas a la supuesta violación de la Ley de Prevención de Daños a Instalaciones Subterráneas.
4. La audiencia Octubre 27, 2023 se llevará a cabo por videoconferencia.
5. Riverside Rock deberá asistir a la audiencia utilizando el siguiente enlace: <https://meet.goto.com/pscformalhearing/psc-damage-prevention-hearing>; la información y las instrucciones se adjuntan a esta Orden como Apéndice B.
6. Riverside Rock notificará a la Comisión, al menos diez días antes de la audiencia, si Riverside Rock no puede comparecer por videoconferencia y, por lo tanto, comparecerá en persona.
7. **Cualquier sociedad, corporación o entidad comercial (incluyendo una sociedad de responsabilidad limitada) debe ser representada por un abogado con licencia para ejercer la abogacía en Kentucky y dicha representación incluye la presentación de documentos y las comparecencias en las audiencias ante la Comisión.**

8. Un individuo puede presentar una respuesta a las alegaciones contenidas en el Informe de Incidentes del Personal sin la representación de un abogado.

9. El Informe de Incidentes del Personal 54018, que se adjunta a esta Orden como Apéndice A, forma parte del expediente de este caso.

10. La audiencia October 27, 2023 se grabará únicamente por vídeo.

11. **Tenga en cuenta que las partes que no comparezcan después de la notificación estarán sujetas a que se asiente una sentencia en rebeldía contra ellos.**

[EL RESTO DE LA PÁGINA SE DEJÓ INTENCIONALMENTE EN BLANCO]

COMISIÓN DE SERVICIOS PÚBLICOS

Presidente

Vicepresidente

Comisionado/a

HACE CONSTAR:

Director/a Ejecutivo/a

APÉNDICE A

APÉNDICE DE UNA ORDEN DE LA COMISIÓN DE SERVICIOS
PÚBLICOS DE KENTUCKY EN EL CASO No. 2023-00172 FECHADO

QUINCE PÁGINAS A SEGUIR

APÉNDICE B

APÉNDICE DE UNA ORDEN DE LA COMISIÓN DE SERVICIOS PÚBLICOS DE KENTUCKY EN EL CASO No. 2023-00172 FECHADO

Información e instrucciones para la audiencia

Se le obliga a asistir a una audiencia formal con la Comisión de Servicios Públicos de Kentucky. Tenga en cuenta que la audiencia está programada en la **huso horario del este**, y que la fecha y la hora de la audiencia figuran en la Orden que acompaña a estas instrucciones.

Se le recomienda encarecidamente que descargue la aplicación GoToMeeting ahora y esté preparado para su audiencia. Si no puede comparecer por vídeo utilizando esta aplicación, debe llamar a las oficinas de la Comisión al número que se indica a continuación al menos diez días antes de la audiencia programada. Recibirá instrucciones para presentarse en persona en la sala de audiencias Richard Raff de las oficinas de la Comisión en el 211 Sower Boulevard en Frankfort, Kentucky, a la hora y fecha de su audiencia programada.

Sírvase dirigir cualquier pregunta a Andrea Wise, División de Inspecciones de la Comisión: Andrea.Wise@ky.gov o 502-782-2656.

Para descargar la aplicación GoToMeeting vaya a:

<https://global.gotomeeting.com/install/258846301>

El día de su audiencia utilizando su computadora, tableta o teléfono inteligente con capacidad de vídeo. **Acceda al procedimiento en:**

<https://meet.goto.com/pscformalhearing/psc-damage-prevention-hearing>

Puede encontrar más información sobre el uso de GoToMeeting en GoToMeeting - Inicio rápido del asistente

<https://www.youtube.com/embed/8VaHHVP0FCU?autoplay=1&showinfo=0&controls=0&rel=0>

GoToMeeting - Cómo unirse a una reunión

https://www.youtube.com/embed/Ojl1q_sPrP0?autoplay=1&showinfo=0&controls=0&rel=0

Requisitos técnicos para utilizar GoToMeeting

Sistema operativo:

Windows 7 – Windows 10
Mac OS X 10.9 (Mavericks) – Mac OS Big Sur (11)
Linux/Ubuntu (sólo aplicación web)
Google Chrome OS (sólo aplicación web)
iOS 11 - iOS 13
Android OS 5 (Lollipop) - Android 10

Navegador web: (Sólo se aplica a la aplicación web)

Google Chrome v72 o más reciente
Microsoft Edge v77 o más reciente

Conexión a Internet:

Computadora: 1 Mbps o superior (se recomienda la banda ancha)
Dispositivo móvil y Chromebook: 3G o superior (se recomienda WiFi para VoIP)

Software:

Aplicación de escritorio de GoToMeeting (con JavaScript activado)
La aplicación GoToMeeting de Apple Store, Google Play Store o Windows Store

Hardware:

2 GB de RAM (mínimo), 4 GB o más de RAM (recomendado)
Dispositivo de cámara web*
Micrófono y altavoces** (se recomiendan auriculares USB)

Dispositivo móvil:

iPhone 5 o más reciente
iPad de 3ª generación o más reciente

Nota: * Para comparecer en la audiencia, ES PRECISO tener una cámara en su dispositivo o conectada a él.

** La mayoría de los dispositivos tienen altavoces incorporados, pero obtendrás una mejor calidad de audio mientras estés conectado por VoIP si utilizas unos auriculares.

Black Stone Paving, LLC dba Riverside Rentals
195 Argillite Road
Flatwoods, KENTUCKY 41139