

Switching model
&
DSL Model

ALLTEL - Switching Cost Worksheet


Company: Jamestown Telephone Company

Office: Bemus Point

Report Printed: 3/19/2002

A Base Model - Bemus Point

- 2,560 Line Modul
- Power
- Modular Main Distribution Frame(MDF)
- Protectors
- Software - Tandem
- LNP Software



Results Reflect


- DMS10: 0
- DMS10 HSO: 0
- DMS10 SSO: 0
- DMS100: 0
- DMS100/200: 0
- DMS500: 0
- DMS RSCS: 1
- DMS OPAC: 0

of Switches: 1

Pair Gain Cos
\$0

B Equipped Lines

- 1,380 Type A Line Cards (NT6x17)
- 159 Type B Line Cards (NT6x18)
- 41 Type C Line Cards (NT6x21)
- 0 Type D Line Cards (NT6x71)
- 0 ISDN - Bri Lines and Software
- 0 ISDN - Pri Lines and Software
- 0 ISDN - Pri Enhanced Lines and Software



C Options

Digital Trunks

- 0 DTC's or DCM's
- 0 DTCL's or DCI's w/ISDN
- 10 DTC/DCM/DTCL/DCI - Ds1 Interface Car



Host Interface (LTC)

- 0 Line Trunk Controllers
- 0 LTC - Ds1 Interface Cards



NGDLC

- 0 SMA Trunks - Proprietary
- 0 SMA Trunks - Generic
- 0 SMA Prop and Gen - Ds1 Interface Cards




TR08 Interface

- 2 Subscriber Carrier Module
- 16 SCM Interface Cards



CCS7 - LPP CCS7

- LPP and/or CCS7 Software/Hardware
- 0 LIU7 Links
- 0 BMC - (140mb)
- 0 ACD/Agent (w/MIS)
- 0 Lines of DTP Datapath + RTU Fee
- 395 Class lines and RTU fee's
- DMS Meridian Digital centre
- 0 STP Links,w/CNAM/DB Startup (hrdw/softw)
- Switched 56
- Call Management Services (LDBS
- Spare Equipmen
- Voicemail with SMD
- Onan Generator/Tank and Pan
- Local Loop Test Equipmen



Subtotal:
 Common:
 Switch Total:

Office: Bemus Point

Identifiable Switch Material (less Power and Common)

Cat2 Factor: 0.00%

Cat3 Factor: 0.00%

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Identifiable Switch Material	[REDACTED]

Joint Equipment Cat 2/3 Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Joint Equipment	[REDACTED]

Common and Power Material Only:

Power Costs (Including Generator Common Costs)	[REDACTED]
Total Power and Common	[REDACTED]

Ratio's for Common Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Common Ratio	[REDACTED]

Switch Elements Detail:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Switch Material Cost	[REDACTED]

Office: Bemus Point

Switch Processor: [REDACTED]
Common/Power/Test [REDACTED]
MDFCost: [REDACTED]
LNPCost: [REDACTED]
Tandem Software: [REDACTED]

Single Line Cards: [REDACTED]
Paystation Line Cards: [REDACTED]
Centrex Line Cards: [REDACTED]
Data Line Cards: [REDACTED]
ISDN Line Cards: [REDACTED]
Host Trunk Controller: [REDACTED]
Host I/F Trunk cards: [REDACTED]
Host I/F Line cards: [REDACTED]
Node I/F Line Cards: [REDACTED]

Pair Gain I/F Line Cards: [REDACTED]

LPP/GCS7 Software: [REDACTED]

A Links: [REDACTED]

Recording Equipment: [REDACTED]

ACD Software: [REDACTED]

DatapathSoftware: [REDACTED]

Datapath Line Cards: [REDACTED]

Class Software: [REDACTED]

CentrexSoftware: [REDACTED]

Business Sets: [REDACTED]

Remote Software [REDACTED]

Bemus Point Total: [REDACTED]

ALLTEL - Switching Cost Worksheet

Company: Jamestown Telephone Company

Office: Clymer

Report Printed: 3/19/2002

A Base Model - Clymer

- 2,560 Line Modul
- Power
- Modular Main Distribution Frame(MDF)
- Protectors
- Software - Tandem
- LNP Software




Results Reflect

- DMS10: 0
- DMS10 HSO: 0
- DMS10 SSO: 0
- DMS100: 0
- DMS100/200: 0
- DMS500: 0
- DMS RSCS: 1
- DMS OPAC: 0

B Equipped Lines

- 586 Type A Line Cards (NT6x17)
- 128 Type B Line Cards (NT6x18)
- 43 Type C Line Cards (NT6x21)
- 0 Type D Line Cards (NT6x71)
- 0 ISDN - Bri Lines and Software
- 0 ISDN - Pri Lines and Software
- 0 ISDN - Pri Enhanced Lines and Software



of Switches: 1

Pair Gain Cos	\$0
---------------	-----

C Options

Digital Trunks

- 0 DTC's or DCM's
- 0 DTCl's or DCI's w/ISDN
- 9 DTC/DCM/DTCl/DCI - Ds1 Interface Car




Host Interface (LTC)

- 0 Line Trunk Controllers
- 0 LTC - Ds1 Interface Cards



NGDLC

- 0 SMA Trunks - Proprietary
- 0 SMA Trunks - Generic
- 0 SMA Prop and Gen - Ds1 Interface Cards




TR08 Interface

- 2 Subscriber Carrier Module
- 14 SCM Interface Cards



CCS7 - LPP CCS7

- LPP and/or CCS7 Software/Hardware
- 0 LIU7 Links
- 0 BMC - (140mb)
- 0 ACD/Agent (w/MIS)
- 0 Lines of DTP Datapath + RTU Fee
- 189 Class lines and RTU fee's
- DMS Meridian Digital centre
- 0 STP Links,w/CNAM/DB Startup (hrdw/softw)
- Switched 56
- Call Management Services (LDBS)
- Spare Equipmen
- Voicemail with SMD
- Onan Generator/Tank and Pan
- Local Loop Test Equipmen



Subtotal:
Common:
Switch Total:



Identifiable Switch Material (less Power and Common)

Cat2 Factor: 0.00%

Cat3 Factor: 0.00%

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Subtotal Identifiable Switch Material	

Joint Equipment Cat 2/3 Allocation:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Subtotal Joint Equipment	

Common and Power Material Only:

Power Costs (Including Generator Common Costs)	
Total Power and Common	

Ratio's for Common Allocation:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Total Common Ratio	

Switch Elements Detail:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Total Switch Material Cost	

Office: Clymer

Switch Processor: [REDACTED]
Common/Power/Test [REDACTED]
MDFCost: [REDACTED]
LNPCost: [REDACTED]
Tandem Software: [REDACTED]

Single Line Cards: [REDACTED]
Paystation Line Cards: [REDACTED]
Centrex Line Cards: [REDACTED]
Data Line Cards: [REDACTED]
ISDN Line Cards: [REDACTED]
Host Trunk Controller: [REDACTED]
Host I/F Trunk cards: [REDACTED]
Host I/F Line cards: [REDACTED]
Node I/F Line Cards: [REDACTED]

Pair Gain I/F Line Cards: [REDACTED]

LPP/CCS7 Software: [REDACTED]
A Links: [REDACTED]

Recording Equipment: [REDACTED]

ACD Software: [REDACTED]

DatapathSoftware: [REDACTED]
Datapath Line Cards: [REDACTED]
Class Software: [REDACTED]
CentrexSoftware: [REDACTED]
Business Sets: [REDACTED]
Remote Software [REDACTED]

Clymer Total: [REDACTED]

ALLTEL - Switching Cost Worksheet


Company: Jamestown Telephone Company

Office: Ellington

Report Printed: 3/19/2002

A Base Model - Ellington

- 1,280 Line Modul
- Power
- Modular Main Distribution Frame(MDF)
- Protectors
- Software - Tandem
- LNP Software




Results Reflect

- DMS10: 0
- DMS10 HSO: 0
- DMS10 SSO: 0
- DMS100: 0
- DMS100/200: 0
- DMS500: 0
- DMS RSCS: 1
- DMS OPAC: 0

B Equipped Lines

- 482 Type A Line Cards (NT6x17)
- 76 Type B Line Cards (NT6x18)
- 7 Type C Line Cards (NT6x21)
- 0 Type D Line Cards (NT6x71)
- 0 ISDN - Bri Lines and Software
- 0 ISDN - Pri Lines and Software
- 0 ISDN - Pri Enhanced Lines and Software



of Switches: 1

Pair Gain Cos

\$0

C Options

Digital Trunks

- 0 DTC's or DCM's
- 0 DTCL's or DCI's w/ISDN
- 9 DTC/DCM/DTCL/DCI - Ds1 Interface Car



Host Interface (LTC)

- 0 Line Trunk Controllers
- 0 LTC - Ds1 Interface Cards



NGDLC

- 0 SMA Trunks - Proprietary
- 0 SMA Trunks - Generic
- 0 SMA Prop and Gen - Ds1 Interface Cards




TR08 Interface

- 1 Subscriber Carrier Module
- 8 SCM Interface Cards



CCS7 - LPP CCS7

- LPP and/or CCS7 Software/Hardware
- 0 LIU7 Links
- 0 BMC - (140mb)
- 0 ACD/Agent (w/MIS)
- 0 Lines of DTP Datapath + RTU Fee
- 141 Class lines and RTU fee's
- DMS Meridian Digital centre
- 0 STP Links,w/CNAM/DB Startup (hrdw/softw)
- Switched 56
- Call Management Services (LDBS)
- Spare Equipmen
- Voicemail with SMD
- Onan Generator/Tank and Pan
- Local Loop Test Equipmen



Subtotal:

Common:

Switch Total:



Identifiable Switch Material (less Power and Common)

Cat2 Factor: 0.00%

Cat3 Factor: 0.00%

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Subtotal Identifiable Switch Material	

Joint Equipment Cat 2/3 Allocation:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Subtotal Joint Equipment	

Common and Power Material Only:

Power Costs (Including Generator Common Costs)	
Total Power and Common	

Ratio's for Common Allocation:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Total Common Ratio	

Switch Elements Detail:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Total Switch Material Cost	

Office: Ellington

Switch Processor:	[REDACTED]
Common/Power/Test	[REDACTED]
MDFCost:	[REDACTED]
LNPCost:	[REDACTED]
Tandem Software:	[REDACTED]
Single Line Cards:	[REDACTED]
Paystation Line Cards:	[REDACTED]
Centrex Line Cards:	[REDACTED]
Data Line Cards:	[REDACTED]
ISDN Line Cards:	[REDACTED]
Host Trunk Controller:	[REDACTED]
Host I/F Trunk cards:	[REDACTED]
Host I/F Line cards:	[REDACTED]
Node I/F Line Cards:	[REDACTED]
Pair Gain I/F Line Cards:	[REDACTED]
LPP/CCS7 Software:	[REDACTED]
A Links:	[REDACTED]
Recording Equipment:	[REDACTED]
ACD Software:	[REDACTED]
DatapathSoftware:	[REDACTED]
Datapath Line Cards:	[REDACTED]
Class Software:	[REDACTED]
CentrexSoftware:	[REDACTED]
Business Sets:	[REDACTED]
Remote Software	[REDACTED]
Ellington Total:	[REDACTED]

ALLTEL - Switching Cost Worksheet


Company: Jamestown Telephone Company

Office: Frewsburg

Report Printed: 3/19/2002

A Base Model - Frewsburg

- 2,560 Line Modul
- Power
- Modular Main Distribution Frame(MDF)
- Protectors
- Software - Tandem
- LNP Software




Results Reflect

- DMS10: 0
- DMS10 HSO: 0
- DMS10 SSO: 0
- DMS100: 0
- DMS100/200: 0
- DMS500: 0
- DMS RSCS: 1
- DMS OPAC: 0

B Equipped Lines

- 1,126 Type A Line Cards (NT6x17)
- 136 Type B Line Cards (NT6x18)
- 91 Type C Line Cards (NT6x21)
- 0 Type D Line Cards (NT6x71)
- 0 ISDN - Bri Lines and Software
- 0 ISDN - Pri Lines and Software
- 0 ISDN - Pri Enhanced Lines and Software



of Switches: 1

Pair Gain Cos

\$0

C Options

Digital Trunks

- 0 DTC's or DCM's
- 0 DTCI's or DCI's w/ISDN
- 9 DTC/DCM/DTCI/DCI - Ds1 Interface Car



Host Interface (LTC)

- 0 Line Trunk Controllers
- 0 LTC - Ds1 Interface Cards



NGDLC

- 0 SMA Trunks - Proprietary
- 0 SMA Trunks - Generic
- 0 SMA Prop and Gen - Ds1 Interface Cards




TR08 Interface

- 2 Subscriber Carrier Module
- 14 SCM Interface Cards



CCS7 - LPP CCS7

- LPP and/or CCS7 Software/Hardware
- 0 LIU7 Links
- 0 BMC - (140mb)
- 0 ACD/Agent (w/MIS)
- 0 Lines of DTP Datapath + RTU Fee
- 338 Class lines and RTU fee's
- DMS Meridian Digital centre
- 0 STP Links,w/CNAM/DB Startup (hrdw/softw)
- Switched 56
- Call Management Services (LDBS
- Spare Equipmen
- Voicemail with SMD
- Onan Generator/Tank and Pan
- Local Loop Test Equipmen



Subtotal:

Common:

Switch Total:



Identifiable Switch Material (less Power and Common)

Cat2 Factor: 0.00%

Cat3 Factor: 0.00%

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Identifiable Switch Material	[REDACTED]

Joint Equipment Cat 2/3 Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Joint Equipment	[REDACTED]

Common and Power Material Only:

Power Costs (Including Generator	[REDACTED]
Common Costs	[REDACTED]
Total Power and Common	[REDACTED]

Ratio's for Common Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Common Ratio	[REDACTED]

Switch Elements Detail:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Switch Material Cost	[REDACTED]

Office: Frewsburg

Switch Processor:	[REDACTED]
Common/Power/Test	[REDACTED]
MDFCost:	[REDACTED]
LNPCost:	[REDACTED]
Tandem Software:	[REDACTED]
Single Line Cards:	[REDACTED]
Paystation Line Cards:	[REDACTED]
Centrex Line Cards:	[REDACTED]
Data Line Cards:	[REDACTED]
ISDN Line Cards:	[REDACTED]
Host Trunk Controller:	[REDACTED]
Host I/F Trunk cards:	[REDACTED]
Host I/F Line cards:	[REDACTED]
Node I/F Line Cards:	[REDACTED]
Pair Gain I/F Line Cards:	[REDACTED]
LPP/CCS7 Software:	[REDACTED]
A Links:	[REDACTED]
Recording Equipment:	[REDACTED]
ACD Software:	[REDACTED]
DatapathSoftware:	[REDACTED]
Datapath Line Cards:	[REDACTED]
Class Software:	[REDACTED]
CentrexSoftware:	[REDACTED]
Business Sets:	[REDACTED]
Remote Software	[REDACTED]
Frewsburg Total:	[REDACTED]

ALLTEL - Switching Cost Worksheet

Company: Jamestown Telephone Company

Office: Gerry

Report Printed: 3/19/2002

A Base Model - Gerry

- 2,560 Line Modul
- Power
- Modular Main Distribution Frame(MDF)
- Protectors
- Software - Tandem
- LNP Software



Results Reflect


- DMS10: 0
- DMS10 HSO: 0
- DMS10 SSO: 0
- DMS100: 0
- DMS100/200: 0
- DMS500: 0
- DMS RSCS: 1
- DMS OPAC: 0

of Switches: 1

Pair Gain Cos	\$0
---------------	-----

B Equipped Lines

- 621 Type A Line Cards (NT6x17)
- 80 Type B Line Cards (NT6x18)
- 56 Type C Line Cards (NT6x21)
- 1 Type D Line Cards (NT6x71)
- 0 ISDN - Bri Lines and Software
- 0 ISDN - Pri Lines and Software
- 0 ISDN - Pri Enhanced Lines and Software



C Options

Digital Trunks

- 0 DTC's or DCM's
- 0 DTCI's or DCI's w/ISDN
- 11 DTC/DCM/DTCI/DCI - Ds1 Interface Car



Host Interface (LTC)

- 0 Line Trunk Controllers
- 0 LTC - Ds1 Interface Cards



NGDLC

- 0 SMA Trunks - Proprietary
- 0 SMA Trunks - Generic
- 0 SMA Prop and Gen - Ds1 Interface Cards




TR08 Interface

- 1 Subscriber Carrier Module
- 8 SCM Interface Cards



CCS7 - LPP CCS7

- LPP and/or CCS7 Software/Hardware
- 0 LIU7 Links
- 0 BMC - (140mb)
- 0 ACD/Agent (w/MIS)
- 0 Lines of DTP Datapath + RTU Fee
- 190 Class lines and RTU fee's
- DMS Meridian Digital centre
- 0 STP Links,w/CNAM/DB Startup (hrdw/softw)
- Switched 56
- Call Management Services (LDBS
- Spare Equipmen
- Voicemail with SMD
- Onan Generator/Tank and Pan
- Local Loop Test Equipmen



Subtotal:

Common:

Switch Total:

Identifiable Switch Material (less Power and Common)

Cat2 Factor: 0.00%

Cat3 Factor: 0.00%

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Subtotal Identifiable Switch Material	

Joint Equipment Cat 2/3 Allocation:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Subtotal Joint Equipment	

Common and Power Material Only:

Power Costs (Including Generator Common Costs)	
Total Power and Common	

Ratio's for Common Allocation:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Total Common Ratio	

Switch Elements Detail:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Total Switch Material Cost	

Office: Gerry

Switch Processor:	[REDACTED]
Common/Power/Test	[REDACTED]
MDFCost:	[REDACTED]
LNPCost:	[REDACTED]
Tandem Software:	[REDACTED]
Single Line Cards:	[REDACTED]
Paystation Line Cards:	[REDACTED]
Centrex Line Cards:	[REDACTED]
Data Line Cards:	[REDACTED]
ISDN Line Cards:	[REDACTED]
Host Trunk Controller:	[REDACTED]
Host I/F Trunk cards:	[REDACTED]
Host I/F Line cards:	[REDACTED]
Node I/F Line Cards:	[REDACTED]
Pair Gain I/F Line Cards:	[REDACTED]
LPP/CCS7 Software:	[REDACTED]
A Links:	[REDACTED]
Recording Equipment:	[REDACTED]
ACD Software:	[REDACTED]
DatapathSoftware:	[REDACTED]
Datapath Line Cards:	[REDACTED]
Class Software:	[REDACTED]
CentrexSoftware:	[REDACTED]
Business Sets:	[REDACTED]
Remote Software	[REDACTED]

Gerry Total: [REDACTED]

ALLTEL - Switching Cost Worksheet

Company: Jamestown Telephone Company

Office: Jamestown

Report Printed: 3/19/2002

A Base Model - Jamestown

- 26,720 Line Modul
- Power
- Modular Main Distribution Frame(MDF)
- Protectors
- Software - Host - Tandem
- LNP Software



Results Reflect


- DMS10: 0
- DMS10 HSO: 0
- DMS10 SSO: 0
- DMS100: 0
- DMS100/200: 1
- DMS500: 0
- DMS RSCS: 1
- DMS OPAC: 0

of Switches: 2

Pair Gain Cos	\$0
---------------	-----

B Equipped Lines

- 14,286 Type A Line Cards (NT6x17)
- 3,756 Type B Line Cards (NT6x18)
- 3,970 Type C Line Cards (NT6x21)
- 96 Type D Line Cards (NT6x71)
- 1 ISDN - Bri Lines and Software
- 0 ISDN - Pri Lines and Software
- 0 ISDN - Pri Enhanced Lines and Software



C Options

Digital Trunks

- 7 DTC's or DCM's
- 3 DTCI's or DCI's w/ISDN
- 87 DTC/DCM/DTCI/DCI - Ds1 Interface Car



Host Interface (LTC)

- 17 Line Trunk Controllers
- 131 LTC - Ds1 Interface Cards



NGDLC

- 0 SMA Trunks - Proprietary
- 0 SMA Trunks - Generic
- 0 SMA Prop and Gen - Ds1 Interface Cards




TR08 Interface

- 9 Subscriber Carrier Module
- 84 SCM Interface Cards



CCS7 - LPP CCS7

- LPP and/or CCS7 Software/Hardware
- 2 LIU7 Links
- 2 BMC - (140mb)
- 0 ACD/Agent (w/MIS)
- 0 Lines of DTP Datapath + RTU Fee
- 5,579 Class lines and RTU fee's
- DMS Meridian Digital centre
- 0 STP Links,w/CNAM/DB Startup (hrdw/softw)
- Switched 56
- Call Management Services (LDBS)
- Spare Equipmen
- Voicemail with SMD
- Onan Generator/Tank and Pan
- Local Loop Test Equipmen



Subtotal:

Common:

Switch Total:

Identifiable Switch Material (less Power and Common)

Cat2 Factor: 0.50%

Cat3 Factor: 99.50%

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Identifiable Switch Material	[REDACTED]

Joint Equipment Cat 2/3 Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Joint Equipment	[REDACTED]

Common and Power Material Only:

Power Costs (Including Generator Common Costs)	[REDACTED]
Total Power and Common	[REDACTED]

Ratio's for Common Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Common Ratio	[REDACTED]

Switch Elements Detail:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Switch Material Cost	[REDACTED]

Office: Jamestown

Switch Processor:
Common/Power/Test
MDFCost:
LNPCost:
Tandem Software:

[REDACTED]

Single Line Cards:
Paystation Line Cards:
Centrex Line Cards:
Data Line Cards:
ISDN Line Cards:
Host Trunk Controller:
Host I/F Trunk cards:
Host I/F Line cards:
Node I/F Line Cards:

[REDACTED]

Pair Gain I/F Line Cards:

[REDACTED]

LPP/CCS7 Software:

[REDACTED]

A Links:

[REDACTED]

Recording Equipment:

[REDACTED]

ACD Software:

[REDACTED]

DatapathSoftware:

[REDACTED]

Datapath Line Cards:

[REDACTED]

Class Software:

[REDACTED]

CentrexSoftware:

[REDACTED]

Business Sets:

[REDACTED]

Remote Software

[REDACTED]

Jamestown Total:

[REDACTED]

ALLTEL - Switching Cost Worksheet

Company: Jamestown Telephone Company

Office: Kennedy

Report Printed: 3/19/2002

A Base Model - Kennedy

- 1,280 Line Modul
- Power
- Modular Main Distribution Frame(MDF)
- Protectors
- Software - Tandem
- LNP Software



Results Reflect


- DMS10: 0
- DMS10 HSO: 0
- DMS10 SSO: 0
- DMS100: 0
- DMS100/200: 0
- DMS500: 0
- DMS RSCS: 1
- DMS OPAC: 0

of Switches: 1

Pair Gain Cos
\$0

B Equipped Lines

- 463 Type A Line Cards (NT6x17)
- 56 Type B Line Cards (NT6x18)
- 10 Type C Line Cards (NT6x21)
- 0 Type D Line Cards (NT6x71)
- 0 ISDN - Bri Lines and Software
- 0 ISDN - Pri Lines and Software
- 0 ISDN - Pri Enhanced Lines and Software



C Options

Digital Trunks

- 0 DTC's or DCM's
- 0 DTCL's or DCI's w/ISDN
- 9 DTC/DCM/DTCL/DCI - Ds1 Interface Car



Host Interface (LTC)

- 0 Line Trunk Controllers
- 0 LTC - Ds1 Interface Cards



NGDLC

- 0 SMA Trunks - Proprietary
- 0 SMA Trunks - Generic
- 0 SMA Prop and Gen - Ds1 Interface Cards




TR08 Interface

- 1 Subscriber Carrier Module
- 6 SCM Interface Cards



CCS7 - LPP CCS7

- LPP and/or CCS7 Software/Hardware
- 0 LIU7 Links
- 0 BMC - (140mb)
- 0 ACD/Agent (w/MIS)
- 0 Lines of DTP Datapath + RTU Fee
- 132 Class lines and RTU fee's
- DMS Meridian Digital centre
- 0 STP Links,w/CNAM/DB Startup (hrdw/softw)
- Switched 56
- Call Management Services (LDBS)
- Spare Equipmen
- Voicemail with SMD
- Onan Generator/Tank and Pan
- Local Loop Test Equipmen



Subtotal:
 Common:
 Switch Total:

Identifiable Switch Material (less Power and Common)

Cat2 Factor: 0.00%

Cat3 Factor: 0.00%

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Identifiable Switch Material	[REDACTED]

Joint Equipment Cat 2/3 Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Joint Equipment	[REDACTED]

Common and Power Material Only:

Power Costs (Including Generator Common Costs)	[REDACTED]
Total Power and Common	[REDACTED]

Ratio's for Common Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Common Ratio	[REDACTED]

Switch Elements Detail:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Switch Material Cost	[REDACTED]

Office: Kennedy

Switch Processor:	[REDACTED]
Common/Power/Test	[REDACTED]
MDFCost:	[REDACTED]
LNPCost:	[REDACTED]
Tandem Software:	[REDACTED]
Single Line Cards:	[REDACTED]
Paystation Line Cards:	[REDACTED]
Centrex Line Cards:	[REDACTED]
Data Line Cards:	[REDACTED]
ISDN Line Cards:	[REDACTED]
Host Trunk Controller:	[REDACTED]
Host I/F Trunk cards:	[REDACTED]
Host I/F Line cards:	[REDACTED]
Node I/F Line Cards:	[REDACTED]
Pair Gain I/F Line Cards:	[REDACTED]
LPP/CCS7 Software:	[REDACTED]
A Links:	[REDACTED]
Recording Equipment:	[REDACTED]
ACD Software:	[REDACTED]
DatapathSoftware:	[REDACTED]
Datapath Line Cards:	[REDACTED]
Class Software:	[REDACTED]
CentrexSoftware:	[REDACTED]
Business Sets:	[REDACTED]
Remote Software	[REDACTED]
Kennedy Total:	[REDACTED]

ALLTEL - Switching Cost Worksheet


Company: Jamestown Telephone Company

Office: Lakewood

Report Printed: 3/19/2002

A Base Model - Lakewood

- 6,400 Line Modul
- Power
- Modular Main Distribution Frame(MDF)
- Protectors
- Software - Tandem
- LNP Software




Results Reflect

- DMS10: 0
- DMS10 HSO: 0
- DMS10 SSO: 0
- DMS100: 0
- DMS100/200: 0
- DMS500: 0
- DMS RSCS: 1
- DMS OPAC: 0

B Equipped Lines

- 2,712 Type A Line Cards (NT6x17)
- 627 Type B Line Cards (NT6x18)
- 242 Type C Line Cards (NT6x21)
- 1 Type D Line Cards (NT6x71)
- 0 ISDN - Bri Lines and Software
- 0 ISDN - Pri Lines and Software
- 0 ISDN - Pri Enhanced Lines and Software




of Switches: 1

Pair Gain Cos	\$0
---------------	-----

C Options

Digital Trunks

- 0 DTC's or DCM's
- 0 DTCL's or DCI's w/ISDN
- 10 DTC/DCM/DTCL/DCI - Ds1 Interface Car



Host Interface (LTC)

- 0 Line Trunk Controllers
- 0 LTC - Ds1 Interface Cards



NGDLC

- 0 SMA Trunks - Proprietary
- 0 SMA Trunks - Generic
- 0 SMA Prop and Gen - Ds1 Interface Cards




TR08 Interface

- 3 Subscriber Carrier Module
- 30 SCM Interface Cards



CCS7 - LPP CCS7

- LPP and/or CCS7 Software/Hardware
- 0 LIU7 Links
- 0 BMC - (140mb)
- 0 ACD/Agent (w/MIS)
- 0 Lines of DTP Datapath + RTU Fee
- 896 Class lines and RTU fee's
- DMS Meridian Digital centre
- 0 STP Links,w/CNAM/DB Startup (hrdw/softw)
- Switched 56
- Call Management Services (LDBS)
- Spare Equipmen
- Voicemail with SMD
- Onan Generator/Tank and Pan
- Local Loop Test Equipmen



Subtotal:
Common:
Switch Total:



Identifiable Switch Material (less Power and Common)

Cat2 Factor: 0.00%

Cat3 Factor: 0.00%

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Subtotal Identifiable Switch Material	

Joint Equipment Cat 2/3 Allocation:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Subtotal Joint Equipment	

Common and Power Material Only:

Power Costs (Including Generator Common Costs	
Total Power and Common	

Ratio's for Common Allocation:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Total Common Ratio	

Switch Elements Detail:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Total Switch Material Cost	

Office: Lakewood

Switch Processor:
Common/Power/Test
MDFCost:
LNPCost:
Tandem Software:

[REDACTED]

Single Line Cards:
Paystation Line Cards:
Centrex Line Cards:
Data Line Cards:
ISDN Line Cards:
Host Trunk Controller:
Host I/F Trunk cards:
Host I/F Line cards:
Node I/F Line Cards:

[REDACTED]

Pair Gain I/F Line Cards:

[REDACTED]

LPP/CCS7 Software:
A Links:

[REDACTED]

Recording Equipment:

[REDACTED]

ACD Software:

[REDACTED]

DatapathSoftware:
Datapath Line Cards:
Class Software:
CentrexSoftware:
Business Sets:
Remote Software

[REDACTED]

Lakewood Total:

[REDACTED]

ALLTEL - Switching Cost Worksheet

Company: Jamestown Telephone Company

Office: Panama

Report Printed: 3/19/2002

A Base Model - Panama

- 2,560 Line Modul
- Power
- Modular Main Distribution Frame(MDF)
- Protectors
- Software - Tandem
- LNP Software

Results Reflect

- DMS10: 0
- DMS10 HSO: 0
- DMS10 SSO: 0
- DMS100: 0
- DMS100/200: 0
- DMS500: 0
- DMS RSCS: 1
- DMS OPAC: 0

of Switches: 1

Pair Gain Cos	\$0
---------------	-----

B Equipped Lines

- 654 Type A Line Cards (NT6x17)
- 70 Type B Line Cards (NT6x18)
- 12 Type C Line Cards (NT6x21)
- 0 Type D Line Cards (NT6x71)
- 0 ISDN - Bri Lines and Software
- 0 ISDN - Pri Lines and Software
- 0 ISDN - Pri Enhanced Lines and Software

C Options

Digital Trunks

- 0 DTC's or DCM's
- 0 DTCl's or DCI's w/ISDN
- 9 DTC/DCM/DTCl/DCI - Ds1 Interface Car

Host Interface (LTC)

- 0 Line Trunk Controllers
- 0 LTC - Ds1 Interface Cards

NGDLC

- 0 SMA Trunks - Proprietary
- 0 SMA Trunks - Generic
- 0 SMA Prop and Gen - Ds1 Interface Cards

TR08 Interface

- 2 Subscriber Carrier Module
- 14 SCM Interface Cards

CCS7 - LPP CCS7

- LPP and/or CCS7 Software/Hardware
- 0 LIU7 Links
- 0 BMC - (140mb)
- 0 ACD/Agent (w/MIS)
- 0 Lines of DTP Datapath + RTU Fee
- 184 Class lines and RTU fee's
- DMS Meridian Digital centre
- 0 STP Links,w/CNAM/DB Startup (hrdw/softw)
- Switched 56
- Call Management Services (LDBS
- Spare Equipmen
- Voicemail with SMD
- Onan Generator/Tank and Pan
- Local Loop Test Equipmen

Subtotal:
Common:
Switch Total:

Identifiable Switch Material (less Power and Common)

Cat2 Factor: 0.00%

Cat3 Factor: 0.00%

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Identifiable Switch Material	[REDACTED]

Joint Equipment Cat 2/3 Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Joint Equipment	[REDACTED]

Common and Power Material Only:

Power Costs (Including Generator Common Costs	[REDACTED]
Total Power and Common	[REDACTED]

Ratio's for Common Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Common Ratio	[REDACTED]

Switch Elements Detail:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Switch Material Cost	[REDACTED]

Office: Panama

Switch Processor:

Common/Power/Test

MDFCost:

LNPCost:

Tandem Software:

Single Line Cards:

Paystation Line Cards:

Centrex Line Cards:

Data Line Cards:

ISDN Line Cards:

Host Trunk Controller:

Host I/F Trunk cards:

Host I/F Line cards:

Node I/F Line Cards:

Pair Gain I/F Line Cards:

LPP/GCS7 Software:

A Links:

Recording Equipment:

ACD Software:

DatapathSoftware:

Datapath Line Cards:

Class Software:

CentrexSoftware:

Business Sets:

Remote Software

Panama Total:

ALLTEL - Switching Cost Worksheet


Company: Jamestown Telephone Company

Office: Randolph

Report Printed: 3/19/2002

A Base Model - Randolph

- 2,560 Line Modul
- Power
- Modular Main Distribution Frame(MDF)
- Protectors
- Software - Tandem
- LNP Software




Results Reflect

- DMS10: 0
- DMS10 HSO: 0
- DMS10 SSO: 0
- DMS100: 0
- DMS100/200: 0
- DMS500: 0
- DMS RSCS: 1
- DMS OPAC: 0

B Equipped Lines

- 1,026 Type A Line Cards (NT6x17)
- 193 Type B Line Cards (NT6x18)
- 48 Type C Line Cards (NT6x21)
- 1 Type D Line Cards (NT6x71)
- 0 ISDN - Bri Lines and Software
- 0 ISDN - Pri Lines and Software
- 0 ISDN - Pri Enhanced Lines and Software



of Switches: 1

Pair Gain Cos	\$0
---------------	-----

C Options

Digital Trunks

- 0 DTC's or DCM's
- 0 DTCL's or DCI's w/ISDN
- 9 DTC/DCM/DTCL/DCI - Ds1 Interface Car




Host Interface (LTC)

- 0 Line Trunk Controllers
- 0 LTC - Ds1 Interface Cards



NGDLC

- 0 SMA Trunks - Proprietary
- 0 SMA Trunks - Generic
- 0 SMA Prop and Gen - Ds1 Interface Cards




TR08 Interface

- 3 Subscriber Carrier Module
- 26 SCM Interface Cards



CCS7 - LPP CCS7

- LPP and/or CCS7 Software/Hardware
- 0 LIU7 Links
- 0 BMC - (140mb)
- 0 ACD/Agent (w/MIS)
- 0 Lines of DTP Datapath + RTU Fee
- 317 Class lines and RTU fee's
- DMS Meridian Digital centre
- 0 STP Links,w/CNAM/DB Startup (hrdw/softw)
- Switched 56
- Call Management Services (LDBS)
- Spare Equipmen
- Voicemail with SMD
- Onan Generator/Tank and Pan
- Local Loop Test Equipmen



Subtotal:

Common:

Switch Total:

Identifiable Switch Material (less Power and Common)

Cat2 Factor: 0.00%

Cat3 Factor: 0.00%

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Subtotal Identifiable Switch Material	

Joint Equipment Cat 2/3 Allocation:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Subtotal Joint Equipment	

Common and Power Material Only:

Power Costs (Including Generator Common Costs)	
Total Power and Common	

Ratio's for Common Allocation:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Total Common Ratio	

Switch Elements Detail:

Switch - Usage Material	
Switch - Port Material	
Switch - Loop Material	
Switch - SS7 Material	
Switch - Tandem Material	
Total Switch Material Cost	

Office: Randolph

Switch Processor:

Common/Power/Test

MDFCost:

LNPCost:

Tandem Software:

Single Line Cards:

Paystation Line Cards:

Centrex Line Cards:

Data Line Cards:

ISDN Line Cards:

Host Trunk Controller:

Host I/F Trunk cards:

Host I/F Line cards:

Node I/F Line Cards:

Pair Gain I/F Line Cards:

LPP/CCS7 Software:

A Links:

Recording Equipment:

ACD Software:

DatapathSoftware:

Datapath Line Cards:

Class Software:

CentrexSoftware:

Business Sets:

Remote Software

Randolph Total:

ALLTEL - Switching Cost Worksheet


Company: Jamestown Telephone Company

Office: Sinclairville

Report Printed: 3/19/2002

A Base Model - Sinclairville

- 2,560 Line Modul
- Power
- Modular Main Distribution Frame(MDF)
- Protectors
- Software - Tandem
- LNP Software




Results Reflect

- DMS10: 0
- DMS10 HSO: 0
- DMS10 SSO: 0
- DMS100: 0
- DMS100/200: 0
- DMS500: 0
- DMS RSCS: 1
- DMS OPAC: 0

B Equipped Lines

- 642 Type A Line Cards (NT6x17)
- 59 Type B Line Cards (NT6x18)
- 17 Type C Line Cards (NT6x21)
- 0 Type D Line Cards (NT6x71)
- 0 ISDN - Bri Lines and Software
- 0 ISDN - Pri Lines and Software
- 0 ISDN - Pri Enhanced Lines and Software



of Switches: 1

Pair Gain Cos	\$0
---------------	-----

C Options

Digital Trunks

- 0 DTC's or DCM's
- 0 DTCL's or DCI's w/ISDN
- 9 DTC/DCM/DTCL/DCI - Ds1 Interface Car



Host Interface (LTC)

- 0 Line Trunk Controllers
- 0 LTC - Ds1 Interface Cards



NGDLC

- 0 SMA Trunks - Proprietary
- 0 SMA Trunks - Generic
- 0 SMA Prop and Gen - Ds1 Interface Cards




TR08 Interface

- 1 Subscriber Carrier Module
- 8 SCM Interface Cards



CCS7 - LPP CCS7

- LPP and/or CCS7 Software/Hardware
- 0 LIU7 Links
- 0 BMC - (140mb)
- 0 ACD/Agent (w/MIS)
- 0 Lines of DTP Datapath + RTU Fee
- 180 Class lines and RTU fee's
- DMS Meridian Digital centre
- 0 STP Links,w/CNAM/DB Startup (hrdw/softw)
- Switched 56
- Call Management Services (LDBS)
- Spare Equipmen
- Voicemail with SMD
- Onan Generator/Tank and Pan
- Local Loop Test Equipmen



Subtotal:
Common:
Switch Total:



Identifiable Switch Material (less Power and Common)

Cat2 Factor: 0.00%

Cat3 Factor: 0.00%

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Identifiable Switch Material	[REDACTED]

Joint Equipment Cat 2/3 Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Joint Equipment	[REDACTED]

Common and Power Material Only:

Power Costs (Including Generator Common Costs	[REDACTED]
Total Power and Common	[REDACTED]

Ratio's for Common Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Common Ratio	[REDACTED]

Switch Elements Detail:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Switch Material Cost	[REDACTED]

Office: Sinclairville

Switch Processor:	[REDACTED]
Common/Power/Test	[REDACTED]
MDFCost:	[REDACTED]
LNPCost:	[REDACTED]
Tandem Software:	[REDACTED]
Single Line Cards:	[REDACTED]
Paystation Line Cards:	[REDACTED]
Centrex Line Cards:	[REDACTED]
Data Line Cards:	[REDACTED]
ISDN Line Cards:	[REDACTED]
Host Trunk Controller:	[REDACTED]
Host I/F Trunk cards:	[REDACTED]
Host I/F Line cards:	[REDACTED]
Node I/F Line Cards:	[REDACTED]
Pair Gain I/F Line Cards:	[REDACTED]
LPP/CCS7 Software:	[REDACTED]
A Links:	[REDACTED]
Recording Equipment:	[REDACTED]
ACD Software:	[REDACTED]
DatapathSoftware:	[REDACTED]
Datapath Line Cards:	[REDACTED]
Class Software:	[REDACTED]
CentrexSoftware:	[REDACTED]
Business Sets:	[REDACTED]
Remote Software	[REDACTED]
Sinclairville Total:	[REDACTED]

ALLTEL - Switching Cost Worksheet


Company: Jamestown Telephone Company

Office: Steamburg

Report Printed: 3/19/2002

A Base Model - Steamburg

- 1,280 Line Modul
- Power
- Modular Main Distribution Frame(MDF)
- Protectors
- Software - Tandem
- LNP Software



Results Reflect


- DMS10: 0
- DMS10 HSO: 0
- DMS10 SSO: 0
- DMS100: 0
- DMS100/200: 0
- DMS500: 0
- DMS RSCS: 1
- DMS OPAC: 0

of Switches: 1

Pair Gain Cos	\$0
---------------	-----

B Equipped Lines


- 237 Type A Line Cards (NT6x17)
- 59 Type B Line Cards (NT6x18)
- 28 Type C Line Cards (NT6x21)
- 0 Type D Line Cards (NT6x71)
- 0 ISDN - Bri Lines and Software
- 0 ISDN - Pri Lines and Software
- 0 ISDN - Pri Enhanced Lines and Software



C Options

Digital Trunks

- 0 DTC's or DCM's
- 0 DTCL's or DCI's w/ISDN
- 9 DTC/DCM/DTCL/DCI - Ds1 Interface Car



Host Interface (LTC)

- 0 Line Trunk Controllers
- 0 LTC - Ds1 Interface Cards



NGDLC

- 0 SMA Trunks - Proprietary
- 0 SMA Trunks - Generic
- 0 SMA Prop and Gen - Ds1 Interface Cards




TR08 Interface

- 1 Subscriber Carrier Module
- 6 SCM Interface Cards



CCS7 - LPP CCS7

- LPP and/or CCS7 Software/Hardware
- 0 LIU7 Links
- 0 BMC - (140mb)
- 0 ACD/Agent (w/MIS)
- 0 Lines of DTP Datapath + RTU Fee
- 81 Class lines and RTU fee's
- DMS Meridian Digital centre
- 0 STP Links,w/CNAM/DB Startup (hrdw/softw)
- Switched 56
- Call Management Services (LDBS)
- Spare Equipmen
- Voicemail with SMD
- Onan Generator/Tank and Pan
- Local Loop Test Equipmen



Subtotal:
Common:
Switch Total:



Identifiable Switch Material (less Power and Common)

Cat2 Factor: 0.00%

Cat3 Factor: 0.00%

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Identifiable Switch Material	[REDACTED]

Joint Equipment Cat 2/3 Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Joint Equipment	[REDACTED]

Common and Power Material Only:

Power Costs (Including Generator Common Costs)	[REDACTED]
Total Power and Common	[REDACTED]

Ratio's for Common Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Common Ratio	[REDACTED]

Switch Elements Detail:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Switch Material Cost	[REDACTED]

Office: Steamburg

Switch Processor:	[REDACTED]
Common/Power/Test	[REDACTED]
MDFCost:	[REDACTED]
LNPCost:	[REDACTED]
Tandem Software:	[REDACTED]
Single Line Cards:	[REDACTED]
Paystation Line Cards:	[REDACTED]
Centrex Line Cards:	[REDACTED]
Data Line Cards:	[REDACTED]
ISDN Line Cards:	[REDACTED]
Host Trunk Controller:	[REDACTED]
Host I/F Trunk cards:	[REDACTED]
Host I/F Line cards:	[REDACTED]
Node I/F Line Cards:	[REDACTED]
Pair Gain I/F Line Cards:	[REDACTED]
LPP/CCS7 Software:	[REDACTED]
A Links:	[REDACTED]
Recording Equipment:	[REDACTED]
ACD Software:	[REDACTED]
DatapathSoftware:	[REDACTED]
Datapath Line Cards:	[REDACTED]
Class Software:	[REDACTED]
CentrexSoftware:	[REDACTED]
Business Sets:	[REDACTED]
Remote Software	[REDACTED]
Steamburg Total:	[REDACTED]

ALLTEL - Switching Cost Worksheet

Company: Jamestown Telephone Company

Office: Stedman

Report Printed: 3/19/2002

A Base Model - Stedman

- 2,560 Line Modul
- Power
- Modular Main Distribution Frame(MDF)
- Protectors
- Software - Tandem
- LNP Software



Results Reflect


- DMS10: 0
- DMS10 HSO: 0
- DMS10 SSO: 0
- DMS100: 0
- DMS100/200: 0
- DMS500: 0
- DMS RSCS: 1
- DMS OPAC: 0

of Switches: 1

Pair Gain Cos	\$0
---------------	-----

B Equipped Lines

- 553 Type A Line Cards (NT6x17)
- 96 Type B Line Cards (NT6x18)
- 98 Type C Line Cards (NT6x21)
- 1 Type D Line Cards (NT6x71)
- 0 ISDN - Bri Lines and Software
- 0 ISDN - Pri Lines and Software
- 0 ISDN - Pri Enhanced Lines and Software



C Options

Digital Trunks

- 0 DTC's or DCM's
- 0 DTCl's or DCI's w/ISDN
- 9 DTC/DCM/DTCl/DCI - Ds1 Interface Car



Host Interface (LTC)

- 0 Line Trunk Controllers
- 0 LTC - Ds1 Interface Cards



NGDLC

- 0 SMA Trunks - Proprietary
- 0 SMA Trunks - Generic
- 0 SMA Prop and Gen - Ds1 Interface Cards




TR08 Interface

- 1 Subscriber Carrier Module
- 6 SCM Interface Cards



CCS7 - LPP CCS7

- LPP and/or CCS7 Software/Hardware
- 0 LIU7 Links
- 0 BMC - (140mb)
- 0 ACD/Agent (w/MIS)
- 0 Lines of DTP Datapath + RTU Fee
- 187 Class lines and RTU fee's
- DMS Meridian Digital centre
- 0 STP Links,w/CNAM/DB Startup (hrdw/softw)
- Switched 56
- Call Management Services (LDBS)
- Spare Equipmen
- Voicemail with SMD
- Onan Generator/Tank and Pan
- Local Loop Test Equipmen



Subtotal:

Common:

Switch Total:

Identifiable Switch Material (less Power and Common)

Cat2 Factor: 0.00%

Cat3 Factor: 0.00%

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Identifiable Switch Material	[REDACTED]

Joint Equipment Cat 2/3 Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Subtotal Joint Equipment	[REDACTED]

Common and Power Material Only:

Power Costs (Including Generator	[REDACTED]
Common Costs	[REDACTED]
Total Power and Common	[REDACTED]

Ratio's for Common Allocation:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Common Ratio	[REDACTED]

Switch Elements Detail:

Switch - Usage Material	[REDACTED]
Switch - Port Material	[REDACTED]
Switch - Loop Material	[REDACTED]
Switch - SS7 Material	[REDACTED]
Switch - Tandem Material	[REDACTED]
Total Switch Material Cost	[REDACTED]

Office: Stedman

Switch Processor: [REDACTED]
Common/Power/Test [REDACTED]
MDFCost: [REDACTED]
LNPCost: [REDACTED]
Tandem Software: [REDACTED]

Single Line Cards: [REDACTED]
Paystation Line Cards: [REDACTED]
Centrex Line Cards: [REDACTED]
Data Line Cards: [REDACTED]
ISDN Line Cards: [REDACTED]
Host Trunk Controller: [REDACTED]
Host I/F Trunk cards: [REDACTED]
Host I/F Line cards: [REDACTED]
Node I/F Line Cards: [REDACTED]

Pair Gain I/F Line Cards: [REDACTED]

LPP/CCS7 Software: [REDACTED]
A Links: [REDACTED]

Recording Equipment: [REDACTED]

ACD Software: [REDACTED]

DatapathSoftware: [REDACTED]
Datapath Line Cards: [REDACTED]
Class Software: [REDACTED]
CentrexSoftware: [REDACTED]
Business Sets: [REDACTED]
Remote Software [REDACTED]

Stedman Total: [REDACTED]

Summary:

	Total	less Feeder	# of Nodes	Extended Cost
Total Estimated Price:				
Wired Lines:	192		192	
Equipped Lines:	132		132	
Price per Wired Line:				
Price per Equipped Line:				

Description	Selections	Price	Comments
-------------	------------	-------	----------

Bay or OSP: Bay Outside Plant Enclosure \$ - Bay assumes 100' cabling

Lines Wired: # CDS ▲ ▼ 2
 # UE ▲ ▼ 0
 Total Lines Wired 192

Lines Equipped: Enter # lines required

POTS (UE9000)	0
UVG-24 (UE9000)	0
SAA-12 (UE9000)	0
POTS (CDS)	132
SAA 2W Station	0
SAA 2W Office	0
4W	
6/8W	

132

\$ -
 \$ -
 \$ -
 \$ -
 \$ -
 \$ -
 \$ -
 \$ -

Topology: ▲ OC-12 Ring IR

 ▼

Transport: # DS1 ▲ ▼ 14
 # DS3 Future addition

FCOT: Yes No

C-Server: Yes No

Nortel Services: Yes No

Estimated Material Price: \$ -
 Late Service Price: \$ -
 Total Estimated Price: \$ -

Summary:	Total	less Feeder	# of Nodes	Extended Cost
Total Estimated Price:	[REDACTED]			
Wired Lines:	96		96	
Equipped Lines:	73		73	
Price per Wired Line:	[REDACTED]			
Price per Equipped Line:	[REDACTED]			

Description	Selections	Price	Comments
Bay or OSP:	<input type="radio"/> Bay <input checked="" type="radio"/> Outside Plant Enclosure	[REDACTED]	Bay assumes 100' cabling
Lines Wired:	# CDS <input type="text" value="0"/> ▲ <input type="text" value="1"/> ▼	1	
	# UE <input type="text" value="0"/> ▲ <input type="text" value="1"/> ▼	0	
Total Lines Wired		96	
Lines Equipped:			
<i>Enter # lines required</i>			
	POTS (UE9000)	<input type="text" value="0"/>	\$ -
	UVG-24 (UE9000)	<input type="text" value="0"/>	\$ -
	SAA-12 (UE9000)	<input type="text" value="0"/>	\$ -
	POTS (CDS)	<input type="text" value="73"/>	[REDACTED]
	SAA 2W Station	<input type="text" value="0"/>	\$ -
	SAA 2W Office	<input type="text" value="0"/>	\$ -
	4W		\$ -
	6/8W		\$ -
Total Lines Equipped		73	
Topology:	<input type="text" value="Copper Fed"/> ▲ <input type="text" value="OC-12 Ring IR"/> <input type="text" value="OC-12 Pt-to-Pt IR"/> <input type="text" value="OC-3 Pt-to-Pt IR"/> ▼	OC-12 Ring IR	[REDACTED]
Transport:	# DS1 <input type="text" value="0"/> ▲ <input type="text" value="14"/> ▼	14	[REDACTED]
	# DS3 <i>Future addition</i>		
FCOT:	<input type="radio"/> Yes <input checked="" type="radio"/> No	\$ -	
C-Server:	<input type="radio"/> Yes <input checked="" type="radio"/> No	\$ -	
Nortel Services:	<input type="radio"/> Yes <input checked="" type="radio"/> No		
Estimated Material Price:		[REDACTED]	
Rate Service Price:		\$ -	
Total Estimated Price:		[REDACTED]	

Summary:	Total	less Feeder	# of Nodes	Extended Cost
Total Estimated Price:	[REDACTED]			
Wired Lines:	96	96		
Equipped Lines:	95	95		
Price per Wired Line:	[REDACTED]			
Price per Equipped Line:	[REDACTED]			

Description	Selections	Price	Comments
-------------	------------	-------	----------

Bay or OSP: Bay Outside Plant Enclosure [REDACTED] Bay assumes 100' cabling

Lines Wired: # CDS ▲ ▼ 1
 # UE ▲ ▼ 0
Total Lines Wired 96

\$ -

Lines Equipped: Enter # lines required

POTS (UE9000)	<input type="text" value="0"/>
UVG-24 (UE9000)	<input type="text" value="0"/>
SAA-12 (UE9000)	<input type="text" value="0"/>
POTS (CDS)	<input type="text" value="95"/>
SAA 2W Station	<input type="text" value="0"/>
SAA 2W Office	<input type="text" value="0"/>
4W	<input type="text" value="0"/>
6/8W	<input type="text" value="0"/>

Total Lines Equipped 95

\$ -
 \$ -
 \$ -
 \$ -
 \$ -
 \$ -
 \$ -

Topology: ▲ OC-12 Ring IR

 ▼

[REDACTED]

Transport: # DS1 ▲ ▼ 14
 # DS3 *Future addition*

[REDACTED]

FCOT: Yes No \$ -

C-Server: Yes No \$ -

Nortel Services: Yes No

Estimated Material Price: [REDACTED]

ate Service Price: \$ -

Total Estimated Price: [REDACTED]

Summary:	Total	less Feeder	# of Nodes	Extended Cost
Total Estimated Price:	[REDACTED]			
Wired Lines:	192	192		
Equipped Lines:	129	129		
Price per Wired Line:	[REDACTED]			
Price per Equipped Line:	[REDACTED]			

Description	Selections	Price	Comments
-------------	------------	-------	----------

Bay or OSP: Bay Outside Plant Enclosure [REDACTED] Bay assumes 100' cabling

Lines Wired: # CDS

1	▲
2	▼

 2
 # UE

0	▲
1	▼

 0
 Total Lines Wired 192

\$ -

Lines Equipped: Enter # lines required
 POTS (UE9000) 0
 UVG-24 (UE9000) 0
 SAA-12 (UE9000) 0
 POTS (CDS) 129
 SAA 2W Station 0
 SAA 2W Office 0
 4W
 6/8W
 Total Lines Equipped 129

\$ -
 \$ -
 \$ -
 \$ -
 \$ -
 \$ -
 \$ -

Topology:

Copper Fed	▲
OC-12 Ring IR	
OC-12 Pt-to-Pt IR	
OC-3 Pt-to-Pt IR	▼

 OC-12 Ring IR

[REDACTED]

Transport: # DS1

0	▲
14	▼

 14
 # DS3 Future addition

[REDACTED]

FCOT: Yes No

\$ -

C-Server: Yes No

\$ -

Nortel Services: Yes No

Estimated Material Price: [REDACTED]

ate Service Price: \$ -

Total Estimated Price: [REDACTED]

erry AccessNodes

Summary:	Total	less Feeder	# of Nodes	Extended Cost
Total Estimated Price:	[REDACTED]			
Wired Lines:	192	192		
Equipped Lines:	127	127		
Price per Wired Line:	[REDACTED]			
Price per Equipped Line:	[REDACTED]			

Description	Selections	Price	Comments
-------------	------------	-------	----------

Bay or OSP: Bay Outside Plant Enclosure [REDACTED] Bay assumes 100' cabling

Lines Wired: # CDS ▲ ▼ 2
 # UE ▲ ▼ 0
 Total Lines Wired 192

\$ -

Lines Equipped: Enter # lines required

POTS (UE9000)	0
UVG-24 (UE9000)	0
SAA-12 (UE9000)	0
POTS (CDS)	127
SAA 2W Station	0
SAA 2W Office	0
4W	
6/8W	
Total Lines Equipped	127

\$ -
\$ -
\$ -
\$ -
\$ -
\$ -
\$ -

Topology: ▲ ▼ OC-12 Ring IR

[REDACTED]

Transport: # DS1 ▲ ▼ 14

[REDACTED]

DS3 Future addition

FCOT: Yes No

\$ -

C-Server: Yes No

\$ -

Nortel Services: Yes No

Estimated Material Price: [REDACTED]

ate Service Price: \$ -

Total Estimated Price: [REDACTED]

ACCESSNODE PRICING TOOL FROM NORTEL
 Jamestown Main AccessNodes

Summary:	Total	less Feeder	# of Nodes	Extended Cost
Total Estimated Price:	[REDACTED]			
Wired Lines:	480	480		
Equipped Lines:	458	458		
Price per Wired Line:	[REDACTED]			
Price per Equipped Line:	[REDACTED]			

Description	Selections	Price	Comments
Bay or OSP:	<input type="radio"/> Bay <input checked="" type="radio"/> Outside Plant Enclosure	[REDACTED]	Bay assumes 100' cabling
Lines Wired:	# CDS <input type="text" value="4"/> ▲ <input type="text" value="5"/> ▼ # UE <input type="text" value="0"/> ▲ <input type="text" value="1"/> ▼	5 0	
Total Lines Wired		480	\$ [REDACTED]
Lines Equipped:	POTS (UE9000) <input type="text" value="0"/> UVG-24 (UE9000) <input type="text" value="0"/> SAA-12 (UE9000) <input type="text" value="0"/> POTS (CDS) <input type="text" value="458"/> SAA 2W Station <input type="text" value="0"/> SAA 2W Office <input type="text" value="0"/> 4W <input type="text" value=""/> 6/8W <input type="text" value=""/>	0 0 0 458 0 0	\$ - \$ - \$ - [REDACTED] \$ - \$ - \$ - \$ -
Enter # lines required		458	
Topology:	<input type="text" value="Copper Fed"/> ▲ <input type="text" value="OC-12 Ring IR"/> <input type="text" value="OC-12 Pt-to-Pt IR"/> <input type="text" value="OC-3 Pt-to-Pt IR"/> ▼	OC-12 Ring IR	[REDACTED]
Transport:	# DS1 <input type="text" value="0"/> ▲ <input type="text" value="14"/> ▼ # DS3 <i>Future addition</i>	14	[REDACTED]
FCOT:	<input type="radio"/> Yes <input checked="" type="radio"/> No	\$ -	
C-Server:	<input type="radio"/> Yes <input checked="" type="radio"/> No	\$ -	
Nortel Services:	<input type="radio"/> Yes <input checked="" type="radio"/> No		
Estimated Material Price:		[REDACTED]	
Rate Service Price:		\$ -	
Total Estimated Price:		[REDACTED]	

ACCESSNODE PRICING TOOL FROM NORTEL
Kennedy AccessNodes

-Version 2

Summary:

	Total	less Feeder	# of Nodes	Extended Cost
Total Estimated Price:				
Wired Lines:	192	192		
Equipped Lines:	119	119		
Price per Wired Line:				
Price per Equipped Line:				

Description	Selections	Price	Comments
-------------	------------	-------	----------

Bay or OSP:

Bay
 Outside Plant Enclosure

Bay assumes 100' cabling

Lines Wired:

CDS ▲ ▼ 2
 # UE ▲ ▼ 0
Total Lines Wired 192

\$ -

Lines Equipped:

Enter # lines required

POTS (UE9000)	0
UVG-24 (UE9000)	0
SAA-12 (UE9000)	0
POTS (CDS)	119
SAA 2W Station	0
SAA 2W Office	0
4W	
6/8W	
Total Lines Equipped	119

\$ -
 \$ -
 \$ -
 \$ -
 \$ -
 \$ -
 \$ -

Topology:

▲ OC-12 Ring IR

 ▼

Transport:

DS1 ▲ ▼ 14
 # DS3 *Future addition*

FCOT:

Yes No

\$ -

C-Server:

Yes No

\$ -

Nortel Services:

Yes No

Estimated Material Price:

ate Service Price:

\$ -

Total Estimated Price:

. ACCESSNODE PRICING TOOL FROM NORTEL
Lakewood AccessNodes

-Version 2

Summary:

	<u>Total</u>	<u>less Feeder</u>	<u># of Nodes</u>	<u>Extended Cost</u>
Total Estimated Price:	[REDACTED]			
Wired Lines:	192	192		
Equipped Lines:	160	160		
Price per Wired Line:	[REDACTED]			
Price per Equipped Line:	[REDACTED]			

Description	Selections	Price	Comments
-------------	------------	-------	----------

Bay or OSP: Bay Outside Plant Enclosure [REDACTED] Bay assumes 100' cabling

Lines Wired:

# CDS	1 ▲	2
	2 ▼	
# UE	0 ▲	0
	1 ▼	
Total Lines Wired		192

\$ [REDACTED]

Lines Equipped:
Enter # lines required

POTS (UE9000)	0	\$	-
UVG-24 (UE9000)	0	\$	-
SAA-12 (UE9000)	0	\$	-
POTS (CDS)	160	[REDACTED]	
SAA 2W Station	0	\$	-
SAA 2W Office	0	\$	-
4W		\$	-
6/8W		\$	-
Total Lines Equipped	160		

Topology: Copper Fed OC-12 Ring IR

OC-12 Ring IR	
OC-12 Pt-to-Pt IR	
OC-3 Pt-to-Pt IR	

[REDACTED]

Transport:

# DS1	0 ▲	14
	14 ▼	
# DS3		<i>Future addition</i>

[REDACTED]

FCOT: Yes No

\$ -

C-Server: Yes No

\$ -

Nortel Services: Yes No

Estimated Material Price: [REDACTED]

Rate Service Price: \$ -

Total Estimated Price: [REDACTED]

ACCESSNODE PRICING TOOL FROM NORTEL
Panama AccessNodes

-Version 2

Summary:

	Total	less Feeder	# of Nodes	Extended Cost
Total Estimated Price:	[REDACTED]			
Wired Lines:	96		96	
Equipped Lines:	72		72	
Price per Wired Line:	[REDACTED]			
Price per Equipped Line:	[REDACTED]			

Description	Selections	Price	Comments
-------------	------------	-------	----------

Bay or OSP: Bay Outside Plant Enclosure [REDACTED] Bay assumes 100' cabling

Lines Wired: # CDS ▲ ▼ 1
UE ▲ ▼ 0
Total Lines Wired 96

\$ [REDACTED]

Lines Equipped: Enter # lines required
POTS (UE9000) 0
UVG-24 (UE9000) 0
SAA-12 (UE9000) 0
POTS (CDS) 72
SAA 2W Station 0
SAA 2W Office 0
4W
6/8W
Total Lines Equipped 72

\$ -
\$ -
\$ -
\$ -
\$ -
\$ -
\$ -
\$ -

Topology: ▲ OC-12 Ring IR

 ▼

[REDACTED]

Transport: # DS1 ▲ ▼ 14
DS3 Future addition

[REDACTED]

FCOT: Yes No \$ -

C-Server: Yes No \$ -

Nortel Services: Yes No

Estimated Material Price: [REDACTED]

Rate Service Price: \$ -

Total Estimated Price: [REDACTED]

Summary:

	Total	less Feeder	# of Nodes	Extended Cost
Total Estimated Price:	[REDACTED]			
Wired Lines:	96		96	
Equipped Lines:	65		65	
Price per Wired Line:	[REDACTED]			
Price per Equipped Line:	[REDACTED]			

Description	Selections	Price	Comments
-------------	------------	-------	----------

Bay or OSP:

Bay Outside Plant Enclosure

[REDACTED] Bay assumes 100' cabling

Lines Wired:

# CDS	0 ▲ 1 ▼	1
# UE	0 ▲ 1 ▼	0
Total Lines Wired		96

\$ [REDACTED]

Lines Equipped:

Enter # lines required

POTS (UE9000)	0
UVG-24 (UE9000)	0
SAA-12 (UE9000)	0
POTS (CDS)	65
SAA 2W Station	0
SAA 2W Office	0
4W	
6/8W	
Total Lines Equipped	65

\$ -
\$ -
\$ -
\$ -
\$ -
\$ -
\$ -
\$ -

Topology:

Copper Fed ▲ OC-12 Ring IR
 OC-12 Ring IR
 OC-12 Pt-to-Pt IR
 OC-3 Pt-to-Pt IR ▼

[REDACTED]

Transport:

# DS1	0 ▲ 14 ▼	14
# DS3		<i>Future addition</i>

[REDACTED]

FCOT:

Yes No

\$ -

C-Server:

Yes No

\$ -

Nortel Services:

Yes No

Estimated Material Price:

[REDACTED]

Rate Service Price:

\$ -

Total Estimated Price:

[REDACTED]

ACCESSNODE PRICING TOOL FROM NORTEL
Sinclairville AccessNodes

-Version 2

Summary:

	<u>Total</u>	<u>less Feeder</u>	<u># of Nodes</u>	<u>Extended Cost</u>
Total Estimated Price:				
Wired Lines:	192	192		
Equipped Lines:	121	121		
Price per Wired Line:				
Price per Equipped Line:				

Description	Selections	Price	Comments
-------------	------------	-------	----------

Bay or OSP: Bay Outside Plant Enclosure \$ - Bay assumes 100' cabling

Lines Wired:

# CDS	1 ▲	2
	2 ▼	
# UE	0 ▲	0
	1 ▼	
Total Lines Wired		192

\$ -

Lines Equipped:
Enter # lines required

POTS (UE9000)	0	\$ -
UVG-24 (UE9000)	0	\$ -
SAA-12 (UE9000)	0	\$ -
POTS (CDS)	121	\$ -
SAA 2W Station	0	\$ -
SAA 2W Office	0	\$ -
4W		\$ -
6/8W		\$ -
Total Lines Equipped	121	

\$ -
 \$ -
 \$ -
 \$ -
 \$ -
 \$ -
 \$ -

Topology: Copper Fed OC-12 Ring IR

OC-12 Ring IR

OC-12 Pt-to-Pt IR

OC-3 Pt-to-Pt IR

\$ -

Transport: # DS1 0 ▲ 14 ▼

DS3 *Future addition*

\$ -

FCOT: Yes No

\$ -

C-Server: Yes No

\$ -

Nortel Services: Yes No

Estimated Material Price: \$ -

ate Service Price: \$ -

Total Estimated Price: \$ -

Summary:

	Total	less Feeder	# of Nodes	Extended Cost
Total Estimated Price:	[REDACTED]			
Wired Lines:	96		96	
Equipped Lines:	73		73	
Price per Wired Line:	[REDACTED]			
Price per Equipped Line:	[REDACTED]			

Description	Selections	Price	Comments
-------------	------------	-------	----------

Bay or OSP:

Bay
 Outside Plant Enclosure

[REDACTED] Bay assumes 100' cabling

Lines Wired:

CDS ▲ ▼ 1
 # UE ▲ ▼ 0

Total Lines Wired

96

\$ [REDACTED]

Lines Equipped:

Enter # lines required

POTS (UE9000)	0
UVG-24 (UE9000)	0
SAA-12 (UE9000)	0
POTS (CDS)	73
SAA 2W Station	0
SAA 2W Office	0
4W	
6/8W	
Total	73

\$ -
 \$ -
 \$ -
 \$ -
 \$ -
 \$ -
 \$ -

Total Lines Equipped

Topology:

Copper Fed ▲
 OC-12 Ring IR
 OC-12 Pt-to-Pt IR
 OC-3 Pt-to-Pt IR ▼

OC-12 Ring IR

[REDACTED]

Transport:

DS1 ▲ ▼ 14

[REDACTED]

DS3 Future addition

FCOT:

Yes
 No

\$ -

C-Server:

Yes
 No

\$ -

Nortel Services:

Yes
 No

Estimated Material Price:

[REDACTED]

Rate Service Price:

\$ -

Total Estimated Price:

[REDACTED]

Summary:	Total	less Feeder	# of Nodes	Extended Cost
Total Estimated Price:	[REDACTED]			
Wired Lines:	192	192		
Equipped Lines:	167	167		
Price per Wired Line:	[REDACTED]			
Price per Equipped Line:	[REDACTED]			

Description	Selections	Price	Comments
-------------	------------	-------	----------

Bay or OSP: Bay Outside Plant Enclosure [REDACTED] Bay assumes 100' cabling

Lines Wired: # CDS

1	▲
2	▼

 2
 # UE

0	▲
1	▼

 0
 Total Lines Wired 192

\$ [REDACTED]

Lines Equipped: Enter # lines required

POTS (UE9000)	0
UVG-24 (UE9000)	0
SAA-12 (UE9000)	0
POTS (CDS)	167
SAA 2W Station	0
SAA 2W Office	0
4W	
6/8W	
Total Lines Equipped	167

\$ -
\$ -
\$ -
[REDACTED]
\$ -
\$ -
\$ -
\$ -

Topology:

Copper Fed	▲
OC-12 Ring IR	
OC-12 Pt-to-Pt IR	
OC-3 Pt-to-Pt IR	▼

 OC-12 Ring IR

[REDACTED]

Transport: # DS1

0	▲
14	▼

 14

[REDACTED]

DS3 Future addition

FCOT: Yes No

\$ -

C-Server: Yes No

\$ -

Nortel Services: Yes No

Estimated Material Price: [REDACTED]

Rate Service Price: \$ -

Total Estimated Price: [REDACTED]

Jamestown 026

3/19/2002

Exchange	Switch Port Switching	Plus Line Cards from concentrators	Adj. Switch Port Switching	End Office Switching	Plus LNP Software	Adj. End Office Switching
Bemus Point						
Clymer						
Ellington						
Frewsburg						
Gerry						
Jamestown						
Kennedy						
Lakewood						
Panama						
Randolph						
Sinclairville						
Steamburg						
Stedman						
Total	1,085,410.00	1,845,850 check	2,931,260 2,931,260	11,109,336.00	75,111 check	11,184,447 11,184,447

Jamestown New York Loop Study
Total AccessNodes
1/16/2001

Exchange	a AN Qty	b AN Extended Cost	c Line Card Inv. per Accessnode	d Less Line Cards moved to sw. port c * a	e Adjusted Concentrators b - d
Bemus Point	8				
Clymer	7				
Ellington	4				
Frewsburg	7				
Gerry	4				
Jamestown Main	42				
Kennedy	3				
Lakewood	15				
Panama	7				
Randolph	13				
Sinclairville	4				
Steamburg	3				
Stedman	3				
Total	120				

Local Loops, Terms, Trunks
&
Fiber Equipment

Lot 1/23/01

Electronic data

Study Date: 08/2000

Tuesday, January 23, 2001

26 - Bemus Point

Host: Jamestown

<u>Add Switching</u>	<u>Common Toll</u>	<u>Dedicated Toll</u>	<u>Tandem</u>	<u>Eas</u>
<i>Trunks</i>	0	0	0	0
	91.82%	8.18%		

<u>Loops</u>	<u>Pots</u>	<u>Analog</u>		<u>Digital</u>		<u>ISDN</u>		<u>DS3</u>	<u>DS1</u>	<u>DS0</u>
		<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>			
<i>Local Loops</i>	2,232	17	8	0	4	3	0	0	1	0
<i>Local Loop Length's</i>	6,649	6,797	8,676	0	11,420	8,651	5,606	0	8,232	8,230
<i>IX Loops</i>	<u>DS3:</u>	<u>DS1:</u>	<u>DS0:</u>							
	0	1	43							

<u>IX Terms</u>	<u>OC48</u>	<u>OC12</u>	<u>OC03</u>	<u>STS1</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>	<u>Fiber Equip. \$</u>
<i>IX Fiber Facilities</i>	0	0	1	0	2	19	43	\$68,629
<i>Loop Fiber Facilities</i>					0	33	29	\$47,881

6 - Clymer

Host: Jamestown

<u>Add Switching</u>	<u>Common Toll</u>	<u>Dedicated Toll</u>	<u>Tandem</u>	<u>Eas</u>
<i>Trunks</i>	0	0	0	0
	91.82%	8.18%		

<u>Loops</u>	<u>Pots</u>	<u>Analog</u>		<u>Digital</u>		<u>ISDN</u>		<u>DS3</u>	<u>DS1</u>	<u>DS0</u>
		<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>			
<i>Local Loops</i>	1,128	3	3	0	4	0	0	0	1	0
<i>Local Loop Length's</i>	6,649	6,797	8,676	0	11,420	8,651	5,606	0	8,232	8,230
<i>IX Loops</i>	<u>DS3:</u>	<u>DS1:</u>	<u>DS0:</u>							
	0	1	10							

<u>IX Terms</u>	<u>OC48</u>	<u>OC12</u>	<u>OC03</u>	<u>STS1</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>	<u>Fiber Equip. \$</u>
<i>IX Fiber Facilities</i>	0	0	0	0	2	18	10	\$36,096
<i>Loop Fiber Facilities</i>					0	29	10	\$32,686

26 - Ellington

Host: Jamestown

<u>Add Switching</u>		<u>Common Toll</u>		<u>Dedicated Toll</u>		<u>Tandem</u>		<u>Eas</u>		
<i>Trunks</i>		0		0		0		0		
		91.82%		8.18%						
<u>Loops</u>		<u>Analog</u>		<u>Digital</u>		<u>ISDN</u>				
	<u>Pots</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>
<i>Local Loops</i>	870	7	3	0	2	0	0	0	0	0
<i>Local Loop Length's</i>	6,649	6,797	8,676	0	11,420	8,651	5,606	0	8,232	8,230
	<u>DS3:</u>	<u>DS1:</u>	<u>DS0:</u>							
<i>IX Loops</i>	0	0	9							
<u>IX Terms</u>	<u>OC48</u>	<u>OC12</u>	<u>OC03</u>	<u>STS1</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>	<u>Fiber Equip. \$</u>		
<i>IX Fiber Facilities</i>	0	0	0	0	1	17	9	\$27,818		
<i>Loop Fiber Facilities</i>					0	16	12	\$21,965		

26 - Frewsburg

Host: Jamestown

<u>Add Switching</u>		<u>Common Toll</u>		<u>Dedicated Toll</u>		<u>Tandem</u>		<u>Eas</u>		
<i>Trunks</i>		0		0		0		0		
		91.82%		8.18%						
<u>Loops</u>		<u>Analog</u>		<u>Digital</u>		<u>ISDN</u>				
	<u>Pots</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>
<i>Local Loops</i>	2,190	7	6	0	3	1	0	0	1	0
<i>Local Loop Length's</i>	6,649	6,797	8,676	0	11,420	8,651	5,606	0	8,232	8,230
	<u>DS3:</u>	<u>DS1:</u>	<u>DS0:</u>							
<i>IX Loops</i>	0	1	16							
<u>IX Terms</u>	<u>OC48</u>	<u>OC12</u>	<u>OC03</u>	<u>STS1</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>	<u>Fiber Equip. \$</u>		
<i>IX Fiber Facilities</i>	0	0	1	0	2	18	16	\$51,337		
<i>Loop Fiber Facilities</i>					0	29	17	\$36,931		

26 - Gerry

Host: Jamestown

<u>Add Switching</u>		<u>Common Toll</u>		<u>Dedicated Toll</u>		<u>Tandem</u>		<u>Eas</u>		
<i>Trunks</i>		0		0		0		0		
		91.82%		8.18%						
<u>Loops</u>		<u>Analog</u>		<u>Digital</u>		<u>ISDN</u>				
	<u>Pots</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>
<i>Local Loops</i>	995	11	2	0	3	2	0	0	0	0
<i>Local Loop Length's</i>	6,649	6,797	8,676	0	11,420	8,651	5,606	0	8,232	8,230
	<u>DS3:</u>	<u>DS1:</u>	<u>DS0:</u>							
<i>IX Loops</i>	0	0	19							
<u>IX Terms</u>	<u>OC48</u>	<u>OC12</u>	<u>OC03</u>	<u>STS1</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>	<u>Fiber Equip. \$</u>		
<i>IX Fiber Facilities</i>	0	0	0	0	2	17	19	\$40,636		
<i>Loop Fiber Facilities</i>					0	16	21	\$27,423		

26 - Jamestown

<u>Add Switching</u>		<u>Common Toll</u>		<u>Dedicated Toll</u>		<u>Tandem</u>		<u>Eas</u>		
<i>Trunks</i>		2,550		227		1,885		183		
		91.83%		8.17%						
<u>Loops</u>		<u>Analog</u>		<u>Digital</u>		<u>ISDN</u>				
	<u>Pots</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>
<i>Local Loops</i>	30,909	629	173	0	245	53	9	0	157	0
<i>Local Loop Length's</i>	6,649	6,797	8,676	0	11,420	8,651	5,606	0	8,232	8,230
	<u>DS3:</u>	<u>DS1:</u>	<u>DS0:</u>							
<i>IX Loops</i>	0	106	1,149							
<u>IX Terms</u>	<u>OC48</u>	<u>OC12</u>	<u>OC03</u>	<u>STS1</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>	<u>Fiber Equip. \$</u>		
<i>IX Fiber Facilities</i>	3	1	3	0	48	619	1,149	\$1,887,050		
<i>Loop Fiber Facilities</i>					0	325	1,218	\$1,036,994		

26 - Kennedy

Host: Jamestown

<u>Add Switching</u>	<u>Common Toll</u>	<u>Dedicated Toll</u>	<u>Tandem</u>	<u>Eas</u>						
<i>Trunks</i>	0	0	0	0						
	91.82%	8.18%								
<u>Loops</u>	<u>Analog</u>		<u>Digital</u>		<u>ISDN</u>					
	<u>Pots</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>
<i>Local Loops</i>	778	5	2	0	1	0	0	0	0	0
<i>Local Loop Length's</i>	6,649	6,797	8,676	0	11,420	8,651	5,606	0	8,232	8,230
	<u>DS3:</u>	<u>DS1:</u>	<u>DS0:</u>							
<i>IX Loops</i>	0	0	9							
<u>IX Terms</u>	<u>OC48</u>	<u>OC12</u>	<u>OC03</u>	<u>STS1</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>	<u>Fiber Equip. \$</u>		
<i>IX Fiber Facilities</i>	2	0	1	0	5	17	9	\$216,369		
<i>Loop Fiber Facilities</i>					0	12	8	\$15,868		

26 - Lakewood

Host: Jamestown

<u>Add Switching</u>	<u>Common Toll</u>	<u>Dedicated Toll</u>	<u>Tandem</u>	<u>Eas</u>						
<i>Trunks</i>	0	12	0	0						
	91.82%	8.18%								
<u>Loops</u>	<u>Analog</u>		<u>Digital</u>		<u>ISDN</u>					
	<u>Pots</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>
<i>Local Loops</i>	4,786	33	20	0	27	2	0	0	7	0
<i>Local Loop Length's</i>	6,649	6,797	8,676	0	11,420	8,651	5,606	0	8,232	8,230
	<u>DS3:</u>	<u>DS1:</u>	<u>DS0:</u>							
<i>IX Loops</i>	0	7	66							
<u>IX Terms</u>	<u>OC48</u>	<u>OC12</u>	<u>OC03</u>	<u>STS1</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>	<u>Fiber Equip. \$</u>		
<i>IX Fiber Facilities</i>	0	0	2	0	10	27	66	\$155,096		
<i>Loop Fiber Facilities</i>					0	67	82	\$111,234		

26 - Panama

Host: Jamestown

<u>Add Switching</u>	<u>Common Toll</u>	<u>Dedicated Toll</u>	<u>Tandem</u>	<u>Eas</u>						
<i>Trunks</i>	0	0	0	0						
	91.82%	8.18%								
<u>Loops</u>	<u>Analog</u>		<u>Digital</u>		<u>ISDN</u>					
	<u>Pots</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>
<i>Local Loops</i>	1,138	4	0	0	0	0	0	0	1	0
<i>Local Loop Length's</i>	6,649	6,797	8,676	0	11,420	8,651	5,606	0	8,232	8,230
	<u>DS3:</u>	<u>DS1:</u>	<u>DS0:</u>							
<i>IX Loops</i>	0	1	4							
<u>IX Terms</u>	<u>OC48</u>	<u>OC12</u>	<u>OC03</u>	<u>STS1</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>	<u>Fiber Equip. \$</u>		
<i>IX Fiber Facilities</i>	0	0	1	0	3	18	4	\$50,814		
<i>Loop Fiber Facilities</i>					0	29	4	\$29,048		

26 - Randolph

Host: Jamestown

<u>Add Switching</u>	<u>Common Toll</u>	<u>Dedicated Toll</u>	<u>Tandem</u>	<u>Eas</u>						
<i>Trunks</i>	0	0	0	0						
	91.82%	8.18%								
<u>Loops</u>	<u>Analog</u>		<u>Digital</u>		<u>ISDN</u>					
	<u>Pots</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>
<i>Local Loops</i>	1,928	19	5	0	10	1	0	0	3	0
<i>Local Loop Length's</i>	6,649	6,797	8,676	0	11,420	8,651	5,606	0	8,232	8,230
	<u>DS3:</u>	<u>DS1:</u>	<u>DS0:</u>							
<i>IX Loops</i>	0	3	25							
<u>IX Terms</u>	<u>OC48</u>	<u>OC12</u>	<u>OC03</u>	<u>STS1</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>	<u>Fiber Equip. \$</u>		
<i>IX Fiber Facilities</i>	2	0	1	0	3	21	25	\$216,236		
<i>Loop Fiber Facilities</i>					0	55	35	\$71,715		

26 - Sinclairville

Host: Jamestown

<u>Add Switching</u>	<u>Common Toll</u>	<u>Dedicated Toll</u>	<u>Tandem</u>	<u>Eas</u>						
<i>Trunks</i>	0	0	0	0						
	91.82%	8.18%								
<hr/>										
<u>Loops</u>	<u>Analog</u>			<u>Digital</u>		<u>ISDN</u>				
	<u>Pots</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>
<i>Local Loops</i>	1,099	5	0	0	3	0	0	0	0	4
<i>Local Loop Length's</i>	6,649	6,797	8,676	0	11,420	8,651	5,606	0	8,232	8,230
	<u>DS3:</u>	<u>DS1:</u>	<u>DS0:</u>							
<i>IX Loops</i>	0	0	8							
<hr/>										
<u>IX Terms</u>	<u>OC48</u>	<u>OC12</u>	<u>OC03</u>	<u>STS1</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>	<u>Fiber Equip. \$</u>		
<i>IX Fiber Facilities</i>	0	0	0	0	1	17	8	\$27,212		
<i>Loop Fiber Facilities</i>					0	16	8	\$19,540		

26 - Steamburg

Host: Jamestown

<u>Add Switching</u>	<u>Common Toll</u>	<u>Dedicated Toll</u>	<u>Tandem</u>	<u>Eas</u>						
<i>Trunks</i>	0	0	0	0						
	91.82%	8.18%								
<hr/>										
<u>Loops</u>	<u>Analog</u>			<u>Digital</u>		<u>ISDN</u>				
	<u>Pots</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>
<i>Local Loops</i>	516	13	3	0	2	0	0	0	1	0
<i>Local Loop Length's</i>	6,649	6,797	8,676	0	11,420	8,651	5,606	0	8,232	8,230
	<u>DS3:</u>	<u>DS1:</u>	<u>DS0:</u>							
<i>IX Loops</i>	0	2	10							
<hr/>										
<u>IX Terms</u>	<u>OC48</u>	<u>OC12</u>	<u>OC03</u>	<u>STS1</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>	<u>Fiber Equip. \$</u>		
<i>IX Fiber Facilities</i>	0	0	1	0	2	19	10	\$48,616		
<i>Loop Fiber Facilities</i>					0	14	19	\$24,374		

26 - Stedman

Host: Jamestown

<u>Add Switching</u>	<u>Common Toll</u>	<u>Dedicated Toll</u>	<u>Tandem</u>	<u>Eas</u>
<i>Trunks</i>	0 91.82%	0 8.18%	0	0

<u>Loops</u>	<u>Pots</u>	<u>Analog</u>		<u>Digital</u>		<u>ISDN</u>		<u>DS3</u>	<u>DS1</u>	<u>DS0</u>
		<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>	<u>2-wire</u>	<u>4-wire</u>			
<i>Local Loops</i>	1,165	9	5	0	1	1	0	0	2	0
<i>Local Loop Length's</i>	6,649	6,797	8,676	0	11,420	8,651	5,606	0	8,232	8,230
<i>IX Loops</i>	<u>DS3:</u> 0	<u>DS1:</u> 3	<u>DS0:</u> 30							

<u>IX Terms</u>	<u>OC48</u>	<u>OC12</u>	<u>OC03</u>	<u>STS1</u>	<u>DS3</u>	<u>DS1</u>	<u>DS0</u>	<u>Fiber Equip. \$</u>
<i>IX Fiber Facilities</i>	0	0	1	0	2	21	30	\$62,581
<i>Loop Fiber Facilities</i>					0	15	18	\$24,686

Loop Summary Table Report

Wednesday, January 17, 2001

**Company
Number**

Quantity

26

Bemus Point

IX

2-wire Analog	17
4-wire Analog	8
4-wire Digital	4
4-wire DS-1	1
2-wire ISDN	3

Total: 33

Clymer

IX

2-wire Analog	3
4-wire Analog	3
4-wire Digital	4
4-wire DS-1	1

Total: 11

Ellington

IX

2-wire Analog	7
4-wire Analog	3
4-wire Digital	2

Total: 12

<i>Company Number</i>	<i>Quantity</i>
---------------------------	-----------------

Frewsburg

IX	
2-wire Analog	7
4-wire Analog	6
4-wire Digital	3
4-wire DS-1	1
2-wire ISDN	1
Total:	18

Gerry

IX	
2-wire Analog	11
4-wire Analog	2
4-wire Digital	3
2-wire ISDN	2
Total:	18

Jamestown

IX	
2-wire Analog	629
4-wire Analog	173
4-wire Digital	245
4-wire DS-1	157
2-wire ISDN	53
4-wire ISDN	9
Total:	1,266

<i>Company Number</i>	<i>Quantity</i>
Kennedy	
IX	
2-wire Analog	5
4-wire Analog	2
4-wire Digital	1
<i>Total:</i>	8
Lakewood	
IX	
2-wire Analog	33
4-wire Analog	20
4-wire Digital	27
4-wire DS-1	7
2-wire ISDN	2
<i>Total:</i>	89
Panama	
IX	
2-wire Analog	4
4-wire DS-1	1
<i>Total:</i>	5
Randolph	
IX	
2-wire Analog	19
4-wire Analog	5
4-wire Digital	10
4-wire DS-1	3
2-wire ISDN	1
<i>Total:</i>	38

**Company
Number**

Quantity

Sinclairville

IX

2-wire Analog	5
4-wire Digital	3
<i>Total:</i>	8

Local

Local DS0	4
<i>Total:</i>	4

Steamburg

IX

2-wire Analog	13
4-wire Analog	3
4-wire Digital	2
4-wire DS-1	1
<i>Total:</i>	19

Stedman

IX

2-wire Analog	9
4-wire Analog	5
4-wire Digital	1
4-wire DS-1	2
2-wire ISDN	1
<i>Total:</i>	18

Study Total: 1,547



<-----Private Line----->

Channels
in use

Other

Local

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

STRA

System

Mixed

Toll Trunks? Eas

Toll Mixed Eas P.L. Other
Total number of channels : 4,673 211 192 952 36

Note : H/R Links and HC Systems are not included !
Mixed trunks are type "TE" trunks.

less local 114

TELRIC P.L. Total 838

Dedicated IXC Channels:	238	0	0
ALLTEL Tandem Channels:	1,835	140	0
Common Transport Channels:	2,600	71	192

5,076

Jurisdictional splits	
1	412
2	126
3	0
4	71
Local 5	114
6	228
0	1

227	
1,752	134
2,482	68
	183

4,846 ← # from original study
used 1/17/01 Trunks to
allocate original study
Total

BR

Exchange	Loop	2-wire	4-wire	DS-1	ISDN	Average Length
James†	2-wire	1.000	1.877	0.200	19.012	4.885
James†	4-wire	19.788	3.967	12.447	0.836	23.502
James†	4-wire	6.922	0.625	9.153	3.715	6.842
James†	4-wire	0.789	5.241	0.839	1.041	6.840
James†	2-wire	8.623	1.283		1.041	7.573
James†	4-wire				17.088	5.276
James†						5.606

Exchange	Loop	2-wire	4-wire	DS-1	ISDN	Average Length
James†	2-wire	1.224	5.929	2.512	11.921	1.100
James†	4-wire		7.653	7.944	15.095	12.194
James†	4-wire		9.965	3.313	6.575	7.470
James†	4-wire		10.461	3.269	35.647	6.360
James†	2-wire			3.710		24.587
James†	4-wire			2.659		

Exchange	Loop	Average Length
James†	2-wire	6.797
James†	4-wire	8.676
James†	4-wire	11.420
James†	4-wire	8.232
James†	2-wire	8.651
James†	4-wire	5.606
James†		8.230

** DS0

** DS0 length is an average of all DS0 circuit lengths

Minutes
&
Messages

1-17-01
JEK

ALLTEL New York - Jamestown by Exchange 12/99 - Crosstab

12 Months of Messages

17-Jan-01

Exchange	1	2	3	4	All Jurisdictions
Bemus Point	788,717	198,701	52	360,398	1,347,868
Clymer	859,131	130,918	20	237,929	1,227,998
Ellington	245,823	61,209	161	227,907	535,100
Frewsburg	748,569	176,358	322	208,509	1,133,758
Gerry	324,701	88,590	378	155,476	569,145
Jamestown	14,258,361	4,010,819	3,611	4,951,891	23,224,682
Kennedy	226,138	57,211	18	102,201	385,568
Lakewood	2,534,910	626,270	892	737,298	3,899,370
Panama	402,788	83,029	35	142,305	628,157
Randolph	680,869	209,432	362	563,184	1,453,847
Sinclairville	306,232	84,747	184	271,159	662,322
Stearnsburg	190,283	63,972	599	107,784	362,638
Stedman	369,666	80,582	33	153,888	604,169

Actual Numbers

	21,936,188	5,871,838	6,667	8,219,929	36,034,622
Annualized	20,748,751	7,829,117	8,889	10,959,903	40,046,163

97 Minutes of Use Spread over 96 Annualized MOU's						
Company Name	Exchange Name	Local Minutes	EAS Minutes	Toll Minutes	Tandem Minutes	TOTAL Minutes
JAMESTOWN - 026	BEMUS POINT	5,979,317	14,859,991	11,678,625		32,517,933
NY JAMESTOWN - 026	CHAUTAUQUA	4,719,325	4,995,404	15,783,646		25,498,375
NY JAMESTOWN - 026	CLYMER	5,124,062	2,807,144	7,313,473		15,244,679
NY JAMESTOWN - 026	ELLINGTON	2,760,771	7,650,147	3,567,387		13,978,305
NY JAMESTOWN - 026	FREWSBURG	9,517,594	19,133,439	6,974,930		35,625,963
NY JAMESTOWN - 026	GERRY	2,251,571	9,278,045	3,728,478		15,258,094
NY JAMESTOWN - 026	JAMESTOWN	368,000,828	104,441,402	126,759,878		599,202,108
NY JAMESTOWN - 026	KENNEDY	1,930,792	9,148,924	2,636,071		13,715,787
NY JAMESTOWN - 026	LAKEWOOD	14,530,165	44,848,499	22,475,920		81,854,584
NY JAMESTOWN - 026	PANAMA	5,181,587	11,504,401	4,101,282		20,787,271
NY JAMESTOWN - 026	RANDOLPH	10,537,499	11,319,717	9,114,779		30,971,995
NY JAMESTOWN - 026	SINCLAIRVILLE	4,737,170	10,260,602	4,550,164		19,547,935
NY JAMESTOWN - 026	STEAMBURG	1,096,673	2,510,136	3,676,443		7,283,252
NY JAMESTOWN - 026	STEDMAN	1,704,531	5,635,077	6,586,043		13,925,652
0	0	-	-	-		-
0	0	-	-	-		-
					Check Total:	925,411,932
99 Total Minutes:		438,071,886	258,392,928	228,947,118		925,411,932

Commo: Dedicated Toll

97 Minutes of Use Spread over 96 Annualized MOU's

Company Name	Exchange Name	Toll Minutes	Common Toll Percent	Dedicated Toll Percent	Common Toll Minutes	Dedicated Toll Minutes	Total Minutes
NY JAMESTOWN - 026	BEMUS POINT	11,678,625	91.82%	8.18%	10,723,313	955,311	11,678,625
NY JAMESTOWN - 026	CHAUTAUQUA	15,783,646	91.82%	8.18%	14,492,544	1,291,102	15,783,646
NY JAMESTOWN - 026	CLYMER	7,313,473	91.82%	8.18%	6,715,231	598,242	7,313,473
NY JAMESTOWN - 026	ELLINGTON	3,567,387	91.82%	8.18%	3,275,575	291,812	3,567,387
NY JAMESTOWN - 026	FREWSBURG	6,974,930	91.82%	8.18%	6,404,381	570,549	6,974,930
NY JAMESTOWN - 026	GERRY	3,728,478	91.82%	8.18%	3,423,488	304,989	3,728,478
NY JAMESTOWN - 026	JAMESTOWN	126,759,878	91.82%	8.18%	116,390,920	10,368,958	126,759,878
NY JAMESTOWN - 026	KENNEDY	2,636,071	91.82%	8.18%	2,420,440	215,631	2,636,071
NY JAMESTOWN - 026	LAKWOOD	22,475,920	91.82%	8.18%	20,637,390	1,838,530	22,475,920
NY JAMESTOWN - 026	PANAMA	4,101,282	91.82%	8.18%	3,765,797	335,485	4,101,282
NY JAMESTOWN - 026	RANDOLPH	9,114,779	91.82%	8.18%	8,369,190	745,589	9,114,779
NY JAMESTOWN - 026	SINCLAIRVILLE	4,550,164	91.82%	8.18%	4,177,960	372,203	4,550,164
NY JAMESTOWN - 026	STEAMBURG	3,676,443	91.82%	8.18%	3,375,710	300,733	3,676,443
NY JAMESTOWN - 026	STEDMAN	6,586,043	91.82%	8.18%	6,047,305	538,738	6,586,043
0	0	0	0.00%	0.00%	-	-	-
		99 Total Minutes: 228,947,118			Check Total: 228,947,118		

Common & Dedicated IX Miles
&
Access Lines, Nid's

JMW 1-17-01
Pro

Common and Dedicated IX Mile Inputs

Company Number: 26

Wednesday, January 17, 2001

<i>Exchange Name</i>	<i>Host</i>	<i>Common IX Miles</i>	<i>Dedicated IX Miles</i>	<i>Tandem IX Miles</i>	<i>Eas IX Miles</i>
Bemus Point	Jamestown	3.03	2.34	0.00	2.34
Clymer	Jamestown	4.44	3.43	0.00	3.43
Ellington	Jamestown	1.14	0.88	0.00	0.88
Frewsburg	Jamestown	1.22	0.94	0.00	0.94
Gerry	Jamestown	2.48	1.92	0.00	1.92
Jamestown		16.85	13.02	13.02	13.02
Kennedy	Jamestown	4.62	3.57	0.00	3.57
Lakewood	Jamestown	5.24	4.05	0.00	4.05
Panama	Jamestown	4.32	3.34	0.00	3.34
Randolph	Jamestown	8.32	6.44	0.00	6.44
Sinclairville	Jamestown	1.68	1.30	0.00	1.30
Steamburg	Jamestown	2.30	1.78	0.00	1.78
Stedman	Jamestown	3.73	2.88	0.00	2.88
<i>Company Totals:</i>		59.36	45.89	13.02	45.89

Access lines NID's by Exchange

Tuesday, March 19, 2002

	<i>Description</i>	<i>Access Lines</i>	<i>NID's</i>	<i>NID Hours</i>	<i>NID Cost</i>
26					
	Bemus Point	2,261	2,261	1,130.5	
	Clymer	1,138	1,138	569.0	
	Ellington	882	882	441.0	
	Frewsburg	2,206	2,206	1,103.0	
	Gerry	1,011	1,011	505.5	
	Jamestown	31,956	31,956	15,978.0	
	Kennedy	786	786	393.0	
	Lakewood	4,866	4,866	2,433.0	
	Panama	1,142	1,142	571.0	
	Randolph	1,962	1,962	981.0	
	Sinclairville	1,107	1,107	553.5	
	Steamburg	534	534	267.0	
	Stedman	1,180	1,180	590.0	
		<hr/>	<hr/>	<hr/>	<hr/>
		51,031	51,031	25,515.5	

TELRIC Model Inputs

UNE / BNF Input Forms Report

Company Number: 026

Exchange: Bemus Point

Friday, January 19, 2001

WOMS Data

Loop Aerial Cable:	383,838	Loop Aerial Cable Install Hours:	10,502
Loop Buried Cable:	206,209	Loop Buried Cable Install Hours:	2,953
Loop Fiber Cable:	272,415	Loop Fiber Cable Install Hours:	7,454
Loop U/G Cable:	32,410	Loop U/G Cable Install Hours:	120
Common IX Cable:	0	Common IX Cable Install Hours:	0
Dedicated IX Cable:	56,468	Dedicated IX Cable Install Hours:	1,510
Loop Aerial Drop:	42,983	Loop Aerial Drop Install Hours:	1,840
Loop Buried Drop:	13,397	Loop Buried Drop Install Hours:	1,023

Switching Data

Type of Switch:	DMS100-200 RSC-S	Line Growth Percent:	1.17
Line Port Switching:	19,206	Trunk Growth Percent:	0.00
Switch Port Switching:	116,388	Installed NIDS:	1,818
End Office Switching:	540,710	NID Engineer Hours:	
SS7 Signaling Switching:	0		
Tandem Switching:	0		
Concentrator Equipment:	599,575		
Pair Gain Equipment:	0		

Company Number: 02

Exchange: Bemus Point

Friday, January 19, 2001

Add Switching

Switch Processor:	254,363	Common Toll Trunks:	0
Tandem Hardware:	0	Dedicated Toll Trunks:	0
Common/Power/Test Equip:	115,946	Tandem Trunks:	0
Main Distribution Frame:	3,056	EAS Trunks:	0
Single Line Cards:	94,138	ACD Software:	0
Paystation Line Cards:	12,380	Datapath Software:	0
Centrex Line Cards:	5,053	CLASS Software:	73,738
ISDN Line Cards:	0	Centrex Software:	0
Data Line Cards:	0	ISDN Software:	0
Datapath Line Cards:	0	LPP/CCS7 Software:	0
Host Trunk Controller:	0	LNP Software:	3,325
Universal Line Cards:	0	Remote Software:	0
		Tandem Software:	0
Host I/F Line Cards:	0		
Host I/F Trunk Cards:	9,150		
Remote I/F Line Cards:	0		
Node I/F Line Cards:	0		
Pair Gain I/F Line Cards:	87,570		
A Links:	0		
Recording Equipment:	0		
Business Sets:	0		
Switched Line Cards:	1,818		
DS-0 Line Cards:			
DS-1 Line Cards:			
DS-3 Line Cards:			

Company Number: 01

Exchange: Bemus Point

Friday, January 19, 2001

Loops

Pots Loops:	2,232
2W PL Analog Loops:	17
4W PL Analog Loops:	6
2W PL Digital Loops:	0
4W PL Digital Loops:	4
2W ISDN Loops:	3
4W ISDN Loops:	0
DS-3 Local Loops:	
DS-1 Local Loops:	1
DS-0 Local Loops:	
DS-3 IX Loops:	0
DS-1 IX Loops:	0
DS-0 IX Loops:	46
Avg. POTS Loop Length:	6,649
Avg. 2W PL Analog Loop Length:	6,797
Avg. 4W PL Analog Loop Length:	8,676
Avg. 2W PL Digital Loop Length:	0
Avg. 4W PL Digital Loop Length:	11,420
Avg. 2W ISDN Loop Length:	8,651
Avg. 4W ISDN Loop Length:	5,606
Avg. DS-3 Loop Length:	0
Avg. DS-1 Loop Length:	8,232
DS-0 Loop Feet:	8,230

Company Number: 02

Exchange: Bemus Point

Friday, January 19, 2001

Usage and Feet

Common Toll Minutes: 10,720,313
 Dedicated Toll Minutes: 855,311
 EAS Minutes: 14,850,901
 Local Minutes: 5,870,317
 Tandem Minutes: 0
 Messages: 1,547,358

Loop Aerial Cable Feet: 262,423
 Loop Buried Cable Feet: 99,376
 Loop Fiber Cable Feet: 142,536
 Loop U/G Cable Feet: 2,587
 Loop Aerial Drop Cable Feet: 187,250
 Loop Buried Drop Cable Feet: 58,550

Exchange Square Miles: 41.00

Loop Aerial Pair Feet: 24,113,115
 Loop Buried Pair Feet: 15,358,761
 Loop Fiber Pair Feet: 2,434,000
 Loop U/G Pair Feet: 2,260,100
 Common IX Miles: 3.03
 Dedicated IX Miles: 2.34
 Tandem IX Miles:
 EAS IX Miles: 2.34
 Loop Aerial Drop Pair Feet: 187,250
 Loop Buried Drop Pair Feet: 173,550

IX Terms

IX Fiber Facilities OC-48: 0
 IX Fiber Facilities OC-12: 0
 IX Fiber Facilities OC-03: 1
 IX Fiber Facilities STS-1: 0
 IX Fiber Facilities DS-3: 2
 IX Fiber Facilities DS-1: 16
 IX Fiber Facilities DS-0: 46

Loop Fiber Facilities OC-48:
 Loop Fiber Facilities OC-12:
 Loop Fiber Facilities OC-03:
 Loop Fiber Facilities DS-3:
 Loop Fiber Facilities DS-1: 32
 Loop Fiber Facilities DS-0: 29

Check Total: 21

Company Number: 0:

Exchange: Bemus Point

Friday, January 19, 2001

Engineer Hours

Loop Aerial Cable Engineer Hours:
 Loop Buried Cable Engineer Hours:
 Loop Fiber Cable Engineer Hours:
 Loop U/G Cable Engineer Hours:
 Loop Aerial Drop Engineer Hours:
 Loop Buried Drop Engineer Hours:
 Common IX Cable Engineer Hours:
 Dedicated IX Cable Engineer Hours:
 Concentrator Engineer Hours:
 Pair Gain Engineer Hours:

Line Port Switching Engineer Hours:
 End Office Switching Engineer Hours:
 SS7 Signaling Switching Engineer Hours:
 Tandem Switching Engineer Hours:
 Loop Fiber Equip Engineer Hours:
 IX Fiber Equip Engineer Hours:

Install Hours

Loop Fiber Equip Install Hours:
 IX Fiber Equip Install Hours:
 Line Port Switching Install Hours:
 End Office Switching Install Hours:
 Signaling Switching Install Hours:
 Tandem Switching Install Hours:

Concentrator Install Hours:
 Pair Gain Install Hours:

NID Install Hours:

Company Number: 02

Exchange: Bemus Point

Friday, January 19, 2001

Misc Rates and Amounts

Loop Fiber Equipment:

46,963

IX Fiber Equipment:

69,530

Engineer Amount:

Install Amount:

Freight Amount:

NID Material:

49,742

Engineer Rate:

Install Rate:

50

COE CPR Embedded Material:

CWF CPR Embedded Material:

Structure CPR Embedded Material:

Engineer Percent:

25.00%

Install Percent:

10.00%

Freight Percent:

2.00%

Company Number: 00

Exchange: Clymer

Friday, January 19, 2001

WOMS Data

Loop Aerial Cable: 208,260
 Loop Buried Cable: 282,778
 Loop Fiber Cable: 231,552
 Loop U/G Cable: 8,480
 Common IX Cable: 0
 Dedicated IX Cable: 89,423
 Loop Aerial Drop: 12,111
 Loop Buried Drop: 15,179

Loop Aerial Cable Install Hours: 7,707
 Loop Buried Cable Install Hours: 7,851
 Loop Fiber Cable Install Hours: 6,380
 Loop U/G Cable Install Hours: 35
 Common IX Cable Install Hours: 0
 Dedicated IX Cable Install Hours: 2,443
 Loop Aerial Drop Install Hours: 518
 Loop Buried Drop Install Hours: 1,160

Switching Data

Type of Switch: DMS100-200 RSC-S
 Line Port Switching: 19,353
 Switch Port Switching: 58,903
 End Office Switching: 527,290
 SS7 Signaling Switching: 0
 Tandem Switching: 0

Concentrator Equipment: 505,726
 Pair Gain Equipment: 0

Line Growth Percent: 1.11
 Trunk Growth Percent: 0.00

Installed NIDS: 1,138
 NID Engineer Hours:

Company Number: 02

Exchange: Clymer

Friday, January 19, 2001

Add Switching

Switch Processor:	258,883	Host I/F Line Cards:	0	Common Toll Trunks:	
Tandem Hardware:	0	Host I/F Trunk Cards:	8,235	Dedicated Toll Trunks:	
Common/Power/Test Equip:	114,277	Remote I/F Line Cards:	0	Tandem Trunks:	
Main Distribution Frame:	3,058	Node I/F Line Cards:	0	EAS Trunks:	
Single Line Cards:	40,233	Pair Gain I/F Line Cards:	87,148	ACD Software:	0
Paystation Line Cards:	9,927	A Links:	0	Datapath Software:	0
Centrex Line Cards:	3,221	Recording Equipment:	0	CLASS Software:	62,923
ISDN Line Cards:	0	Business Sets:	0	Centrex Software:	0
Data Line Cards:	0	Switched Line Cards:	1,138	ISDN Software:	0
Datapath Line Cards:	0	DS-0 Line Cards:		LPP/CCS7 Software:	0
Host Trunk Controller:	0	DS-1 Line Cards:		LNP Software:	1,872
Universal Line Cards:	0	DS-3 Line Cards:		Remote Software:	0
				Tandem Software:	0

Company Number: 02

Exchange: Clymer

Friday, January 19, 2001

Loops

Pots Loops:	1,128	Avg. POTS Loop Length:	6,649
2W PL Analog Loops:	3	Avg. 2W PL Analog Loop Length:	6,797
4W PL Analog Loops:	3	Avg. 4W PL Analog Loop Length:	8,876
2W PL Digital Loops:	0	Avg. 2W PL Digital Loop Length:	0
4W PL Digital Loops:	4	Avg. 4W PL Digital Loop Length:	11,420
2W ISDN Loops:	0	Avg. 2W ISDN Loop Length:	8,651
4W ISDN Loops:	0	Avg. 4W ISDN Loop Length:	5,506
DS-3 Local Loops:		Avg. DS-3 Loop Length:	0
DS-1 Local Loops:	1	Avg. DS-1 Loop Length:	8,232
DS-0 Local Loops:		DS-0 Loop Feet:	8,230

DS-3 IX Loops:	0
DS-1 IX Loops:	3
DS-0 IX Loops:	0

Company Number: 02

Exchange: Clymer

Friday, January 19, 2001

Usage and Feet

Common Toll Minutes: 6,715,231
 Dedicated Toll Minutes: 596,242
 EAS Minutes: 2,807,144
 Local Minutes: 5,124,062
 Tandem Minutes: 0
 Messages: 1,227,896

Loop Aerial Cable Feet: 226,211
 Loop Buried Cable Feet: 322,937
 Loop Fiber Cable Feet: 125,278
 Loop U/G Cable Feet: 899
 Loop Aerial Drop Cable Feet: 47,123
 Loop Buried Drop Cable Feet: 86,577

Exchange Square Miles: 79.00

Loop Aerial Pair Feet: 11,106,903
 Loop Buried Pair Feet: 19,073,024
 Loop Fiber Pair Feet: 2,676,088
 Loop U/G Pair Feet: 920,230
 Common IX Miles: 4.44
 Dedicated IX Miles: 3.43
 Tandem IX Miles:
 EAS IX Miles: 3.43
 Loop Aerial Drop Pair Feet: 47,123
 Loop Buried Drop Pair Feet: 200,031

IX Terms

IX Fiber Facilities OC-48: 0
 IX Fiber Facilities OC-12: 0
 IX Fiber Facilities OC-03: 0
 IX Fiber Facilities STS-1: 0
 IX Fiber Facilities DS-3: 2
 IX Fiber Facilities DS-1: 20
 IX Fiber Facilities DS-0: 9

Loop Fiber Facilities OC-48:
 Loop Fiber Facilities OC-12:
 Loop Fiber Facilities OC-03:
 Loop Fiber Facilities DS-3:
 Loop Fiber Facilities DS-1: 31
 Loop Fiber Facilities DS-0: 10

Check Total: 22

Company Number: 0.

Exchange: Clymer

Friday, January 19, 2001

Engineer Hours

Loop Aerial Cable Engineer Hours:
 Loop Buried Cable Engineer Hours:
 Loop Fiber Cable Engineer Hours:
 Loop U/G Cable Engineer Hours:
 Loop Aerial Drop Engineer Hours:
 Loop Buried Drop Engineer Hours:
 Common IX Cable Engineer Hours:
 Dedicated IX Cable Engineer Hours:
 Concentrator Engineer Hours:
 Pair Gain Engineer Hours:

Line Port Switching Engineer Hours:
 End Office Switching Engineer Hours:
 SS7 Signaling Switching Engineer Hours:
 Tandem Switching Engineer Hours:
 Loop Fiber Equip Engineer Hours:
 IX Fiber Equip Engineer Hours:

Install Hours

Loop Fiber Equip Install Hours:
 IX Fiber Equip Install Hours:
 Line Port Switching Install Hours:
 End Office Switching Install Hours:
 Signaling Switching Install Hours:
 Tandem Switching Install Hours:

Concentrator Install Hours:
 Pair Gain Install Hours:
 NID Install Hours:

Company Number: 02

Exchange: Clymer

Friday, January 19, 2001

Misc Rates and Amounts

Loop Fiber Equipment:	34,522
IX Fiber Equipment:	37,326

Engineer Amount:	
Install Amount:	
Freight Amount:	

NID Material: 25,036

Engineer Rate:	
Install Rate:	50

COE CPR Embedded Material:	
CWF CPR Embedded Material:	
Structure CPR Embedded Material:	

Engineer Percent:	25.00%
Install Percent:	10.00%
Freight Percent:	2.00%

Company Number: 02

Exchange: Ellington

Friday, January 19, 2001

WOMS Data

Loop Aerial Cable: 277,536
 Loop Buried Cable: 145,603
 Loop Fiber Cable: 115,942
 Loop U/G Cable: 7,280
 Common IX Cable: 0
 Dedicated IX Cable: 20,364
 Loop Aerial Drop: 17,034
 Loop Buried Drop: 4,989

Loop Aerial Cable Install Hours: 10,018
 Loop Buried Cable Install Hours: 2,607
 Loop Fiber Cable Install Hours: 3,772
 Loop U/G Cable Install Hours: 21
 Common IX Cable Install Hours: 0
 Dedicated IX Cable Install Hours: 623
 Loop Aerial Drop Install Hours: 729
 Loop Buried Drop Install Hours: 381

Switching Data

Type of Switch: DMS100-200 RSC-S
 Line Port Switching: 20,017
 Switch Port Switching: 44,589
 End Office Switching: 417,818
 SS7 Signaling Switching: 0
 Tandem Switching: 0

Concentrator Equipment: 288,985
 Pair Gain Equipment: 0

Line Growth Percent: 1.07
 Trunk Growth Percent: 0.00

Installed NIDS: 671
 NID Engineer Hours: 0

Add Switching

Switch Processor:	204,002	Host I/F Line Cards:	0	Common Toll Trunks:	
Tandem Hardware:	0	Host I/F Trunk Cards:	6,235	Dedicated Toll Trunks:	
Common/Power/Test Equip:	136,646	Remote I/F Line Cards:	0	Tandem Trunks:	
Main Distribution Frame:	3,056	Node I/F Line Cards:	0	EAS Trunks:	
Single Line Cards:	32,972	Pair Gain I/F Line Cards:	43,765	ACD Software:	0
Paystation Line Cards:	6,900	A Links:	0	Datapath Software:	0
Centrex Line Cards:	552	Recording Equipment:	0	CLASS Software:	80,403
ISDN Line Cards:	0	Business Sets:	0	Centrex Software:	0
Data Line Cards:	0	Switched Line Cards:	671	ISDN Software:	0
Datapath Line Cards:	0	DS-0 Line Cards:		LPP/CCS7 Software:	0
Host Trunk Controller:	0	DS-1 Line Cards:		LNP Software:	1,297
Universal Line Cards:	0	DS-3 Line Cards:		Remote Software:	0
				Tandem Software:	0

Loops

Pots Loops:	870
2W PL Analog Loops:	7
4W PL Analog Loops:	3
2W PL Digital Loops:	0
4W PL Digital Loops:	2
2W ISDN Loops:	0
4W ISDN Loops:	0
DS-3 Local Loops:	0
DS-1 Local Loops:	0
DS-0 Local Loops:	0
DS-3 IX Loops:	0
DS-1 IX Loops:	0
DS-0 IX Loops:	9
Avg. POTS Loop Length:	6,649
Avg. 2W PL Analog Loop Length:	6,797
Avg. 4W PL Analog Loop Length:	6,676
Avg. 2W PL Digital Loop Length:	0
Avg. 4W PL Digital Loop Length:	11,420
Avg. 2W ISDN Loop Length:	6,651
Avg. 4W ISDN Loop Length:	5,806
Avg. DS-3 Loop Length:	0
Avg. DS-1 Loop Length:	6,232
DS-0 Loop Feet:	6,230

Company Number: 02€

Exchange: Ellington

Friday, January 19, 2001

Usage and Feet

Common Toll Minutes: 3,275,575
 Dedicated Toll Minutes: 291,812
 EAS Minutes: 7,650,147
 Local Minutes: 2,760,771
 Tandem Minutes: 0
 Messages: 535,100

Loop Aerial Cable Feet: 293,772
 Loop Buried Cable Feet: 97,143
 Loop Fiber Cable Feet: 74,620
 Loop U/G Cable Feet: 1,289
 Loop Aerial Drop Cable Feet: 86,262
 Loop Buried Drop Cable Feet: 21,918

Exchange Square Miles: 50.00

Loop Aerial Pair Feet: 14,260,796
 Loop Buried Pair Feet: 9,678,334
 Loop Fiber Pair Feet: 1,193,920
 Loop U/G Pair Feet: 30,616
 Common IX Miles: 1.14
 Dedicated IX Miles: 0.88
 Tandem IX Miles:
 EAS IX Miles: 0.88
 Loop Aerial Drop Pair Feet: 86,262
 Loop Buried Drop Pair Feet: 65,754

IX Terms

IX Fiber Facilities OC-48: 0
 IX Fiber Facilities OC-12: 0
 IX Fiber Facilities OC-03: 0
 IX Fiber Facilities STS-1: 0
 IX Fiber Facilities DS-3: 1
 IX Fiber Facilities DS-1: 17
 IX Fiber Facilities DS-0: 9

Loop Fiber Facilities OC-48:
 Loop Fiber Facilities OC-12:
 Loop Fiber Facilities OC-03:
 Loop Fiber Facilities DS-3:
 Loop Fiber Facilities DS-1: 16
 Loop Fiber Facilities DS-0: 12

Check Total: 18

Company Number: 02

Exchange: Ellington

Friday, January 19, 2001

Engineer Hours

Loop Aerial Cable Engineer Hours:	<input type="text"/>	Line Port Switching Engineer Hours:	<input type="text"/>
Loop Buried Cable Engineer Hours:	<input type="text"/>	End Office Switching Engineer Hours:	<input type="text"/>
Loop Fiber Cable Engineer Hours:	<input type="text"/>	SS7 Signaling Switching Engineer Hours:	<input type="text"/>
Loop U/G Cable Engineer Hours:	<input type="text"/>	Tandem Switching Engineer Hours:	<input type="text"/>
Loop Aerial Drop Engineer Hours:	<input type="text"/>	Loop Fiber Equip Engineer Hours:	<input type="text"/>
Loop Buried Drop Engineer Hours:	<input type="text"/>	IX Fiber Equip Engineer Hours:	<input type="text"/>
Common IX Cable Engineer Hours:	<input type="text"/>		
Dedicated IX Cable Engineer Hours:	<input type="text"/>		
Concentrator Engineer Hours:	<input type="text" value="0"/>		
Pair Gain Engineer Hours:	<input type="text"/>		

Install Hours

Loop Fiber Equip Install Hours:	<input type="text"/>	Concentrator Install Hours:	<input type="text" value="0"/>
IX Fiber Equip Install Hours:	<input type="text"/>	Pair Gain Install Hours:	<input type="text"/>
Line Port Switching Install Hours:	<input type="text"/>	NID Install Hours:	<input type="text" value="441"/>
End Office Switching Install Hours:	<input type="text"/>		
ignaling Switching Install Hours:	<input type="text"/>		
Tandem Switching Install Hours:	<input type="text"/>		

Company Number: 02

Exchange: Ellington

Friday, January 19, 2001

Misc Rates and Amounts

Loop Fiber Equipment: 21,965

IX Fiber Equipment: 27,818

Engineer Amount: []
Install Amount: []
Freight Amount: []

NID Material: 19,404

[]

Engineer Rate: []
Install Rate: 50

[]

COE CPR Embedded Material: []
CWF CPR Embedded Material: []
Structure CPR Embedded Material: []

Engineer Percent: 25.00%
Install Percent: 10.00%
Freight Percent: 2.00%

[]