



Ernie Fletcher
Governor

Mark David Goss
Chairman

LaJuana S. Wilcher, Secretary
Environmental and Public
Protection Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Gregory Coker
Commissioner

Christopher L. Lilly
Commissioner
Department of Public Protection

August 2, 2005

Phillip Ward
Superintendent
Oldham County Water District
3707 Highway 146
P. O. Box 51
Buckner, KY 40010

RE: Case No. 2005-00016

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell
Executive Director

BOD/jc
Enclosure

Nikki L. Moore
Attorney at Law
Croley & Moore, PSC
115 W. Main Street
P. O. Box 229
LaGrange, KY 40031

Phillip Ward
Superintendent
Oldham County Water District
3707 Highway 146
P. O. Box 51
Buckner, KY 40010

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

APPLICATION OF OLDHAM COUNTY WATER)
DISTRICT FOR APPROVAL OF PLANNED DE-) CASE NO. 2005-00016
ANNEXATION OF TERRITORY ON ALLEN LANE)

ORDER

On May 5, 2005, Commission Staff served interrogatories and requests for production of documents upon Oldham County Water District ("Oldham District") and requested that the utility file the requested information with the Commission within 10 days. As of the date of this Order, no response to these interrogatories and requests has been filed with the Commission.

The Commission, on its own motion, HEREBY ORDERS and COMPELS Oldham District to file its responses to Commission Staff's Interrogatories and Requests for Production of Documents within 20 days of this Order. We FURTHER ORDER that Oldham District's failure to timely respond to this Order shall constitute grounds for denial of its application.

Done at Frankfort, Kentucky, this 2nd day of August, 2005.

By the Commission

ATTEST:


Executive Director