



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

LaJuana S. Wilcher, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Teresa J. Hill  
Vice Chairman

Christopher L. Lilly  
Commissioner  
Department of Public Protection

Gregory Coker  
Commissioner

June 15, 2006

Mr. Joseph Elliott  
Southeast Daviess County Water District  
3400 Bittel Road  
Owensboro, KY 42301

RE: Case No 2006-00160  
Filing Deficiencies

The Commission staff has reviewed your application in the above case. This filing is rejected for the reasons set forth below.

1. Filing deficiencies pursuant to 807 KAR 5:001:

807 KAR 5:001: Section 10(1)(b)(9) A statement that customer notice has been given in compliance with subsections (3) and (4) of 807 KAR 5:001, section 10 with a copy of the notice.

The statutory time period in which the Commission must process this case will not commence until the above-mentioned information is filed with the Commission. If your filing contains a proposed effective date, the rejection of your filing for reasons of deficiencies voids that proposed effective date. When you file the required information to correct the deficiencies, you may refile your proposed tariff with a new proposed effective date that is at least 30 days from the date you file the required information. You are requested to file 10 copies of this information within 15 days of this letter. If you need further assistance, please contact Jack Kaninberg at 502/564-3940 ext. 453.

Sincerely,

Mike Burford  
Director Division of Filings

MB/bt