LaJuana S. Wilcher, Secretary Environmental and Public Protection Cabinet

Christopher L. Lilly Commissioner Department of Public Protection TH OCCUPATION OF THE PROPERTY OF THE PROPERTY

Commonwealth of Kentucky
Public Service Commission

211 Sower Blvd. P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc. ky.gov Mark David Goss Chairman

> Teresa J. Hill Vice Chairman

Honorable Elizabeth E. Blackford
Assistant Attorney General
Office of the Attorney General Utility & Rate Intervention Division
1024 Capital Center Drive
Suite 200
Frankfort, KY 40601-8204

RE: Case No. 2006-00307

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

Beth O'Donnell Executive Director



LaJuana S. Wilcher, Secretary Environmental and Public Protection Cabinet

Christopher L. Lilly Commissioner Department of Public Protection

Honorable Bruce F. Clark Attorney at Law Stites & Harbison 421 West Main Street P. O. Box 634 Frankfort, KY 40602-0634



Commonwealth of Kentucky

Public Service Commission

211 Sower Blvd. P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky gov

August 21, 2006

Mark David Goss Chairman

> Teresa J. Hill Vice Chairman

RE: Case No. 2006-00307

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

Beth O'Donnell Executive Director



LaJuana S. Wilcher, Secretary Environmental and Public Protection Cabinet

Christopher L. Lilly Commissioner Department of Public Protection

Honorable R. Benjamin Crittenden Attorney at Law Stites & Harbison 421 West Main Street P. O. Box 634 Frankfort, KY 40602-0634



Commonwealth of Kentucky **Public Service Commission** 

211 Sower Blvd. P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov

August 21, 2006

Mark David Goss Chairman

> Teresa J. Hill Vice Chairman

RE: Case No. 2006-00307

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

Beth O'Donnell Executive Director



LaJuana S. Wilcher, Secretary Environmental and Public Protection Cabinet

Christopher L. Lilly Commissioner Department of Public Protection

Honorable Kevin F. Duffy

1 Riverside Plaza, 29th Floor Post Office Box 16631 Columbus, OH 43216

American Electric Power Service Corporation

Attorney at Law

Commonwealth of Kentucky

Public Service Commission

211 Sower Blvd. P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc. ky.gov

August 21, 2006

Teresa J. Hill Vice Chairman

Chairman

Mark David Goss

RE: Case No. 2006-00307

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

Beth O'Donnell Executive Director



LaJuana S. Wilcher, Secretary Environmental and Public Protection Cabinet

Christopher L. Lilly Commissioner Department of Public Protection

F. Mtchell Dutton American Electric Power Service Corp 1 Riverside Plaza Columbus, OH 43215-2373



Commonwealth of Kentucky

Public Service Commission

211 Sower Blvd. P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc. ky.gov

August 21, 2006

Mark David Goss Chairman

> Teresa J. Hill Vice Chairman

RE: Case No. 2006-00307

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

Beth O'Donnell

**Executive Director** 



LaJuana S. Wilcher, Secretary Environmental and Public Protection Cabinet

Christopher L. Lilly Commissioner Department of Public Protection

Honorable Michael L. Kurtz Attorney at Law Boehm, Kurtz & Lowry 36 East Seventh Street 2110 CBLD Building Cincinnati, OH 45202



Commonwealth of Kentucky

Public Service Commission

211 Sower Blvd. P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov

August 21, 2006

Mark David Goss Chairman

> Teresa J. Hill Vice Chairman

RE: Case No. 2006-00307

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

Beth O'Donnell Executive Director



LaJuana S. Wilcher, Secretary Environmental and Public Protection Cabinet

Christopher L. Lilly Commissioner Department of Public Protection

Honorable Michele M. Whittington Attorney at Law Stites & Harbison 421 West Main Street P. O. Box 634 Frankfort, KY 40602-0634



Commonwealth of Kentucky
Public Service Commission

211 Sower Blvd. P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov

August 21, 2006

Teresa J. Hill

Vice Chairman

Chairman

Mark David Goss

RE: Case No. 2006-00307

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

Beth O'Donnell Executive Director



## COMMONWEALTH OF KENTUCKY

## BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

THE APPLICATION OF KENTUCKY POWER COMPANY	)	
FOR APPROVAL OF AN AMENDED COMPLIANCE	)	
PLAN FOR PURPOSES OF RECOVERING	)	CASE NO.
ADDITIONAL COSTS OF POLLUTION CONTROL	)	2006-00307
FACILITIES AND TO AMEND ITS ENVIRONMENTAL	)	
COST RECOVERY SURCHARGE TARIFF	)	

## ORDER

This matter arising upon the motion of Kentucky Industrial Utility Customers, Inc. ("KIUC"), filed August 11, 2006, for full intervention, it appearing to the Commission that such intervention is likely to present issues and develop facts that will assist the Commission in fully considering the matter without unduly complicating or disrupting the proceedings, and this Commission being otherwise sufficiently advised,

## IT IS HEREBY ORDERED that:

- 1. The motion of KIUC to intervene is granted.
- 2. KIUC shall be entitled to the full rights of a party and shall be served with the Commission's Orders and with filed testimony, exhibits, pleadings, correspondence, and all other documents submitted by parties after the date of this Order.
- 3. Should KIUC file documents of any kind with the Commission in the course of these proceedings, it shall also serve a copy of said documents on all other parties of record.

Done at Frankfort, Kentucky, this 21st day of August, 2006.

By the Commission

Executive Director

ATTEST