



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

Teresa J. Hill, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

John W. Clay  
Commissioner

Christopher L. Lilly  
Commissioner  
Department of Public Protection

November 9, 2006

Honorable W. Randall Jones  
Attorney at Law  
Rubin & Hays  
Kentucky Home Trust Building  
450 South Third Street  
Louisville, KY 40202

CERTIFICATE OF SERVICE

RE: Case No. 2006-00313  
Bracken County Water District

I, Beth O'Donnell, Executive Director of the Public Service Commission, hereby certify that the enclosed attested copy of the Commission's Order in the above case was served upon the addressee by U.S. Mail on November 9, 2006.

A handwritten signature in black ink, appearing to read "Beth O'Donnell", written over a horizontal line.

Executive Director

BOD/sh  
Enclosure



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

Teresa J. Hill, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

John W. Clay  
Commissioner

Christopher L. Lilly  
Commissioner  
Department of Public Protection

November 9, 2006

Honorable David Edward Spenard  
Assistant Attorney General  
Office of the Attorney General Utility & Rate Intervention Division  
1024 Capital Center Drive  
Suite 200  
Frankfort, KY 40601-8204

CERTIFICATE OF SERVICE

RE: Case No. 2006-00313  
Bracken County Water District

I, Beth O'Donnell, Executive Director of the Public Service Commission, hereby certify that the enclosed attested copy of the Commission's Order in the above case was served upon the addressee by U.S. Mail on November 9, 2006.

A handwritten signature in black ink, appearing to read "Beth O'Donnell", written over a horizontal line.

Executive Director

BOD/sh  
Enclosure



Ernie Fletcher  
Governor

Teresa J. Hill, Secretary  
Environmental and Public  
Protection Cabinet

Christopher L. Lilly  
Commissioner  
Department of Public Protection

Charles Tarvin  
Chairman  
Bracken County Water District  
P. O. Box 201  
125 Miami Street  
Brooksville, KY 41004

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Mark David Goss  
Chairman

John W. Clay  
Commissioner

November 9, 2006

CERTIFICATE OF SERVICE

RE: Case No. 2006-00313  
Bracken County Water District

I, Beth O'Donnell, Executive Director of the Public Service Commission, hereby certify that the enclosed attested copy of the Commission's Order in the above case was served upon the addressee by U.S. Mail on November 9, 2006.

A handwritten signature in black ink, appearing to read "Beth O'Donnell", written over a horizontal line.

Executive Director

BOD/sh  
Enclosure

COMMONWEALTH OF KENTUCKY  
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

THE APPLICATION OF THE BRACKEN	)	
COUNTY WATER DISTRICT FOR (1) THE	)	CASE NO.
APPROVAL OF A PROPOSED PLAN TO	)	2006-00313
FINANCE A WATERWORKS PROJECT; AND	)	
(2) THE APPROVAL OF THE PROPOSED	)	
INCREASE IN RATES FOR THE WATER	)	
SERVICE	)	

ORDER

On November 1, 2006, the Commission issued an Order adopting the recommendations and findings contained in a Commission Staff Report and approving a new schedule of rates that were proposed by Bracken County Water District ("Bracken County").


Based on a further review of the proposed rates set forth in Exhibit 2 to Bracken County's application, and the schedule of rates appended to the Staff Report and the November 1, 2006 Order, the Commission finds that a typographical error is contained in the minimum bill rate for multiple users. The rate that was proposed by Bracken County, and that should have been approved by the Commission, was \$19.65, rather than the \$19.95 which was set forth in the Staff Report and in Appendix A to the Commission's November 1, 2006 Order. A corrected copy of the new schedule of rates is attached hereto as Appendix A.

IT IS THEREFORE ORDERED nunc pro tunc that:

1. Appendix A to the Commission's November 1, 2006 Order is corrected to reflect a minimum bill rate of \$19.65 for multiple users.
2. All of the other provisions of the Commission's November 1, 2006 Order shall remain in full force and effect.

Done at Frankfort, Kentucky, this 9<sup>th</sup> day of November, 2006.

By the Commission

ATTEST.  
  
Executive Director

