



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

LaJuana S. Wilcher, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Teresa J. Hill  
Vice Chairman

Christopher L. Lilly  
Commissioner  
Department of Public Protection

Ronald J. Biddle  
312 Fairmeade Road  
Louisville, KY 40207

September 19, 2006

RE: Case No. 2006-00381

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact Linda Mattox at (502) 564-3940 ext. 407.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell  
Executive Director

BOD/jc  
Enclosure



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

LaJuana S. Wilcher, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Teresa J. Hill  
Vice Chairman

Christopher L. Lilly  
Commissioner  
Department of Public Protection

September 19, 2006

Kent Blake  
Director- State Regulation and Rates  
Louisville Gas and Electric Company  
220 W. Main Street  
P. O. Box 32010  
Louisville, KY 40232-2010

RE: Case No. 2006-00381

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact Linda Mattox at (502) 564-3940 ext. 407.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell  
Executive Director

BOD/jc  
Enclosure

Ronald J. Biddle  
312 Fairmeade Road  
Louisville, KY 40207

Kent Blake  
Director- State Regulation and Rates  
Louisville Gas and Electric Company  
220 W. Main Street  
P. O. Box 32010  
Louisville, KY 40232-2010

COMMONWEALTH OF KENTUCKY  
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

RONALD J. BIDDLE )  
 )  
 ) COMPLAINANT )  
 )  
 ) V. ) CASE NO. 2006-00381  
 )  
 ) LOUISVILLE GAS AND ELECTRIC COMPANY )  
 )  
 ) DEFENDANT )

COMMISSION STAFF'S FIRST DATA REQUEST TO  
LOUISVILLE GAS AND ELECTRIC COMPANY

Pursuant to 807 KAR 5:001, Commission Staff requests that Louisville Gas and Electric Company ("LG&E") file the original and 5 copies of the following information within 20 days of the date of this Order, with a copy to each party of record. Each copy of the information requested should be placed in a bound volume with each item tabbed. When a number of sheets are required for an item, each sheet should be appropriately indexed, for example, Item 1(a), Sheet 2 of 6. Include with each response the name of the person who will be responsible for responding to questions relating to the information provided. Careful attention should be given to copied material to ensure is legibility.

1. Refer to page 2, Item 3(a), of LG&E's Answer to the Complaint of Ronald J. Biddle ("Answer") filed on August 11, 2006. LG&E states that it sent Mr. Biddle a bill in the amount of \$931.63 for service at 9305 Woodmont Ridge Drive over a 61-day

period. Explain why the bill covers 61 days when all other bills issued from January 2005 through November 2005 were issued monthly. Also state why LG&E did not bill for the 9,049 kWh recorded in September.

2. Refer to page 2 of LG&E's Answer. Explain why "the bill was pulled to confirm its accuracy." Additionally, explain the process used to confirm its accuracy and provide documentation of this confirmation process.

3. Refer to page 2 of LG&E's Answer. LG&E states that Mr. Biddle's meter was tested on July 3, 2006. Explain why LG&E did not check the meter for accuracy in September 2005 when it pulled Mr. Biddle's bill to check its accuracy.

4. When Mr. Biddle's meter was pulled for testing, was the meter seal broken or did the meter show any signs of tampering?

5. Provide the date that electric meter 805580 was originally installed at 9305 Woodmont Ridge Drive.

6. Explain whether or not 9305 Woodmont Ridge Drive is now or has ever been a natural gas customer of LG&E. Would LG&E be the natural gas provider at this address if gas service were provided?

7. Is 9305 Woodmont Ridge Drive heated electrically?

8. Each of the 11 copies of bills rendered for service at 9305 Woodmont Ridge Drive that LG&E included with its Answer states that the meter reading is an actual reading.

a. Do all of the billings reflect actual readings or was any bill generated by an estimate of usage?

b. Identify the individual(s) who read the meter at 9305 Woodmont Ridge Drive from January 1, 2005 to December 31, 2005.

c. Did LG&E use automated metering to register the amount of electricity used at 9305 Woodmont Ridge Drive? If yes, identify the type of meter-reading equipment used and state the date on which LG&E began using that equipment at 9305 Woodmont Ridge Drive.

9. Is 9305 Woodmont Ridge Drive new construction? Was new construction taking place on any adjacent property from August 2005 through October 2005.

10. Was Mr. Biddle or DB Real Estate, LLC responsible for electric service at any property adjacent to 9305 Woodmont Ridge Drive from August 2005 through October 2005?

11. Provide all correspondence that LG&E has received from or sent to the Complainant.

12. Provide all correspondence, internal memoranda, electronic mail messages, and other internal documents in which electric service to Complainant is discussed.



Beth O'Donnell  
Executive Director  
Public Service Commission  
P.O. Box 615  
Frankfort, KY 40602

DATED: September 19, 2006

cc: Parties of Record