



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

Teresa J. Hill, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**

John W. Clay  
Commissioner

Christopher L. Lilly  
Commissioner  
Department of Public Protection

211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Honorable Ronnie G. Dunnigan  
Attorney at Law  
3100 Maria Drive  
Lexington, KY 40516

November 22, 2006

RE: Case No. 2006-00443

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact James Goff at (502) 564-3940 ext. 261.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell  
Executive Director

BOD/sh  
Enclosure



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

Teresa J. Hill, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**

John W. Clay  
Commissioner

Christopher L. Lilly  
Commissioner  
Department of Public Protection

211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

H. Jay Freeman  
Natural Energy Utility Corporation  
2560 Hoods Creek Pike  
Ashland, KY 41102

November 22, 2006

RE: Case No. 2006-00443

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact James Goff at (502) 564-3940 ext. 261.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell  
Executive Director

BOD/sh  
Enclosure

Ernie Fletcher  
Governor

Teresa J. Hill, Secretary  
Environmental and Public  
Protection Cabinet

Christopher L. Lilly  
Commissioner  
Department of Public Protection

Michael C. Stephens  
President  
Court of Three Sisters, Inc.  
1007 West Midland Trail  
Ashland, KY



Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Mark David Goss  
Chairman

John W. Clay  
Commissioner

November 22, 2006

RE: Case No. 2006-00443

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact James Goff at (502) 564-3940 ext. 261.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell  
Executive Director

BOD/sh  
Enclosure

COMMONWEALTH OF KENTUCKY  
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

COURT OF THREE SISTERS, INC.	)	
	)	CASE NO.
COMPLAINANT	)	2006-00443
	)	
VS.	)	
	)	
NATURAL ENERGY UTILITY CORPORATION	)	
	)	
DEFENDANT	)	

FIRST DATA REQUEST OF COMMISSION STAFF  
TO NATURAL ENERGY UTILITY CORPORATION

Natural Energy Utility Corporation ("NEUC"), pursuant to 807 KAR 5:001, is to file with the Commission the original and 4 copies of the following information, with a copy to all parties of record. The information requested herein is due on or before December 7, 2006. Each copy of the data requested should be placed in a bound volume with each item tabbed. When a number of sheets are required for an item, each sheet should be appropriately indexed, for example, Item 1(a), Sheet 2 of 6. Include with each response the name of the person who will be responsible for responding to questions relating to the information provided. Careful attention should be given to copied material to ensure that it is legible.


1. What is the classification of the 6-inch gas pipeline according to 807 KAR 5:022?

2. Is the 6-inch gas pipeline in question providing gas to the residents of the mobile home park?

3. Is there an easement for the subject pipeline along the road of the mobile home park?

4. Provide a map showing the route of the 6-inch pipeline along the location of the mobile home park and locate the areas which show the exposed pipe in the pictures filed with the Commission and attached to NEUC's letter dated October 27, 2006. Include on the map the location of the 24-inch catch basin directed by the Ashland-Boyd County Health Department if known.

5. Explain whether NEUC is aware of the location(s) where Court of Three Sisters, Inc. alleges the gas line is improperly installed. Include in the explanation whether NEUC excavated the pipeline in the location(s) where Court of Three Sisters, Inc. alleges the pipeline is installed improperly.



Beth O'Donnell  
Executive Director  
Public Service Commission  
P. O. Box 615  
Frankfort, Kentucky 40602

DATED November 22, 2006

cc: All Parties

Case No. 2006-00443