

Ernie Fletcher
Governor

Teresa J. Hill, Secretary
Environmental and Public
Protection Cabinet

Christopher L. Lilly
Commissioner
Department of Public Protection

Honorable Ronnie G. Dunnigan
Attorney at Law
3100 Maria Drive
Lexington, KY 40516



Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Mark David Goss
Chairman

John W. Clay
Commissioner

November 22, 2006

RE: Case No. 2006-00443

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact James Goff at (502) 564-3940 ext. 261.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell
Executive Director

BOD/sh
Enclosure



Ernie Fletcher
Governor

Mark David Goss
Chairman

Teresa J. Hill, Secretary
Environmental and Public
Protection Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

John W. Clay
Commissioner

Christopher L. Lilly
Commissioner
Department of Public Protection

H. Jay Freeman
Natural Energy Utility Corporation
2560 Hoods Creek Pike
Ashland, KY 41102

November 22, 2006

RE: Case No. 2006-00443

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact James Goff at (502) 564-3940 ext. 261.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell
Executive Director

BOD/sh
Enclosure



Ernie Fletcher
Governor

Mark David Goss
Chairman

Teresa J. Hill, Secretary
Environmental and Public
Protection Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

John W. Clay
Commissioner

Christopher L. Lilly
Commissioner
Department of Public Protection

Michael C. Stephens
President
Court of Three Sisters, Inc.
1007 West Midland Trail
Ashland, KY

November 22, 2006

RE: Case No. 2006-00443

Please see enclosed data request from Commission Staff in the above case.

If you need further assistance, please contact James Goff at (502) 564-3940 ext. 261.

Sincerely,

A handwritten signature in black ink, appearing to read "Beth O'Donnell".

Beth O'Donnell
Executive Director

BOD/sh
Enclosure

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

COURT OF THREE SISTERS, INC.)	
)	CASE NO.
COMPLAINANT)	2006-00443
)	
VS.)	
)	
NATURAL ENERGY UTILITY CORPORATION)	
)	
DEFENDANT)	

FIRST DATA REQUEST OF COMMISSION STAFF
TO COURT OF THREE SISTERS CORPORATION

Court of Three Sisters, Inc. ("Three Sisters"), pursuant to 807 KAR 5:001, is to file with the Commission the original and 4 copies of the following information, with a copy to all parties of record. The information requested herein is due on or before December 7, 2006. Each copy of the data requested should be placed in a bound volume with each item tabbed. When a number of sheets are required for an item, each sheet should be appropriately indexed, for example, Item 1(a), Sheet 2 of 6. Include with each response the name of the person who will be responsible for responding to questions relating to the information provided. Careful attention should be given to copied material to ensure that it is legible.

1. Provide a map showing the plan of the potential 24-inch catch basin crossing the 6-inch gas pipeline and including the location and the depth of the proposed drainage system and the method of crossing the gas pipeline.

2. Is Three Sisters proposing that the 6-inch gas pipeline be relocated or buried to the proper depth to accommodate the location of the proposed drainage system?

3. Provide the location and the length of the 6-inch gas pipeline where Three Sisters alleges it is buried 6 inches below the surface.

4. Refer to Natural Energy Utility Corporation's ("NEUC") October 27, 2006 answer to the complaint of Three Sisters. Does Three Sisters have any evidence that the gas pipeline in question is not installed to the depth indicated by NEUC, as supported by the photographs NEUC filed with its answer? If so, provide all such evidence and explain.



Beth O'Donnell
Executive Director
Public Service Commission
P. O. Box 615
Frankfort, Kentucky 40602

DATED November 22, 2006

cc: All Parties