



Ernie Fletcher
Governor

Teresa J. Hill, Secretary
Environmental and Public
Protection Cabinet

Timothy J. LeDonne
Commissioner
Department of Public Protection

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Mark David Goss
Chairman

John W. Clay
Commissioner

May 25, 2007

Joe Bartley
Chairman
Meade County Water District
P.O. Box 367
Brandenburg, KY. 40108

RE: Case No. 2007-00034
Case Dismissal

On April 19, 2007, the Commission sent you a deficiency letter in the above named case. That letter, however, received no response and on May 8, 2007 the Commission issued a second reminder letter requesting the needed information to be filed. Again that letter received no response.

The information requested is required by the Commission to process your application and it is important that the information relied upon be current. Since some of the information the Commission will review was compiled for your April filing, there is concern that it may no longer be valid. Therefore, unless the information is filed within 10 days of the date of this letter the application will be dismissed.

If you are unable to file the requested information at this time and prefer not to have the application dismissed, you may request that the application be withdrawn. In either event, you will be able to file a new application at any future time that is convenient for you.

Sincerely,

Michael F. Burford
Director
Division of Filings

Enclosure
/mb



Ernie Fletcher
Governor

Teresa J. Hill, Secretary
Environmental and Public
Protection Cabinet

Timothy J. LeDonne
Commissioner
Department of Public Protection

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Mark David Goss
Chairman

John W. Clay
Commissioner

May 25, 2007

Doug Cornett
Chairman
Meade County Water District
P.O. Box 367
Brandenburg, KY. 40108

RE: Case No. 2007-00034
Case Dismissal

On April 19, 2007, the Commission sent you a deficiency letter in the above named case. That letter, however, received no response and on May 8, 2007 the Commission issued a second reminder letter requesting the needed information to be filed. Again that letter received no response.

The information requested is required by the Commission to process your application and it is important that the information relied upon be current. Since some of the information the Commission will review was compiled for your April filing, there is concern that it may no longer be valid. Therefore, unless the information is filed within 10 days of the date of this letter the application will be dismissed.

If you are unable to file the requested information at this time and prefer not to have the application dismissed, you may request that the application be withdrawn. In either event, you will be able to file a new application at any future time that is convenient for you.

Sincerely,

Michael F. Burford
Director
Division of Filings

Enclosure
/mb