



Ernie Fletcher  
Governor

Teresa J. Hill, Secretary  
Environmental and Public  
Protection Cabinet

Timothy J. LeDonne  
Commissioner  
Department of Public Protection

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Mark David Goss  
Chairman

John W. Clay  
Vice Chairman

Caroline Pitt Clark  
Commissioner

August 28, 2007

Kamal Doshi  
Shared Sites, LLC  
1390 Chain Bridge Road #40  
McLean, VA 22101

RE: Case No 2007-00323  
Filing Deficiencies

The Commission staff has reviewed your application in the above case. This filing is rejected for the reasons set forth below.

1. Filing deficiencies pursuant to 807 KAR 5:063:

807 KAR 5:063: Section 1(1)(a) If applicant is a corporation, a certified copy of the Articles of Incorporation and all amendments thereto or if the articles were filed with the PSC in a prior proceeding, a reference to the style and case number of the prior proceeding

807 KAR 5:063: Section 1(1)(r) A brief description of the character of the general area in which the tower is proposed to be constructed, which includes the existing land use for the specific property involved, and

The statutory time period in which the Commission must process this case will not commence until the above-mentioned information is filed with the Commission. If your filing contains a proposed effective date, the rejection of your filing for reasons of deficiencies voids that proposed effective date. When you file the required information to correct the deficiencies, you may refile your proposed tariff with a new proposed effective date that is at least 30 days from the date you file the required information. You are requested to file 4 copies of this information within 15 days of date of this letter. If you need further assistance, please contact Eric Bowman at 502/564-3940 ext. 440.

Sincerely,

Mike Burford  
Director Division of Filings

MB/MB



Ernie Fletcher  
Governor

Teresa J. Hill, Secretary  
Environmental and Public  
Protection Cabinet

Timothy J. LeDonne  
Commissioner  
Department of Public Protection

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Mark David Goss  
Chairman

John W. Clay  
Vice Chairman

Caroline Pitt Clark  
Commissioner

August 28, 2007

Timothy J. Duffy  
American Cellular Corporation  
14201 Wireless Way  
Oklahoma City, OK 73134

RE: Case No 2007-00323  
Filing Deficiencies

The Commission staff has reviewed your application in the above case. This filing is rejected for the reasons set forth below.

1. Filing deficiencies pursuant to 807 KAR 5:063:

807 KAR 5:063: Section 1(1)(a) If applicant is a corporation, a certified copy of the Articles of Incorporation and all amendments thereto or if the articles were filed with the PSC in a prior proceeding, a reference to the style and case number of the prior proceeding

807 KAR 5:063: Section 1(1)(r) A brief description of the character of the general area in which the tower is proposed to be constructed, which includes the existing land use for the specific property involved, and

The statutory time period in which the Commission must process this case will not commence until the above-mentioned information is filed with the Commission. If your filing contains a proposed effective date, the rejection of your filing for reasons of deficiencies voids that proposed effective date. When you file the required information to correct the deficiencies, you may refile your proposed tariff with a new proposed effective date that is at least 30 days from the date you file the required information. You are requested to file 4 copies of this information within 15 days of date of this letter. If you need further assistance, please contact Eric Bowman at 502/564-3940 ext. 440.

Sincerely,

Mike Burford  
Director Division of Filings

MB/MB



Ernie Fletcher  
Governor

Mark David Goss  
Chairman

Teresa J. Hill, Secretary  
Environmental and Public  
Protection Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

John W. Clay  
Vice Chairman

Caroline Pitt Clark  
Commissioner

Timothy J. LeDonne  
Commissioner  
Department of Public Protection

August 28, 2007

Matthew J. Wallack  
Boulevard Properties, LLC  
7383 Utica Blvd.  
Lowville, NY 13367

RE: Case No 2007-00323  
Filing Deficiencies

The Commission staff has reviewed your application in the above case. This filing is rejected for the reasons set forth below.

1. Filing deficiencies pursuant to 807 KAR 5:063:

807 KAR 5:063: Section 1(1)(a) If applicant is a corporation, a certified copy of the Articles of Incorporation and all amendments thereto or if the articles were filed with the PSC in a prior proceeding, a reference to the style and case number of the prior proceeding

807 KAR 5:063: Section 1(1)(r) A brief description of the character of the general area in which the tower is proposed to be constructed, which includes the existing land use for the specific property involved, and

The statutory time period in which the Commission must process this case will not commence until the above-mentioned information is filed with the Commission. If your filing contains a proposed effective date, the rejection of your filing for reasons of deficiencies voids that proposed effective date. When you file the required information to correct the deficiencies, you may refile your proposed tariff with a new proposed effective date that is at least 30 days from the date you file the required information. You are requested to file 4 copies of this information within 15 days of date of this letter. If you need further assistance, please contact Eric Bowman at 502/564-3940 ext. 440.

Sincerely,

Mike Burford  
Director Division of Filings

MB/MB