



# PAETEC

January 5, 2011

Mr. Eric Bowman Kentucky Public Service Commission 211 Sower Blvd., P.O. Box 615 Frankfort, KY 40602-0615

Re: LRN NPA-NXX for LSVNKYPIDSA Switch – ELIZABTHTN Rate Center

Dear Mr. Bowman:

US LEC d/b/a PAETEC Communications Inc. (US LEC), seeks intervention of the Commission in securing an NPA-NXX assignment for LRN purposes. US LEC, on behalf of US LEC of Tennessee Inc., recently requested a new NPA-NXX for the LSVNKYPIDSA rate center from Neustar. The request was for an NPA-NXX to support an existing US LEC switch, LSVNKYPIDSA at 9780 Ormsby Station Road, Louisville. In the request, US LEC notified Neustar that US LEC would retain block 1 from the NXX to support the LRN needs and provide a small group of numbers for customers and return the remaining blocks to the pool for other local carriers to use.

In its request, US LEC notified Neustar that the request was for an NXX to support an LRN (see explanation on page 2 of the Elizabthtn KY LRN Denial. In its response, Neustar stated "You do not meet MTE and/or Utilization requirements, therefore this request for a new code is denied."

US LEC requests the Commission intervene on its behalf to secure an NXX in the 270 NPA from Neustar. In accordance with ATIS Guidelines IN 980713-021, LRN Assignment Practice, a company can request the Commission to override the utilization requirement in instances of a need for an NXX for LRN purposes in an existing switch, but with need for connection to another providers' Tandem (EZTWKYXA05T), in order to provide specific services that are not available in our 5E switch, at this time. Enclosed are copies of the pages containing US LEC's request and Neustar's response.

If you have additional questions, please contact me at (704) 319-6093 or \_ sumer.smith@paetec.com.

Sincerely,

Sumer Smith Regulatory Coordinator Enclosure

## McKoy, Beatrice

From:	genevieve.bettiga@neusta	r.biz							
Sent:	Saturday, December 11, 20	010 5:10 PM							
To:	McKoy, Beatrice								
Cc:	PA_Part3@neustar.biz								
Subject	: PAS - Pooling Administrato 404409	or's Response/Confirma	ation for Tracking Nur	nber: 270-ELIZABTHTN-KY-					
Don	ling Administrat	ion System							
	December-2010	ion oyotoni							
				Attachment 3					
	November 21, 2003 ATIS-0300066.at3			Attachment 3					
		ng Administrator's Res TBPAG Pa							
	Tracking Number :	270-ELIZABTHTN- KY-404409	-						
	Date of Application:	12/11/2010	Effective Date:						
	Date of Receipt:	12/11/2010	Date of Response:	12/11/2010					
	Service Provider Name:	US LEC OF TN - KY							
	(Telcordia <sup>TM</sup> LERG <sup>TM</sup> Routing Guide ) OCN:	3495							
	NPAC SOA SPID :								
	Pooling Administrator C	ontact Information:							
	Genevieve Bettiga	Phone:		925-363-7652					
	Signature of Pooling Adm			925-363-7683					
	Genevieve Bettiga Name (print)	Fax:		<u></u>					
	Email:	genevie	ve.bettiga@neustar.	.biz					
	NPA-NXX or NPA- NXX-X :		Block Assign	ed:					
	Reconstruction and a second		Block Reserv	ed :					
			Block Reserv Expiration Date						
			Block/Code N						
			Block/Code Disconnected						
	Block Contaminated	(Yes or No) :	Disconnecteu	•					

If Yes,enter the number of TNs contaminated :	
Switch Identification(Switch Entity/POI): <sup>1</sup>	LSVNKYPIDSA
Rate Center:	ELIZABTHTN
Rate Center Sub Zone:	

X Form Complete, request denied.

Explanation:

DR-57: You do not meet the MTE and/or Utilization requirements, therefore this request for a new code is denied. You may proceed with requesting a State Waiver from the appropriate state commission using this Part 3 denial. If you are in disagreement with the disposition of this request, please refer to the Thousands'Block Number (NXX-X) Pooling Administration Guidelines for the appeals process.

Request withdrawn.

Explanation:

Assignment activity suspended by the administrator.

Explanation:

Remarks:

<sup>1</sup> This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI <sup>TM</sup> Location Identification code of the switching entity/POI shown on the Part 1A form (Telcordia,LERG ROUTING Guide and CLLI are trademarks of Telcordia Technologies,Inc.)

# neustar.

Pooling Administration System									
	Time : 12/11/2010 05:08:54 PM EST								
Individual Block Requests CO/NXX Code Requests Request Request Code Modification Disconnect Disconnect Disconnect Copy Code Requests Requests Confirm Resources In Service Service Submit Forecast Create/Modify Forecast Search Forms View Form Disconnect Search Forms Create/Modify Forecast Search Forms Disconnect Search Forms Disconnect Search Forms Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Disconnect Discon	Months to Exhaust and Utilization Certification Worksheet - TN Level(Continued) <sup>1</sup> Your Utilization calculates to 63.150%. The FCC required the utilization of 75.000%. You have requested more blocks than you will exhaust in six months.  Select One Option and Submit  Return to the Months To Exhaust Form Received a State Waiver  Submit Cancel  Question? Email us								
neustar	© 1997-2012 Neustar, Inc. Legal Notice								

## Central Office Code (NXX) Assignment Request Part 1 December 9, 2005

Tracking Number:	270-ELIZABTHT	<u>N-KY-404409</u>	
	Full NXX: LRN		
Type of Application:	A A A A A A A A A A A A A A A A A A A	Change 1 Delete	
1.0 GENERAL	INFORMATIC	DN	
1.1 Contact Info	rmation:		
Code Applicant:			
Company/Entity Name:	US LEC OF TN -	<u>· KY</u>	
Headquarters Address:	600 Willowbrool	<u>k Office Park</u>	
City, State, Zip:	Fairport ,NY ,14	<u>450</u>	
Contact Name:	<b>Beatrice McKoy</b>	<u></u>	
Contact Address:	<u>6801 Morrison E</u>	<u> 3oulevard</u>	
City,State,Zip:	<u>Charlotte, NC, 2</u>	<u>28211</u>	
Phone:	704-319-1351 mail: beatrice	FAX: e.mckoy@paetec.com	E-
Code Administr	ator: <sup>2</sup>		
Name:	<u>David Morgan</u>	<u> </u>	
Address:	46000 Center	<u>Oak Plaza</u>	
City,State,Zip:	20, <u>Sterling</u>	166	
Phone:	<u>571-434-5381</u>	FAX: <u>571-</u> <u>5502</u>	<u>434-</u>
1.2 NPA: <u>270</u>	NXX: <sup>3</sup> <u>3495</u> <u>8354</u>	LATA: <u>462</u> Parent Company's O	OCN: <sup>4</sup> CN(s)
Switching Ident LSVNKYPIDS	ification(Switch <u>SA</u>	Entity/POI) <sup>5</sup>	
Locality/City/W	/ire Center:		Rate Center: <sup>6</sup> ELIZABTHTN
Homing Tander <sup>7</sup> <u>WINDSTRE</u> <u>KENTUCKY</u> )	AM	Tandem Homing CLLI <sup>8</sup> : <u>EZTWKYXA05T</u>	

1.5

.

<b>1.3</b> Dates:Date ofRequest Effective Date:9 10Application: <b>02/15/2011</b>
$ \overline{G} $ By selecting this checkbox, I acknowledge that I am requesting the earliest possible effective date the Administrator can grant. Please note that this only applies to a reduction in the Administrator's processing time, however the request will still be processed in the order received.
Request Expedited Treatment? YesNoX
<ul> <li>1.4 a) Type of company/entity requesting the code: <u>CAP OR CLEC</u> (LEC, IC, CMRS, Other)</li> <li>b) Types of service: <u>Wireline</u> (e.g., Cellular - Type 2)</li> <li>c) Code Assignment Preference (Optional)</li> <li>d) Codes that are undesirable, if any</li> <li>e) Type of change(Mark <u>all</u> that apply)</li> <li>(_) OCN-Intra-company <sup>11</sup> [_) Switching Id [_] Rate Center [_] Tandem Homing CLLI</li> <li>[_] OCN-Inter-company <sup>12</sup> [_] Effective Date [_] LATA [_] Extend Reservation</li> </ul>

If an initial code, attach(1) evidence of certification and (2) proof of ability to

Type of Request (Initial, growth, etc.) \_\_\_\_ Growth

place code in service within 60 days. If a growth code, attach months to exhaust worksheet.

Pooling Indicator: <sup>13</sup> 12 Yes 1 No

1.6 NPA Jeopardy Criteria Apply: 1 Yes No

1.7 Code request for new service (Explain):

1.8 It is the code applicant's responsibility to arrange input of Part 2 information into BIRRDS. The 45-calendar day nationwide minimum interval cut-

over for BIRRDS will not begin until input into BIRRDS has been completed.

#### Comments: LRN needed for G9 switch to Windstream tandem

I hereby certify that the above information requesting an NXX code is true and accurate to the best of my knowledge and that this application has been prepared in accordance with Central Office Code (NXX) Assignment Guidelines posted to the ATIS Web Site (http://www.atis.org/atis/clc/inc/incdocs.htm) as of the date of this application: <sup>14</sup>

Beatrice McKoy	<u>Code</u> Administrator	<u>12/11/2010</u>
Signature of Code Applicant	Title	Date

<sup>1</sup> Identify type and reason for change(s) in Section 1.4(e).

 $^{2}$  A list of the current Code Administrator(s) who can provide assistance in completing this form is available upon request from NANPA.

 $^{3}$  The NXX field is required for any code request in which there is a change or the NXX is being returned.

<sup>4</sup> Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments may contact NECA (800-228-8597) to be assigned a Company Code (s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignment should direct questions regarding appropriate OCN usage to the Telcordia <sup>TM</sup> Routing Administration (TRA) on 732-699-6700.

<sup>5</sup> This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the eleven-character Telcordia <sup>TM</sup> COMMON LANGUAGE CLLI <sup>TM</sup> Location Identification of the applicant's switch or POI. (Telcordia and CLLI are trademarks and COMMON LANGUAGE is a registered trademarks of Telcordia Technologies, Inc.)

<sup>6</sup> Rate Center name must be a tariffed Rate Center associated with toll billing.

<sup>7</sup> Applies to any code applicant connecting to the Public Switched Telephone Network via a tandem owned by a different carrier.

<sup>8</sup> This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI <sup>TM</sup> Location Identification Code of the switching entity/POI, and is the same on Part 2, Form 1, Page 2 of 2.

<sup>9</sup> Code applicants should request an effective date that is at least 66 calendar days from the submission of this form. It should be noted that interconnection

· · · · · · · ·

arrangements and facilities need to be in place prior to activation of a code. Such arrangements are outside the scope of these guidelines.

5 - 61. L.

 $^{10}$  Requests for code assignment shall not be made more than six months prior to the requested effective date.

<sup>11</sup> Select if you are the current Code Holder

<sup>12</sup> Select if you are <u>not</u> the current Code Holder

<sup>13</sup> The Applicant will indicate "YES" if the NXX being requested will be used for thousands-block number pooling and will leave this field blank if it is not.

<sup>14</sup> An incomplete form may result in delays in processing this request.

TBPAG Attachment 1 - March 19, 2007

#### Thousands-Block Application Form - Part 1A

Tracking Number: 270-ELIZABTHTN-KY-404409 Full NXX: LRN

Type of<br/>Application:Change | |iDisconnect

#### GENERAL APPLICATION INFORMATION

#### **1.1 Contact Information:**

Block Applicant:

Company Name:	<u>US LEC OF TN - KY</u>								
Headquarters Address:	600 Willowbrook Office Park								
City, State, Zip:	Fairport, NY, 14450								
Contact Name:	Beatrice McKoy								
Contact Address:	6801 Morrison Boulevard								
City,State,Zip:	Charlotte, NC, 28211								
Phone: <u>704-</u> <u>319-1351</u>	FAX: _ E-mail: <u>beatrice.mckoy@paetec.com</u>								
Pooling Admin	nistrator: <sup>ii</sup>								
Contact Name:	Genevieve Bettiga								
Contact Address:	<u>1800 Sutter St</u>								
City,State,Zip	: <u>Concord ,CA,94520</u>								
Phone:	<u>925-363-7652</u> FAX: <u>925-363-7683</u>								
E-mail: gener	vieve.bettiga@neustar.biz								

#### **1.2** General Information:

Check one : No LRN needed \_\_\_\_\_ LRN needed iii \_\_\_\_X\_\_\_

 NPA: \_\_\_\_270 LATA: \_\_\_\_462 OCN: iv
 Parent Company's OCN \_8354

 Number of Thousands-Blocks Requested : \_\_\_\_
 1

 Switching Identification(Switch Entity/POI) : v
 LSVNKYPIDSA

City or Wire Center Name :\_\_\_\_\_

Rate Center: vi ELIZABTHTN

Rate Center Sub Zone:\_\_\_\_\_

1.3 Dates:

Date of Application: <sup>vii</sup>	Requested Block Effective Date: viii
12/11/2010	02/15/2011

[9] By selecting this checkbox, I acknowledge that I am requesting the earliest possible effective date the Administrator can grant. Please note that this only applies to a reduction in the Administrator's processing time, however the request will still be processed in the order received.

Request Expedited Treatment? (See Section 8.6) Yes \_\_\_\_\_No \_\_\_X

#### 1.4 Type of Service Provider Requesting the Thousands-Block :

a) Type of Service Provider : <u>CAP OR CLEC</u> (LEC, IXC, CMRS, Other)

b) Primary type of service Blocks to be used for : <u>Wireline</u>

- c) Thousands-Block(s) (NXX-X) assignment Preference (Optional) \_
- d) Thousands-Block(s) (NXX-X) that are undesirable for this assignment , if any \_\_\_\_\_

e) If requesting a code for LRN purposes, indicate which block(s) you will be keeping(the remainder of the blocks will be given to the pool) <u>270-xxx-1</u>,

#### 1.5 Type of Request:

Initial block for rate center : Yes \_\_\_\_\_\_ If Yes , attach evidence of authorization and proof of capability to provide service within 60 days.

Growth block for rate center : Yes  $\underline{\qquad}$  If Yes , attach months to exhaust worksheet

By selecting this checkbox, I acknowledge that I am willing to accept a block in red and explicitly understand that the underlying CO code may not yet be activated in the PSTN and loaded in the NPAC on the block effective date.

Type of change(Mark <u>all</u> that apply)

□ OCN:Intra-company <sup>ix</sup> □ Switching Id □ Part 1B

OCN:Inter-company <sup>x</sup> Effective Date

Change block : Yes \_\_\_\_\_ If Yes , list NPA-NXX-X \_\_\_\_\_

#### 1.6 Block Return :

- a) Is this block Contaminated Yes \_\_\_\_\_ No \_\_\_\_
- b) If Yes how many TNs are NOT available for assignment :\_\_\_\_\_
- c) Have all new Intra SP ports been completed in the NPAC Yes \_\_\_\_\_ No \_\_\_\_\_
- d) Has this block been protected from further assignment Yes \_\_\_\_\_ No \_\_\_\_\_

Disconnect block : Yes \_\_\_\_\_ If Yes , list NPA-NXX-X \_\_\_\_\_

#### Remarks: LRN needed for G9 switch to Windstream tandem

I hereby certify that the above information requesting an NXX-X block is true and accurate to the best of my knowledge and that this application has been prepared in accordance with the Thousands-Block (NXX-X) Pooling Administration Guidelines (ATIS-0300066) available on the ATIS web site (http://www.atis.org/inc) or by contacting inc@atis.org as of the date of this application.

Beatrice McKoy	<u>Code</u> Administrato	<u>.</u> <u>12/11/2010</u>
Signature of Block Applicant	Title	Date

#### Instructions for filling out each Section of the Part 1A form:

Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator s name, address, phone, fax and e-mail.

Section 1.2 Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN) are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the Telcordia<sup>TM</sup> LERG<sup>TM</sup> Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by Telcordia<sup>TM</sup> Routing Administration (TRA). In addition, the

number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLI<sup>TM</sup> tandem of the facilities based provider <sup>xi</sup>. Explanations of these terms may be found in the footnotes.

Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.

Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. The also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.

Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

Section 1.6 Service Providers must indicate the updated/current information in regards to contaminated TNs on the block they are returning to the pool. Blocks with over 10% contamination (101 TNs or more) shall not be returned to the pool unless they meet criteria outlined in section 9.1.2 of these Guidelines. If the block being returned is over 10% contaminated the PA shall seek a new block holder. If question c and/or d have a response of No, the request for return shall be denied. The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

#### Foot Notes :

<sup>i</sup> Identify the type of change(s) in Section 1.5.

<sup>ii</sup> The Pool Administrator is available to assist in completing these forms.

<sup>iii</sup> A CO Code application will also need to be submitted to the PA.

<sup>iv</sup> Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).

<sup>v</sup> This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI<sup>TM</sup> code of the switch /POI.

<sup>vi</sup> Rate Center name must be a tariffed Rate Center.

<sup>vii</sup> Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.

viii Please ensure that the NPA-NXX of the LRN to be associated with this block(s) is/will be active in the network prior to the effective date of the block(s).

<sup>ix</sup> Select if you are the current Block Holder.

<sup>x</sup> Select if you are <u>not</u> the current Block Holder

Ċ.,.,

Part1A

t Com

<sup>xi</sup> Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc.

ı,

# Appendix 3 May 16, 2008 MONTHS TO EXHAUST and UTILIZATION CERTIFICATION WORK SHEET - TN Level<sup>1</sup> (Thousands-Block Number Pooling Growth Block Request)

 $\mathbf{v}^* = \mathbf{v}$ 

Tracking Number: 270-EL	LABININ-KY-404	409	
Date: 12/11/2010	OCN: <u>3495</u>	Company Name: US L	<u>EC OF TN - KY</u>
Rate Center: ELIZABTHT	<u>[N</u>		
List all Codes NPA(s)-NX	X(s) and Blocks NPA(	s)-NXX-X(s): <u>270-505-1 &amp; 2</u>	<u>70-506-1</u>
Name of Block Applicant:	<u>Beatrice McKoy</u>	Signature: Beatrice	e McKoy
Title: Code Administrator	Telepho	ne No.: 704-319-1351	FAX No.:
E-mail: <u>beatrice.mckoy@</u>	paetec.com		
A. Available Numbers: <u>52'</u>	<u>1</u>		
B. Assigned Numbers: <u>12</u>	<u>53</u>		
	8000		
C. Total Numbering Reso	arces:2000		

D. Quantity of numbers activated in the past 90 days (increments of 1,000 or 10,000) and excluded from the Utilization calculation  $^{2}:\underline{0}$ 

List Excluded Code(s) or Block(s):

	Month	Month	Month	Month	Month	Month	Month	Month	Month	Month	Month	Month
	#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12
E. Growth History - Previous 6 months <sup>3</sup>	<u>0</u>	<u>0</u>	4	<u>0</u>	<u>0</u>	<u>0</u>						

4												
MTE Block											Р	age 2 of 2
F. Forecast - Next 12 months <sup>4</sup>	<u>50</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>20</u>	<u>0</u>	<u>0</u>	<u>20</u>	<u>0</u>	<u>10</u>
G. Average N	Monthly	y Foreca	ıst (Su	m of mo	onths 1	-6 (Part	F above	e) divio	led by (	5): <u>8.333</u>	_	
H. Months to Exhaust <sup>5</sup> =	Num	<u>bers Av</u>		e for As hers(A)	signme	ent to						
	I	Average	Montl	nly Fore	ecast(G	)						
		Block	<u>c Requ</u> 1	ested		<u>Avai</u> l	<u>able Nu</u> 527	<u>mbers</u>		<u>Montl</u>	<u>hs To F</u> 63.243	<u>Exhaust</u> 3
I. Utilization <sup>6 =</sup> =		ed Numl Number	73	21			5 X 100 63.15					
	i otur i			ers(D)								

Explanation:

e.....

<sup>1</sup>A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>2</sup>Quantity of numbers activated in the past 90 days is based on blocks and/or codes received from the administrator and shall be reported in increments of 1,000 or 10,000 TNs (e. g.: 2 blocks received=2,000 and 1 code received=10,000).

<sup>3</sup>Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

<sup>4</sup>Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

<sup>5</sup>To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, section 52.15 (g) (3) (iii)).

<sup>6</sup>Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))

C . . .