



Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James W. Gardner
Vice Chairman

May 3, 2012

James H. Blanton
Superintendent
Big Sandy Water District
18200 Kentucky Route 3
Catlettsburg, Kentucky 41129

RE: Case No. 2012-00161
Big Sandy Water District
(Purchased Water Adjustment)

The Commission staff has reviewed Big Sandy Water District's application in the above case and finds that it met the minimum filing requirements on April 27, 2012 and has been accepted for filing.

Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

A handwritten signature in cursive script that reads "Linda Faulkner".

Linda Faulkner
Filings Division Director

LF/ke

Big Sandy Water District
18200 State Route 3
Catlettsburg, KY 41129
(606) 928-2075 or (800) 354-2933
Fax (606) 928-8454
bdistrict@windstream.net



April 24, 2012

2012-00161

RECEIVED

APR 27 2012


PUBLIC SERVICE
COMMISSION

Mr. Jeff Derouen
Executive Director
Public Service Commission
211 Sower Blvd
PO Box 615
Frankfort, KY 40602

Dear Mr. Derouen

Big Sandy Water District has experienced a rate increase from one of our suppliers, City of Kenova, and we are asking approval to increase rates through the Purchase Water Adjustment (807 KAR 5:068) to our customers. As you can see from Exhibit A, we changed from \$1.79 per thousand to \$2.55 per thousand. A notice to our customers will be published in the Daily Independent. Our total expenses and revenue have been furnished to the PSC in our annual report. Enclosed are the original and ten copies of the applications, exhibits, and new tariff sheets. If you have any questions, please call (606) 928-2075.

Sincerely,



James H. Blanton
Manager

Enclosures

jb/tb