

Steve L. Beshear  
Governor

Leonard K. Peters  
Secretary  
Energy and Environment Cabinet



Commonwealth of Kentucky  
**Public Service Commission**

211 Sower Blvd.  
P.O. Box 615  
Frankfort Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

David L. Armstrong  
Chairman

James Gardner  
Vice Chairman

Linda Breathitt  
Commissioner

December 20, 2012

James W Hoskins, Superintendent  
Magoffin County Water District  
749 Parkway Road  
P. O. Box 490  
Salyersville, KY 41465

RE: Case No. **2012-00581**

Magoffin County Water District  
(Purchased Water Adjustment)

This letter is to acknowledge receipt of initial application in the above case. The application was date-stamped received December 20, 2012 and has been assigned Case No. 2012-00581. In all future correspondence or filings in connection with this case, please reference the above case number. Public comments and responses to public comments regarding this case may be viewed on the Commission's web site at <http://www.psc.ky.gov>.

All documents submitted to the Commission in this proceeding must comply with the rules of procedure adopted by the Commission found in 807 KAR 5:001. Any deviation from these rules must be submitted in writing to the Commission for consideration as required by 807 KAR 5:001 (14). Additionally, confidential treatment of any material submitted must follow the requirements found in 807 KAR 5:001 (7).

Materials submitted to the Commission which do not comply with the rules of procedure, or that do not have an approved deviation, are subject to rejection by Commission pursuant to 807 KAR 5:001 (2). In order to insure cases are processed in a timely manner and accurate reliable records are created, please make sure that the rules of procedure are followed. Should you have any questions, please contact Linda Faulkner in the Division of Filings at (502)564-3940.

Sincerely,

A handwritten signature in black ink, appearing to read "Jeff Derouen".

Jeff Derouen  
Executive Director

JD/tw