



Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James W. Gardner
Vice Chairman

Linda Breathitt
Commissioner

May 14, 2013

Mr. Carlos F. Miller
Kenvirons, Inc.
452 Versailles Road
Frankfort, Kentucky 40602

Re: Case No. 2013-00154
Filing Deficiencies

Dear Mr. Miller:

Commission Staff has reviewed Henderson County Water District's application in the above-referenced case.

This review indicates that the application fails to meet the requirements of 807 KAR 5:076, Section 5. The public notice of the proposed rate adjustment does not state the percentage change resulting from the proposed rates, the effect of the proposed rates on an average customer bill, or that the application and all documents filed with the Public Service Commission may be viewed and downloaded at the Public Service Commission's Web site at <http://psc.ky.gov>.

The statutory time period set forth in KRS 278.190 for Commission review of the proposed rates will not commence until the above-mentioned information is filed with the Commission. Furthermore, the six-month time period set forth in 807 KAR 5:076, Section 7, before which Henderson County Water District may place the rates into effect subject to refund, will not begin to run until such information is filed.

You are requested to file an original and five paper copies of this information within 15 days of date of this letter. If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

A handwritten signature in cursive script that reads "Linda Faulkner".

Linda Faulkner
Filings Division Director