

DAMON R. TALLEY, P.S.C. RECEIVED

112 N. Lincoln Blvd
PO Box 150
Hodgenville, Kentucky 42748

Tel: (270) 358-3187
Fax: (270) 358-9560
E-mail: drtalley@windstream.net

SEP 19 2013
PUBLIC SERVICE
COMMISSION

Damon R. Talley

September 18, 2013

Attorney At Law

Mr. Jeff Derouen, Executive Director
Public Service Commission
PO Box 615
Frankfort, KY 40602

RE: Case No. 2013-00311 – Transfer Application
From: Mallard Point Disposal Systems, Inc.
To: City of Georgetown, Kentucky


Dear Mr. Derouen:

The Joint Applicants request that the Commission revise Question 5 of Commission Staff's Request for Information dated September 16, 2013 to permit the submittal of an electronic version in portable document format (pdf) on a compact disk of the design specifications for the proposed wastewater pumping station in lieu of submitting an original and ten copies in paper medium.

For cause, the Joint Applicants have been advised by its consulting engineering firm that the Engineering Drawings, Design Specifications, and Information for Bidders for the proposed wastewater pumping station will exceed 1,000 pages per printed set. The Joint Applicants wish to be good environmental stewards and also desire to save the cost of printing these voluminous documents. Submitting an electronic version of these documents in lieu of paper will accomplish both of these objectives.

Yours truly,

DAMON R. TALLEY, P.S.C.



DAMON R. TALLEY

cc: Mallard Point Disposal Systems, Inc.
City of Georgetown, Kentucky