



Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James W. Gardner
Vice Chairman

Linda Breathitt
Commissioner

September 16, 2013

Mr. Bill Gilbert
Rattlesnake Ridge Water District
3563 State Highway 1661
P.O. Box 475
Olive Hill, Kentucky 41143

RE: Case No 2013-338
Rattlesnake Ridge Water District
(Alternative Rate Filing Adjustment)

The Commission Staff has reviewed Rattlesnake Ridge Water District application in the above case. This filing is rejected for the reasons set forth below.

Filing deficiencies pursuant to: 807 KAR 5:076


Section 5 Does Notice of Proposed rate adjustment meet regulatory requirements.

The amount of the charge requested in both dollar amounts and percentage change for each customer classification to which the proposed rate change will apply.

That the application and all documents filed with the Public Service Commission may be viewed and downloaded at the Public Service Commission's Web site at <http://psc.ky.gov/>

Please provide the requested information within 15 days of the date of this letter.
If you need further assistance, please contact my staff at 502-782-2629.

Sincerely,



Linda Faulkner
Filings Division Director

LF/tw