

# Rattlesnake Ridge Water District

*Serving Areas of Carter, Elliott, Lawrence and Morgan Counties*

P.O. Box 475, Grayson, Kentucky 41143-0475

Phone (606) 474-7570, Fax (606) 474-8531

E-Mail: [rrwd@windstream.net](mailto:rrwd@windstream.net)

RECEIVED

NOV 19 2013

PUBLIC SERVICE  
COMMISSION

November 15, 2013

Public Service Commission  
211 Sower Blvd.  
P. O. Box 615  
Frankfort, KY 40601

Dear Sirs:

RE: Case No. 2013-00338

Enclosed is a copy of the letter and signed certified mail receipt that we sent to all of our wholesale customers.

If you have any questions or need additional information please contact us.

Sincerely,



Bernie McDaniel  
Manager

Member WWA

# Rattlesnake Ridge Water District

*Serving Areas of Carter, Elliott and Lawrence Counties*

P.O. Box 475, Grayson, Kentucky 41143-0475

Phone (606) 474-7570, Fax (606) 474-8531

E-Mail: [rrwd@windstream.net](mailto:rrwd@windstream.net)

RECEIVED

NOV 19 2013

PUBLIC SERVICE  
COMMISSION

November 6, 2013

Big Sandy Water District  
18200 State Route 3  
Catlettsburg, KY 41129

Dear Sirs:

Rattlesnake Ridge Water District has filed an application with the Public Service Commission seeking approval of a 29% increase to its water rates.

If the PSC approves the proposed increase, Big Sandy Water District's current rate of \$2.96 per 1,000 gallons will increase to \$3.82 per 1,000 gallons which calculates to a per 1,000 gallon rate increase of \$0.86 or 29%.

The \$3.82 per 1,000 gallon rate is the rate proposed by Rattlesnake Ridge Water District in its application but the Public Service Commission may order a rate that differs from this proposed rate.

The application may be examined at the offices of Rattlesnake Ridge Water District located at 3563 Highway 1661, in Grayson, Kentucky.

The application may also be examined at the offices of the Public Service Commission located at 211 Sower Boulevard in Frankfort, Kentucky, Monday – Friday from 8:00 am – 4:30 pm or on the PSC website at <http://psc.ky.gov>. The application has been assigned PSC Case No. 2013-00338.

Comments regarding this application may be submitted by mail to the Public Service Commission, Post Office Box 615, Frankfort KY 40602; or through its website at <http://psc.ky.gov>.

Intervention may be requested by submitting a timely written request for intervention by mail to the Public Service Commission, Post Office Box 615, Frankfort, KY 40602. The request for intervention must establish the grounds for the request including the status and interest of the party.

If the Public Service Commission does not receive a written request for intervention within thirty (30) days of the mailing of this notice, the Public Service Commission may take final action on the filed application.

If you have questions or need additional information, please contact...

Sincerely,

  
Bernie McDaniel  
Manager

*"This institution is an equal opportunity provider"*

*"Hard of Hearing, Speech impaired, or Deaf users, call the Kentucky Relay Service at (800) 648-6056.  
Give the Communications Assistant our phone number to contact us."*

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article addressed to:

Big Sandy Water Dist  
18200 SE RL 3  
Catalettsburg, Ky 41129

2. Article Number  
(Transfer from service label) 0

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  Agent  
*Teresa Brown*  Addressee

B. Received by (Printed Name)  Agent  
*Teresa Brown*  Addressee

C. Date of Delivery  
*11/12/13*

D. Is delivery address different from item 1?  Yes  
If YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

7013 1710 0000 3595 2459

# Rattlesnake Ridge Water District

*Serving Areas of Carter, Elliott and Lawrence Counties*

P.O. Box 475, Grayson, Kentucky 41143-0475

Phone (606) 474-7570, Fax (606) 474-8531

E-Mail: [rrwd@windstream.net](mailto:rrwd@windstream.net)

RECEIVED

NOV 19 2013

PUBLIC SERVICE  
COMMISSION

November 6, 2013

City of Vanceburg  
PO Box 489  
Vanceburg, KY 41179

Dear Sirs:

Rattlesnake Ridge Water District has filed an application with the Public Service Commission seeking approval of a 29% increase to its water rates.

If the PSC approves the proposed increase, the City of Vanceburg's current rate of \$2.96 per 1,000 gallons will increase to \$3.82 per 1,000 gallons which calculates to a per 1,000 gallon rate increase of \$0.86 or 29%.

The \$3.82 per 1,000 gallon rate is the rate proposed by Rattlesnake Ridge Water District in its application but the Public Service Commission may order a rate that differs from this proposed rate.

The application may be examined at the offices of Rattlesnake Ridge Water District located at 3563 Highway 166 in Grayson, Kentucky.

The application may also be examined at the offices of the Public Service Commission located at 211 Sower Boulevard in Frankfort, Kentucky, Monday – Friday from 8:00 am – 4:30 pm or on the PSC website at <http://psc.ky.gov>. The application has been assigned PSC Case No. 2013-00338.

Comments regarding this application may be submitted by mail to the Public Service Commission, Post Office Box 615, Frankfort KY 40602; or through its website at <http://psc.ky.gov>.

Intervention may be requested by submitting a timely written request for intervention by mail to the Public Service Commission, Post Office Box 615, Frankfort, KY 40602. The request for intervention must establish the grounds for the request including the status and interest of the party.

If the Public Service Commission does not receive a written request for intervention within thirty (30) days of the mailing of this notice, the Public Service Commission may take final action on the filed application.

If you have questions or need additional information, please contact...

Sincerely,

  
Bernie McDaniel  
Manager

---

*"This institution is an equal opportunity provider"*

*"Hard of Hearing, Speech impaired, or Deaf users, call the Kentucky Relay Service at (800) 648-6056.  
Give the Communications Assistant our phone number to contact us."*

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also, complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

City of Vanceburg  
P.O. Box 489  
Vanceburg, Ky 41179

2. Article Number

(Transfer from service label) 0

7013 1710 0000 3595 2466

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

X Sheikh M Cooper

Agent

Addressee

B. Received by (Printed Name)

Sheikh M Cooper

C. Date of Delivery

D. Is delivery address different from item 1?  Yes  
If YES, enter delivery address below:  No

3. Service Type

Certified Mail

Express Mail

Registered

Return Receipt for Merchandise

Insured Mail

C.O.D.

4. Restricted Delivery? (Extra Fee)

Yes

# Rattlesnake Ridge Water District

*Serving Areas of Carter, Elliott and Lawrence Counties*

P.O. Box 475, Grayson, Kentucky 41143-0475

Phone (606) 474-7570, Fax (606) 474-8531

E-Mail: [rrwd@windstream.net](mailto:rrwd@windstream.net)

RECEIVED

NOV 19 2013

PUBLIC SERVICE  
COMMISSION

November 6, 2013

City of Sandy Hook  
P O Box 726  
Sandy Hook, KY 41171

Dear Sirs:

Rattlesnake Ridge Water District has filed an application with the Public Service Commission seeking approval of a 29% increase to its water rates.

If the PSC approves the proposed increase, Sandy Hook Water District's current rate of \$2.25 per 1,000 gallons will increase to \$2.90 per 1,000 gallons which calculates to a per 1,000 gallon rate increase of \$0.65 or 29%.

The \$2.90 per 1,000 gallon rate is the rate proposed by Rattlesnake Ridge Water District in its application but the Public Service Commission may order a rate that differs from this proposed rate. The application may be examined at the offices of Rattlesnake Ridge Water District located at 3563 Highway 1661 in Grayson, Kentucky.

The application may also be examined at the offices of the Public Service Commission located at 211 Sower Boulevard in Frankfort, Kentucky, Monday – Friday from 8:00 am – 4:30 pm, or on the PSC website at <http://psc.ky.gov>. The application has been assigned PSC Case No. 2013-00338.

Comments regarding this application may be submitted by mail to the Public Service Commission, Post Office Box 615, Frankfort KY 40602; or through its website at <http://psc.ky.gov>.

Member KRWVA

Intervention may be requested by submitting a timely written request for intervention by mail to the Public Service Commission, Post Office Box 615, Frankfort, KY 40602. The request for intervention must establish the grounds for the request including the status and interest of the party.

If the Public Service Commission does not receive a written request for intervention within thirty (30) days of the mailing of this notice, the Public Service Commission may take final action on the filed application. If you have questions or need additional information, please contact...

Sincerely,

  
Bernie McDaniel  
Manager

*"This institution is an equal opportunity provider"*

*"Hard of Hearing, Speech impaired, or Deaf users, call the Kentucky Relay Service at (800) 648-6056. Give the Communications Assistant our phone number to contact us."*

**SENDER: COMPLETE THIS SECTION**

- Complete Items 1, 2, and 3. Also complete Item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

City of Sandy Hook  
P.O. Box 226  
Sandy Hook, N.J. 07771

2. Article Number

||| (Transfer from service label)

7013 1710 0000 3595 2442

PS Form 3811, February 2004

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

x *Kate Sharp*  Agent  Address

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1?  Yes  
If YES, enter delivery address below:  No

3. Service Type

- Certified Mail  Express Mail
- Registered  Return Receipt for Merchandise
- Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)

Yes

# Rattlesnake Ridge Water District

*Serving Areas of Carter, Elliott and Lawrence Counties*

P.O. Box 475, Grayson, Kentucky 41143-0475

Phone (606) 474-7570, Fax (606) 474-8531

E-Mail: [rrwd@windstream.net](mailto:rrwd@windstream.net)

**RECEIVED**

**NOV 19 2013**

**PUBLIC SERVICE  
COMMISSION**

November 6, 2013

City of Olive Hill  
225 Roger Patton Dr.  
Olive Hill, KY 41164

Dear Sirs:

Rattlesnake Ridge Water District has filed an application with the Public Service Commission seeking approval of a 29% increase to its water rates.

If the PSC approves the proposed increase, the City of Olive Hill's current rate of \$3.33 per 1,000 gallons will increase to \$4.30 per 1,000 gallons which calculates to a per 1,000 gallon rate increase of \$0.97 or 29%.

The \$4.30 per 1,000 gallon rate is the rate proposed by Rattlesnake Ridge Water District in its application but the Public Service Commission may order a rate that differs from this proposed rate.

The application may be examined at the offices of Rattlesnake Ridge Water District located at 3563 Highway 1661 in Grayson, Kentucky.

The application may also be examined at the offices of the Public Service Commission located at 211 Sower Boulevard in Frankfort, Kentucky, Monday – Friday from 8:00 am – 4:30 pm or on the PSC website at <http://psc.ky.gov>. The application has been assigned PSC Case No. 2013-00338.

Comments regarding this application may be submitted by mail to the Public Service Commission, Post Office Box 615, Frankfort KY 40602; or through its website at <http://psc.ky.gov>.

Intervention may be requested by submitting a timely written request for intervention by mail to the Public Service Commission, Post Office Box 615, Frankfort, KY 40602. The request for intervention must establish the grounds for the request including the status and interest of the party.

If the Public Service Commission does not receive a written request for intervention within thirty (30) days of the mailing of this notice, the Public Service Commission may take final action on the filed application.

If you have questions or need additional information, please contact...

Sincerely,

  
Bernie McDaniel  
Manager

---

*"This institution is an equal opportunity provider"*

*"Hard of Hearing, Speech impaired, or Deaf users, call the Kentucky Relay Service at (800) 648-6056.  
Give the Communications Assistant our phone number to contact us."*



**SENDER: COMPLETE THIS SECTION**

- Complete Items 1, 2, and 3. Also complete Item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

City of Olive Hill  
225 Roger Sutton Dr.  
Olive Hill, Ky 41164

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  
 Agent  
 Addressee

B. Received by (Printed Name)  
C. Date of Delivery

D. Is delivery address different from item 1?  Yes  
If YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

2. Article Number  
(Transfer from service label) 7013 1710 0000 3595 2480

# Rattlesnake Ridge Water District

Serving Areas of Carter, Elliott and Lawrence Counties

P.O. Box 475, Grayson, Kentucky 41143-0475

Phone (606) 474-7570, Fax (606) 474-8531

E-Mail: [rrwd@windstream.net](mailto:rrwd@windstream.net)

# RECEIVED

NOV 19 2013

## PUBLIC SERVICE COMMISSION

November 6, 2013

City of Grayson  
671 S. ST HWY 7  
Grayson, KY 41143

Dear Sirs:

Rattlesnake Ridge Water District has filed an application with the Public Service Commission seeking approval of a 29% increase to its water rates. If the PSC approves the proposed increase, the City of Grayson's rates would be as follows:

<u>City of Grayson</u> <u>Change</u>	<u>Existing</u>	<u>Proposed</u>	<u>\$ Change</u>	<u>%</u>
First 50,000 gallons (Minimum Bill)	\$291.40	\$375.91	\$84.51	29%
Over 50,000 gallons (per 1,000 gallons)	3.74	4.82	1.08	29%

The listed rates are the rates proposed by Rattlesnake Ridge Water District in its application but the Public Service Commission may order rates that differ from these proposed rates.

The application may be examined at the offices of Rattlesnake Ridge Water District located at 3563 Highway 1661 in Grayson, Kentucky.

The application may also be examined at the offices of the Public Service Commission located at 211 Sower Boulevard in Frankfort, Kentucky, Monday - Friday from 8:00 am - 4:30 pm or on the PSC website at <http://psc.ky.gov>. The application has been assigned PSC Case No. 2013-00338.

Comments regarding this application may be submitted by mail to the Public Service Commission, Post Office Box 615, Frankfort KY 40602; or through its website at <http://psc.ky.gov>.

Intervention may be requested by submitting a timely written request for intervention by mail to the Public Service Commission, Post Office Box 615, Frankfort, KY 40602. The request for intervention must establish the grounds for the request including the status and interest of the party.

If the Public Service Commission does not receive a written request for intervention within thirty (30) days of the mailing of this notice, the Public Service Commission may take final action on the filed application.

If you have questions or need additional information, please contact...

Sincerely,

  
Bernie McDaniel  
Manager

*"This institution is an equal opportunity provider"*

*"Hard of Hearing, Speech impaired, or Deaf users, call the Kentucky Relay Service at (800) 648-6056.  
Give the Communications Assistant our phone number to contact us."*

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> <li>■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</li> <li>■ Print your name and address on the reverse so that we can return the card to you.</li> <li>■ Attach this card to the back of the mailpiece, or on the front if space permits.</li> </ul>	<p>A. Signature <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p><i>[Signature]</i></p> <p>B. Received by (Printed Name) C. Date of Delivery</p> <p><i>Cereld W. Hency</i> <i>11-12-13</i></p>
<p>1. Article Addressed to:</p> <p><i>City of Grayson</i>  <i>821 S. ST Hwy 7</i>  <i>Grayson, Ky 41143</i></p>	<p>D. Is delivery address different from item 1? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>If YES, enter delivery address below:</p> <p><i>671 S. St. Hwy. 7</i>  <i>Grayson, Ky 41143</i></p> <p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail</p> <p><input type="checkbox"/> Registered <input checked="" type="checkbox"/> Return Receipt for Merchandise</p> <p><input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p> <p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>
<p>2. Article Number          (Transfer from service label)</p>	<p><i>7013 1710 0000 3595 2473</i></p>