

COMMONWEALTH OF KENTUCKY  
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

APPLICATION OF COLUMBIA GAS OF KENTUCKY, INC. FOR A LIMITED DEVIATION FROM THE REQUIREMENTS OF 807 KAR 5:022, SECTION 14(22)(a)	) ) CASE NO. ) 2015-00084 )
--	--------------------------------------

ORDER


On March 12, 2015, pursuant to 807 KAR 5:022, Section 18, Columbia Gas of Kentucky, Inc. ("Columbia") applied for a limited deviation from 807 KAR 5:022, Section 14(22)(a), the Commission's regulation regarding pressure limiting and regulating stations: telemetering or recording gauges. Columbia responded to three rounds of information requests issued by Commission Staff ("Staff"). On March 17, 2016, Columbia participated in an informal conference ("IC") with Commission Staff and on May 6, 2016, filed a response to the IC Memorandum. There are no intervenors in this matter. Discovery having been completed, the Commission must now determine whether a hearing is needed or whether the matter can be decided upon the evidence of record.

IT IS THEREFORE ORDERED that, no later than five days from the date of this Order, Columbia shall file a statement as to whether there are any material issues of fact that warrant a hearing, or whether this case may be submitted for adjudication based on the existing record without a hearing.

By the Commission

ENTERED  
JUL 21 2016  
KENTUCKY PUBLIC  
SERVICE COMMISSION

ATTEST:



Executive Director

Case No. 2015-00084

\*Columbia Gas of Kentucky, Inc.  
290 W Nationwide Blvd  
Columbus, OH 43215

\*Honorable Stephen B Seiple  
Attorney at Law  
Columbia Gas of Kentucky, Inc.  
290 W. Nationwide Blvd.  
Columbus, OHIO 43215