

Steve L. Beshear  
Governor

Leonard K. Peters  
Secretary  
Energy and Environment Cabinet



Commonwealth of Kentucky  
**Public Service Commission**

211 Sower Blvd.  
P.O. Box 615  
Frankfort Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

James Gardner  
Chairman

Daniel E. Logsdon Jr.  
Vice Chairman

November 24, 2015

**PARTIES OF RECORD**

**RE: Case No. 2015-00375**

The Commission staff has reviewed the application in the above case and finds that it meets the minimum filing requirements and has been accepted for filing.

Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

A handwritten signature in cursive script that reads "Linda Faulkner".

Linda Faulkner  
Filings Division Director

/tw

Farmdale Water District  
100 HIGHWOOD DRIVE  
FRANKFORT, KENTUCKY 40601

COMMISSIONERS:  
CLIFFORD TOLES, CHAIRMAN  
YVONNE HILL, TREASURER  
CRAIG BLANTON, SECRETARY

TELEPHONE  
(502) 223-3562  
FAX: (502) 352-2999

Public Service Commission  
P.O. Box 615  
Frankfort, KY 40602-0615  
Jeff Derouen, Executive Director

November 17, 2015

**FILED**

**NOV 17 2015**

**PUBLIC SERVICE  
COMMISSION**

**RECEIVED**

**NOV 17 2015**

**PUBLIC SERVICE  
COMMISSION**

Mr. Derouen:

We are submitting an application for a water rate increase based on an approved annual rate increase by our water supplier, Frankfort Electric and Water Plant Board.

Included is a copy of notice for such charges, our current and proposed rates, and a copy of the minutes of the Board approving the increase to be passed on to our customers. Also included is the Purchased Water Adjustment forms.

2015-00375

Respectfully ,

  
Clifford Toles, Chairman

\*Farmdale Water District  
100 Highwood Drive, Route 8  
Frankfort, KY 40601

\*Clifford Toles  
Chairman  
Farmdale Water District  
100 Highwood Drive  
Frankfort, KENTUCKY 40601