

Matthew G. Bevin
Governor

Charles G. Snavey
Secretary
Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission

211 Sower Blvd.
P.O. Box 615
Frankfort Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Daniel E. Logsdon Jr.
Vice Chairman

Robert Cicero
Commissioner

June 09, 2016

PARTIES OF RECORD

RE: Case No. **2016-00196**

The Commission staff has reviewed the application in the above case and finds that it meets the minimum filing requirements and has been accepted for filing.

Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

A handwritten signature in cursive script that reads "Linda Faulkner".

Linda Faulkner
Filings Division Director

LF/tw

351 Almo Rd
Almo, KY 42020
Phone (270) 753-9101
Fax (270) 759-0199
E-mail darwd351@netzero.net

DEXTER-ALMO HEIGHTS WATER DISTRICT

RECEIVED

June 2, 2016

JUN - 6 2016

Public Service
Commission

Mr. Jeff R. Derouen
Executive Director
Public Service Commission
P.O. Box 615
Frankfort, KY 40602-0615

FILED

JUN 6 2016

PUBLIC SERVICE
COMMISSION

RE: Formal Application for a Purchase Water Adjustment

Dear Mr. Derouen:

Enclosed is an original and 10 copies of an application for a purchase water adjustment for the Dexter-Almo Heights Water District. The adjustment is necessary to recover an increase in the cost of water attributable to the City of Murray new wholesale price. A copy of the suppliers' notice of the changed rate showing the effective date is attached.

2016-196

Sincerely,



Pat Paschall

Commissioner/Secretary

Enclosure

.....

*Dexter-Almo Heights Water District
351 Almo Road
P. O. Box 55
Almo, KY 42020

*Dexter-Almo Heights Water District
Dexter-Almo Heights Water District
351 Almo Road
P. O. Box 55
Almo, KY 42020