COMMONWEALTH OF KENTUCKY

BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

APPLICATION OF SYMSONIA WATER DISTRICT FOR RATE ADJUSTMENT PURSUANT TO 807 KAR 5:076

CASE NO. 2017-00371

ORDER

This matter arises upon the motion of the Attorney General of the Commonwealth of Kentucky, by and through his Office of Rate Intervention ("Attorney General"), filed September 20, 2017, pursuant to KRS 367.150(8), for full intervention. Such intervention is authorized by statute. The Commission, being otherwise sufficiently advised, finds that the motion should be granted.

IT IS HEREBY ORDERED that:

1. The motion of the Attorney General to intervene is granted.

2. The Attorney General shall be entitled to the full rights of a party and shall be served with the Commission's Orders and with filed testimony, exhibits, pleadings, correspondence, and all other documents submitted by parties after the date of this Order.

3. The Attorney General shall comply with all provisions of the Commission's regulation, 807 KAR 5:001, Section 7, related to the service and filing of documents.

4. The Attorney General shall adhere to the procedural schedule set forth in the Commission's October 10, 2017 Order and as amended by subsequent Orders.

5. Within seven days of entry of this Order, the Attorney General shall provide his electronic mail address to which all electronic documents issued by the Commission and other parties of record may be served upon the Attorney General in accordance with 807 KAR 5:001, Section 4(8).

By the Commission

ENTERED DEC 0 5 2017 Y PUBLIC OMMISSION

ATTEST:

ver & Rinson

Executive Director

Case No. 2017-00371

*Jim Waid Manager Symsonia Water District 11105 State Rt. 131 P. O. Box 99 Symsonia, KY 42082-9801

*Symsonia Water District 11105 State Rt. 131 P. O. Box 99 Symsonia, KY 42082-9801

*Symsonia Water District 11105 State Rt. 131 P. O. Box 99 Symsonia, KY 42082-9801

*Justin M. McNeil Office of the Attorney General Office of Rate 700 Capitol Avenue Suite 20 Frankfort, KENTUCKY 40601-8204