

Matthew G. Bevin
Governor

Charles G. Snaveley
Secretary
Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission

211 Sower Blvd.
P.O. Box 615
Frankfort Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Michael J. Schmitt
Chairman

Robert Cicero
Vice Chairman

Talina R. Mathews
Commissioner

August 21, 2017

PARTIES OF RECORD

RE: Case No. **2017-00338**

U. S. 60 Water District of Shelby and Franklin Counties
(Alternative Rate Filing Adjustment)

This letter is to acknowledge receipt of notice of election of use of electronic filing procedures to file an application in the above case. The notice was date-stamped received August 21, 2017, and has been assigned Case No. 2017-00338. In all future correspondence or filings in connection with this case, please reference the above case number.

All documents submitted to the Commission in this proceeding must comply with the rules of procedure adopted by the Commission found in 807 KAR 5:001. Any deviation from these rules must be submitted in writing to the Commission for consideration. Additionally, confidential treatment of any material submitted must follow the requirements found in 807 KAR 5:001 (13).

Materials submitted to the Commission which do not comply with the rules of procedure, or that do not have an approved deviation, are subject to rejection by Commission pursuant to 807 KAR 5:001 (3). In order to insure cases are processed in a timely manner and accurate reliable records are created, please make sure that the rules of procedure are followed. Should you have any questions, please contact Renee Smith in the Filings Branch at 502-564-3940.

Sincerely,

A handwritten signature in black ink that reads "John S. Lyons".

John S. Lyons
Acting Executive Director

JL/BB

*Donald T Prather
500 Main Street, Suite 5
Shelbyville, KENTUCKY 40065

*U. S. 60 Water District of Shelby and Franklin
4596 Bagdad Road
P. O. Box 97
Bagdad, KY 40003

*Paula McClain
500 Main Street, Suite 5
Shelbyville, KENTUCKY 40065