Matthew G. Bevin Governor

Charles G. Snavely Secretary Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission

211 Sower Blvd. P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov Michael J. Schmitt Chairman

Robert Cicero Vice Chairman

Talina R. Mathews Commissioner

December 4, 2017

Janet Cole Education Coordinator Post Office Box 1424 1151 Old Porter Pike Bowling Green, KY 42102

RE: Kentucky Rural Water Association
Case No. 2017-00434 - Filing Deficiency

The Commission Staff has reviewed the application in the above case. This filing is rejected for the reason set forth below.

Filing deficiency pursuant to:

(1) <u>807 KAR 5:070: Section 1 (6) – Copy of written materials given to water commissioners attending the program.</u>

You are requested to submit the information necessary to cure the deficiency within 10 days of the date of this letter.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

Gwen R. Pinson Executive Director

Twen R. Punson



*Janet Cole
Education Services Coordinator
Kentucky Rural Water Association
Post Office Box 1424
1151 Old Porter Pike
Bowling Green, KENTUCKY 42102-1424