



Matthew G. Bevin
Governor

Charles G. Snavely
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Michael J. Schmitt
Chairman

Robert Cicero
Vice Chairman

Talina R. Mathews
Commissioner

October 16, 2018

Lawren Just
72 Persimmon Ridge Drive
Louisville, KY 40245

RE: P. R. Wastewater Management, Inc.
Case No. 2018-00339 - Filing Deficiencies

The Commission Staff has reviewed the application in the above case. This filing is rejected for the reasons set forth below.

Filing deficiencies pursuant to:

- (1) 807 KAR 5:076: Section 4 (1) (f) – Detailed Analysis of Applicant’s customers’ bills showing revenues from present and proposed rates from each customer class (Attachment BA-DB or Attachment BA-FR is attached to ARF Form-1).
- (2) 807 KAR 5:076: Section 5 (4) – The notice of proposed rate adjustment does not meet regulatory requirements. It does not include the amount of the change requested in both dollar amounts and percentage change for each customer classification to which the proposed rates apply.

You are requested to submit the information necessary to cure the deficiencies within 10 days of the date of this letter. If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

A handwritten signature in cursive script that reads "Gwen R. Pinson".

Gwen R. Pinson
Executive Director

*Ms. Lawren A Just
President
P. R. Wastewater Management, Inc.
72 Persimmon Ridge Drive
Louisville, KY 40245

*P. R. Wastewater Management, Inc.
72 Persimmon Ridge Drive
Louisville, KY 40245