

Matthew G. Bevin  
Governor

Charles G. Snaveley  
Secretary  
Energy and Environment Cabinet



Commonwealth of Kentucky  
**Public Service Commission**

211 Sower Blvd.  
P.O. Box 615  
Frankfort Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Michael J. Schmitt  
Chairman

Robert Cicero  
Vice Chairman

Talina R. Mathews  
Commissioner

February 14, 2019

**PARTIES OF RECORD**

RE: Case No. **2019-00031**

Beech Grove Water System, Inc.  
(Purchased Water Adjustment)

The Commission Staff has reviewed the filing submitted February 14, 2019 and has determined that the application in the above case now meets the minimum filing requirements. Attached please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

A handwritten signature in cursive script that reads "Gwen R. Pinson".

Gwen R. Pinson  
Executive Director

GP/AH

RECEIVED

JAN 17 2019

PUBLIC SERVICE  
COMMISSION

**Beech Grove Water System, Inc.**

**445 State Route 56 N**

**Calhoun KY 42327**

**270 273-5738**

**[beechgrovewaters@bellsouth.net](mailto:beechgrovewaters@bellsouth.net)**

**FILED**

**FEB 14 2019**

PUBLIC SERVICE  
COMMISSION

Gwen R. Pinson  
Executive Director  
Public Service Commission  
PO Box 615  
Frankfort, KY 40602

January 14, 2019


RE: Purchased Water Adjustment Increase  
Wholesale Provider: Henderson Water Utility

Dear Director Pinson:

The Beech Grove Water System, Inc. has received written notice from Henderson Water Utility that they will implement a new rate effective March 2019


Should you need any additional information, please let me know.

Sincerely,



Nathan Ward  
President

Prepared by:

  
Sheila Murphy

\*Beech Grove Water System, Inc.  
445 State Route 56 North  
Calhoun, KY 42327

\*Nathan Ward  
Beech Grove Water System, Inc.  
445 State Route 56 North  
Calhoun, KY 42327