

  
**INTER COUNTY**  
ENERGY COOPERATIVE

A Touchstone Energy Cooperative 

January 30, 2019

**VIA ELECTRONIC TARIFF  
FILING SYSTEM**

Ms. Gwen R. Pinson  
Kentucky Public Service Commission  
211 Sower Boulevard  
P.O. Box 615  
Frankfort, KY 40602

Re: Inter-County Energy Cooperative – 2019 DSM Program Changes

Dear Ms. Pinson:

Please find enclosed for filing with the Commission the above-referenced Inter-County Energy's revised tariffs for the following Demand Side Management ("DSM") Programs:

- Touchstone Energy Home
- Direct Load Control Program – Residential
- Direct Load Control Program – Commercial
- Button-up Weatherization Program
- Heat Pump Retrofit Program
- HVAC Duct Sealing Program
- Commercial & Industrial Advanced Lighting Program
- Industrial Compressed Air Program
- ENERGY STAR® Manufactured Home Program
- Appliance Recycling Program
- ENERGY STAR® Appliances Program

Over the last year, Inter-County Energy has worked diligently with East Kentucky Power Cooperative, Inc. ("EKPC") and its DSM Steering Committee ("the Committee"), a committee of EKPC and Owner-Member cooperative ("Owner-Member") staff and consultants, to re-evaluate the cost-effectiveness and need for all existing DSM programs. Inter-County Energy relied upon the work of EKPC's consultants and Staff throughout this effort. The conclusions of the re-evaluation were shared with EKPC's executive leadership and the Owner-Members' Chief Executive Officers ("CEOs") and a consensus was achieved to recommend substantial changes to EKPC's portfolio of DSM programs. Inter-County Energy is in agreement with the proposed changes to EKPC's DSM portfolio of programs and desires to make appropriate changes to its own DSM tariffs so that they continue to be consistent with EKPC's tariffs. Accordingly, please find attached the following materials related to the proposed DSM tariffs to be implemented:

*This institution is an equal opportunity provider and employer.*

**1. Exhibit A – Proposed DSM Tariffs**

Copies of the proposed DSM tariffs are collectively filed herewith as Exhibit A. In instances where it is proposed for a tariff to be withdrawn, a tariff sheet will be designated as being reserved for future use, taking the place of the existing tariff provisions is being tendered.

**2. Exhibit B – Supporting Documents: Marked-Up Copies of Proposed DSM Tariffs**

Also included are copies of the modified DSM Program tariffs for each of the DSM programs listed above. The tariffs are tendered in a format showing the strike-throughs of the existing tariffs for convenience.


**3. Exhibit C – Supporting Documents: Customer Notice and Effective Date**

Pursuant to KRS 278.180(1), a utility must give at least 30-days' advance notice to the Commission before implementing a new tariff. Therefore, the proposed effective date of these tariff revisions will be March 1, 2019. Pursuant to 807 KAR 5:011, Inter-County Energy has posted the requisite notice at its office located at 1009 Hustonville Road, Danville, Kentucky and will post the requisite notice on its website, no later than five (5) business days from today's date, which will include a hyperlink to the Commission's website where the tariff can be found. Written notice has also been given to members by delivering a copy of the Customer Notice through publication in the February edition of *Kentucky Living* magazine. A copy of the Customer Notice is attached.

While Inter-County Energy requests that these tariffs become effective on March 1, 2019, it recognizes that several of its members are still making economic decisions based upon the tariffs currently in effect. To minimize disruption and surprise to such customers, Inter-County Energy intends to honor all requests for rebates, appliance pick-ups or other existing program benefits that were initiated by members prior to the effective date of these proposed tariffs. Thus, Inter-County Energy anticipates that even when the revised DSM portfolio is approved and in effect, some legacy obligations will remain to be satisfied to fairly and reasonably wind-down the existing tariffed programs.

Please contact me if you have any questions.

Sincerely,



Jerry W. Carter  
President/CEO

Enclosures

# CUSTOMER NOTICE

## Proposed Changes to Demand Side Management (DSM) Programs

Notice is hereby given to the members of: **Big Sandy RECC**, 504 Eleventh Street, Paintsville, KY 41240; **Blue Grass Energy Coop. Corp.**, 1201 Lexington Road, Nicholasville, KY40356; **Clark Energy Coop., Inc.**, 2640 Iron Works Road, Winchester, KY40391; **Cumberland Valley Electric, Inc.**, 6219 North U.S. Highway 25E, Gray, KY 40734; **Farmers RECC**, 504 South Broadway, Glasgow, KY 42141; **Fleming-Mason Energy Coop. Corp.**, 1449 Elizaville Road, Flemingsburg, KY 41041; **Grayson RECC**, 109 Bagby Park, Grayson, KY 41143; **Inter-County Energy Coop. Corp.**, 1009 Hustonville Road, Danville, KY 40422; **Licking Valley RECC**, 271 Main Street, West Liberty, KY 41472; **Nolin RECC**, 411 Ring Rd., Elizabethtown, KY 42701; **Owen Electric Coop., Inc.**, 8205 Highway 127 N, Owenton, KY 40359; **Salt River Electric Coop., Inc.**, 111 West Brashear Avenue, Bardstown, KY 40004; **Shelby Energy Coop., Inc.**, 620 Old Finchville Road, Shelbyville, KY 40065; **South Kentucky RECC**, 200 Electric Avenue, Somerset, KY 42502; **Taylor County RECC**, 625 West Main Street, Campbellsville, KY 42718.

On or about January 30, 2019, the Cooperatives will file proposed tariffs that revise or eliminate certain DSM programs that are currently in effect. The proposed effective date for the tariff changes is March 1, 2019. Each of the DSM tariffs are voluntary in nature. None of the Cooperatives have a DSM Rider in effect, so there will be no change in the rates charged for electric service to any customer class. However, if the proposed tariffs are approved:

- The Heat Pump Retrofit Program will add ductless mini-splits as an eligible primary heat source. Other eligibility criteria will change and incentives will no longer be tied to AHRI ratings.
- The Button-Up Weatherization Program will no longer apply to installing higher efficiency windows and doors and program levels will be abolished in favor of a single incentive. A new standard for measuring attic insulations will be adopted.
- The Touchstone Energy Home Program will increase the minimum efficiency eligibility standard while retaining only two eligibility paths (Blue Grass Energy also retains the option to provide additional services).
- The Residential Direct Load Control Program will no longer apply to new water heaters or any pool pumps and gives greater flexibility in providing the incentive to members.
- The Commercial Direct Load Control Program will now apply to heat pumps, but will no longer apply to new water heaters. Additional device communication requirements will apply.
- The ENERGY STAR® Manufactured Home Program will have a lower incentive payment now given directly to a qualifying member.

The Cooperatives also propose to eliminate the: (1) ENERGY STAR Appliance Program; (2) Appliance Recycling Program; (3) Commercial and Industrial Advance Lighting Program; (4) Industrial Compressed Air Program; and (5) HVAC Duct Seal Program, where applicable.

A person may examine this tariff filing at any of the Cooperatives' respective offices at the addresses listed above. A person may also examine this tariff filing at the Public Service Commission's offices, which are located at 211 Sower Boulevard, Frankfort, Kentucky, Monday through Friday, 8:00 a.m. to 4:30 p.m., or through the Commission's website at <http://psc.ky.gov>. Any comments regarding this tariff filing may be submitted to the Commission through its website or by mail to Kentucky Public Service Commission, Post Office Box 615, Frankfort, Kentucky 40602. The rates contained in this notice are the rates proposed by the Cooperatives, however, the Public Service Commission may order rates to be charged that differ from the proposed rates contained in this notice. A person may submit a timely written request for intervention to the Public Service Commission, at the address listed above, establishing the grounds for the request including the status and interest of the party. If the commission does not receive a written request for intervention within thirty (30) days of the initial publication of this notice, the Commission may take final action on the tariff filing.

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 2 SHEET NO. 13

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
~~ORIGINAL~~ **REVISION #1** SHEET NO. 13

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**TOUCHSTONE ENERGY HOME PROGRAM**

**Purpose**

In an effort to improve new residential home energy performance, Inter-County Energy Cooperative has designed the Touchstone Energy Home Program. This program provides guidance during the building process to guarantee a home that is  $\geq$  ~~25-30~~ **15-20%** more efficient than the Kentucky standard built home. The standard built new home in rural Kentucky typically receives a ~~400~~ **105** on the Home Energy Rating System ("HERS") Index. ~~A HERS Index Score of 100 means the home is built to only moderate levels of efficiency -- generally the 2004 International Energy Conservation Code ("IECC").~~

**Availability**

This program is available to home owners or members served by Inter-County Energy Cooperative.

**Eligibility**

To qualify as a Touchstone Energy Home under Inter-County Energy Cooperative's program, the participating single-family home must be located in the service territory of Inter-County Energy Cooperative and must meet the program guidelines following one of the ~~three~~ **two** available paths of approval. Multi-family dwellings pre-approved by East Kentucky Power Cooperative, Inc. may be eligible.

Prescriptive Path:

- Home must meet each efficiency value as prescribed by Inter-County Energy Cooperative.
- Home must receive pre-drywall inspection and complete Inter-County Energy Cooperative's pre-drywall checklist (contact the Energy Advisor at Inter-County Energy Cooperative for a copy of the checklist).
- Home must receive a final inspection, pass a whole house air leakage test ( $<7$  air changes per hour @ 50 pascals) and duct leakage test ( $<10\%$  of the fan's rated capacity).
- Primary source of heat must be an Air Source Heat Pump  $\geq 14$  Seasonal Energy Efficiency Ratio ("SEER") / ~~8.2 Heating Seasonal Performance Factor ("HSPF") or Geothermal.~~ **current ENERGY STAR® specification for Seasonal Energy Efficiency Ratio "SEER" and Heating Seasonal Performance Factor "HSPF" or Geothermal.**
- Water heater must be an electric storage tank water heater that is  $\geq .90$  Energy Factor (EF). **current Energy and Water conservation standards established by the Federal Department of Energy "DOE".**

DATE OF ISSUE November 28, 2012 **January 30, 2019**  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After January 1, 2013  
Month / Date / Year **March 1, 2019**

ISSUED BY \_\_\_\_\_  
Signature of Officer

TITLE \_\_\_\_\_  
President/CEO



FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
~~ORIGINAL~~ *REVISION #1* SHEET NO. 13A

**INTER-COUNTY ENERGY**  
(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
*ORIGINAL* SHEET NO. 13A

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**TOUCHSTONE ENERGY HOME PROGRAM**

(continued)

**Performance Path Level #1:**

- Home must receive a HERS Index score between 80-85 (15-20% more efficient than the KY standard built home).
- Home must receive pre-drywall inspection and complete Inter-County Energy Cooperative's pre-drywall checklist (contact the Energy Advisor at Inter-County Energy Cooperative for a copy of the checklist).
- Home must receive a final inspection, pass a whole house air leakage test (<7 air changes per hour @50 pascals), and duct leakage test (<10% of the fan's rated capacity).
- Primary source of heat must be an Air Source Heat Pump  $\geq 13$  SEER / 7.5 HSPF or Geothermal.
- Home must pass 2009 IECC performance path.
- Water Heater must be an electric storage tank water heater that is  $\geq .90$  (EF).

**Performance Path Level #2:**

- Home must receive a HERS Index score of  $\leq 79$  *75* (At least 24 *30%* more efficient than the KY standard built home).
- Home must receive pre-drywall inspection and complete Inter-County Energy Cooperative's pre-drywall checklist. (contact the Energy Advisor at Inter-County Energy Cooperative for a copy of the checklist).
- Home must receive a final inspection, pass a whole house air leakage test (<7 air changes per hour @ 50 pascals), and duct leakage test (<10% of the fan's rated capacity).
- Primary source of heat must be an Air Source Heat Pump  $\geq 13$  SEER / 7.5 HSPF *> current Energy and Water conservation standard established by the Federal DOE* or Geothermal.
- Home must pass 2009 IECC performance path *current energy code requirements established in the KY Residential Code*.
- Water Heater must be an electric storage tank water heater that is  $\geq .90$  (EF) *current Energy and Water conservation standard established by the Federal DOE*.

**Prescriptive Path Incentive** - Inter-County Energy Cooperative will provide an incentive of \$750 to home owner or member that build their new home to meet the requirements of *either* the Prescriptive *or Performance* Paths as listed above.

**Performance Path Level #1 Incentive** - Inter-County Energy Cooperative will provide an incentive of \$250 to home owner or member that build their new home to meet the requirements of the Performance Path Level #1 as listed above.

**Performance Path Level #2 Incentive** - Inter-County Energy Cooperative will provide an incentive of \$750 to home owner or member that build their new home to meet the requirements of the Performance Path Level #2 as listed above.

**Term**

The program is an ongoing program.

DATE OF ISSUE ~~November 28, 2012~~ *January 30, 2019*  
Month / Date / Year

DATE EFFECTIVE *March 1, 2019*  
~~Service Rendered On and After January 1, 2013~~  
Month / Date / Year

ISSUED BY \_\_\_\_\_  
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED

Community, Town or City

P.S.C. KY. NO. 7

REVISION #~~3~~ 4 SHEET NO. 14

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7

REVISION #~~2~~ 3 SHEET NO. 14

**CLASSIFICATION OF SERVICE**

~~(PAGE CANCELLED)  
(RESERVED FOR FUTURE USE)~~

~~**Demand Side Management (DSM)**~~

~~**APPLIANCE RECYCLING PROGRAM**~~

**PURPOSE**

The Appliance Recycling Program (“ARP”) offers an incentive for the removal and recycling of old energy-inefficient refrigerators and freezers resulting in lower energy consumption at the participating residences.

**AVAILABILITY**

This program is available in all territories served by Inter-County Energy Cooperative.

**ELIGIBILITY**

This program is targeted to existing single-family, multi-family, and manufactured homes that currently have old energy-inefficient refrigerators or freezers. The residential end-use cooperative member (“end-use member”) may be eligible for this incentive by offering an existing refrigerator or freezer, subject to detailed eligibility requirements, to be picked up and recycled. Detailed eligibility requirements are available at Inter-County Energy Cooperative and on Inter-County Energy Cooperative’s website. General eligibility requirements are:

- ~~Must be a residential end-use member of Inter-County Energy Cooperative.~~
- ~~End-use member must own the appliance(s) being turned in for recycling.~~
- ~~End-use member must be eligible for the incentive — maximum 2 per metered account per calendar year.~~
- ~~Appliance must be between 7.75 and 30 cubic feet.~~
- ~~Appliance must be plugged in, operational, working and cooling when collection team arrives.~~
- ~~Appliance must be empty and have a clear path for removal.~~
- ~~Appliance must be picked up from the service address on the end-use member’s billing account.~~

**LANDLORD/TENANT RELATIONSHIPS**

Notwithstanding the forgoing, a landlord who owns a qualifying appliance that is used by a tenant who is an end-use member of Inter-County Energy Cooperative shall also be eligible to participate in the ARP program regardless of whether said landlord is also an end-use member of Inter-County Energy Cooperative. A landlord may be eligible for a maximum of 2 incentives per metered tenant end-user’s account per calendar year.

**PAYMENT**


The end-use member will receive a \$50 incentive (rebate) per qualifying appliance from either Inter-County Energy Cooperative or its designated ARP contractor.

**TERM**

The program is an ongoing program.

DATE OF ISSUE ~~December 10, 2014~~ January 30, 2019  
Month / Date / Year

DATE EFFECTIVE ~~January 9, 2015~~ March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #2 3 SHEET NO. 15

CANCELLING P.S.C. KY. NO. 7  
REVISION #1 2 SHEET NO. 15

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

*(PAGED CANCELLED)*  
*(RESERVED FOR FUTURE USE)*  
**Demand Side Management (DSM)**

**ENERGY STAR® APPLIANCES PROGRAM**

**PURPOSE**

The Inter-County Energy Cooperative ENERGY STAR® Appliances Program offers an incentive for reducing the energy consumed by household appliances. The end-use cooperative member ("end-use member") may qualify for this incentive (rebate) by purchasing an ENERGY STAR® qualifying appliance type listed in this tariff.

**AVAILABILITY**

This program is available in all territories served by Inter-County Energy Cooperative.


**ELIGIBILITY**

This program is targeted to new single or multi-family homes, existing single or multi-family homes or manufactured homes purchasing ENERGY STAR® appliances. Eligibility requirements are detailed below and are available at Inter-County Energy Cooperative and on Inter-County Energy Cooperative's website.

- Product must be certified by EPA as an ENERGY STAR® Appliance. Eligible models can be found on [www.ENERGYSTAR.GOV](http://www.ENERGYSTAR.GOV).
- Product must be purchased after January 9, 2015.
- Product must be fully installed and operational.
- Rebate application must be completed and original receipt or copy must be provided for verification.
- Receipt must include the following information:
  - Retailer's Name
  - Itemized listing of product(s), including description(s), manufacturer(s), model number(s) or other identifying information. The receipt information must match the product information from the rebate application.
  - Purchase price and proof that full payment was made.
  - Purchase date and date of delivery or installment (if installed by a contractor).
  - For new construction, an Inter-County Energy Cooperative energy advisor ("energy advisor") may enter the rebate application on behalf of the end-use member. For an application entered by the energy advisor, the application must be accompanied by a picture of the appliance model number and serial number. Rebate applications for new constructions, without a receipt, will only be accepted through an energy advisor.

DATE OF ISSUE December 10, 2014 *January 30, 2019*  
Month / Date / Year

DATE EFFECTIVE January 9, 2015 *March 1, 2019*  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
~~ORIGINAL~~ **REVISION #1** SHEET NO. 15A

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
**ORIGINAL** SHEET NO. 15A

CLASSIFICATION OF SERVICE

**(PAGE CANCELLED)**  
**(RESERVED FOR FUTURE USE)**

**Demand Side Management (DSM)**  
**ENERGY STAR® APPLIANCES PROGRAM**

(continued)

Refrigerators & Freezers

- ~~Refrigerators must be greater than 7.75 cubic feet in capacity.~~
- ~~End-use members may apply for one ENERGY STAR® certified refrigerator and one ENERGY STAR® certified freezer rebate per calendar year per member metered account. A maximum of two rebates within this appliance category (Refrigerators and Freezers) will be allowed per metered account.~~

Dishwashers

- ~~End-use members may apply for one ENERGY STAR® certified dishwasher rebate per premise/location per calendar year. A maximum of two rebates within this appliance category (Dishwashers) will be allowed per premise/location.~~

Clothes Washers

- ~~End-use members may apply for one ENERGY STAR® certified clothes washer rebate per calendar year per metered account. A maximum of two rebates within this appliance category (Clothes Washers) will be allowed per metered account.~~

Heat Pump Water Heaters


- ~~End-use members may apply for two ENERGY STAR® certified heat pump water heater rebates per calendar year per premise/location. A maximum of four rebates within this appliance category (Heat Pump Water Heaters) will be allowed per premise/location.~~

Air Conditioners and Heat Pumps

- ~~Rebate application must be completed, signed and returned with an original or copy of the receipt and the AHRI certificate obtained from the HVAC installer.
  - ~~AHRI certificate must list model numbers for the condenser unit (outside unit) and evaporator coil (indoor unit).~~~~
- ~~End-use members may apply for up to three ENERGY STAR® certified heat pump or air conditioner rebates per calendar year per premise/location. A maximum of six (6) rebates within this appliance category (Air Conditioners and Heat Pumps) will be allowed per premise/location.~~

DATE OF ISSUE ~~December 10, 2014~~ **January 30, 2019**  
Month / Date / Year

DATE EFFECTIVE ~~January 9, 2015~~ **March 1, 2019**  
Month / Date / Year

ISSUED BY   
Signature of Officer



FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
~~ORIGINAL~~ **REVISION #1** SHEET NO. 15B

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
**ORIGINAL** SHEET NO. 15B

CLASSIFICATION OF SERVICE

(PAGE CANCELLED)  
(RESERVED FOR FUTURE USE)

**Demand Side Management (DSM)**  
**ENERGY STAR® APPLIANCES PROGRAM**

(continued)

**LANDLORD/TENANT RELATIONSHIPS**

Notwithstanding the forgoing, a landlord who rents to a tenant who is an end-use member of Inter-County Energy Cooperative shall also be eligible to participate in the ESAP program regardless of whether said landlord is also an end-use member of Inter-County Energy Cooperative. A landlord may be eligible for the same number of incentives per calendar year as a metered tenant end-use member.

**PAYMENTS**

Inter-County Energy Cooperative will provide an incentive (rebate) payment to the end-use member as noted in the following table:

<b>Appliances</b>	<b>End-Use Member Rebate</b>
Refrigerator	\$100
Freezer	-\$50
Dishwasher	-\$50
Clothes Washer	-\$75
Heat Pump Water Heater	\$300
Air Source Heat Pump	\$300
Air Conditioner (Central)	\$300

**TERM**

The program is an ongoing program.

DATE OF ISSUE ~~December 10, 2014~~ **January 30, 2019**  
Month / Date / Year

DATE EFFECTIVE ~~January 9, 2015~~ **March 1, 2019**  
Month / Date / Year

ISSUED BY   
Signature of Officer

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
~~ORIGINAL~~ **REVISION #1** SHEET NO. 16

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
**ORIGINAL** SHEET NO. 16

CLASSIFICATION OF SERVICE

**(PAGE CANCELLED)**  
**(RESERVED FOR FUTURE USE)**

**Section DSM-5**

**COMMERCIAL & INDUSTRIAL ADVANCED LIGHTING PROGRAM**

**Purpose**

The Commercial & Industrial Advanced Lighting Program is an energy efficiency program that encourages commercial and industrial customers to install high efficiency lamps and ballasts in their facilities.

**Availability**

This program is available to commercial and industrial facilities located in all service territory served by EKPC.

**Eligibility**


To qualify for the Commercial & Industrial Advanced Lighting Program the customer must be on a retail commercial or industrial rate. The business must have been in operations for at least two years prior to January 1, 2011, and be current on its power bill payment to the Member System. No empty buildings, inactive warehouses, or inactive storage areas shall qualify. The business must be open or have its normal lighting load on for at least 50 hours per week. Retrofits of parking lot lighting, provided on photocell control, are eligible.

**Rebate**

EKPC and its Member Systems will provide an incentive to the customer of \$213 for each kW of lighting load reduction for businesses open 50 hours a week or more. EKPC will reimburse the Member System an additional \$320 for each kW of lighting load reduction, which is to compensate for lost revenue. For commercial customers, rebates are limited to \$15,000 per upgrade (total of both customer and distribution system rebates) for any facility. For industrial customers, rebates are limited to \$30,000 per upgrade (total of both customer and distribution system rebates) for any facility.

DATE OF ISSUE October 3, 2011 **January 30, 2019**  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After **March 1, 2019** September 30, 2011  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION  
IN CASE NO. \_\_\_\_\_ DATED \_\_\_\_\_

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
~~ORIGINAL~~ **REVISION #1** SHEET NO. 17

**INTER-COUNTY ENERGY**  
(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
**ORIGINAL** SHEET NO. 17

CLASSIFICATION OF SERVICE

**(PAGE CANCELLED)**  
**(RESERVED FOR FUTURE USE)**

**Section DSM-5**

**COMMERCIAL & INDUSTRIAL ADVANCED LIGHTING PROGRAM**

(continued)

**Term**


The Commercial & Industrial Advanced Lighting Program is an ongoing program.

**Verification Procedure**

~~Qualifying lighting must be identified or documented by EKPC or Member System staff prior to retrofitting. After the customer completes the retrofit, EKPC or Member System staff must verify the installed lighting retrofit. Demand and energy savings will be calculated based on lighting information gathered during the visits. EKPC will utilize the manufacturer's lighting fixture specifications and known measurements to calculate the savings; rebates under this tariff will be paid after these verification procedures are complete.~~

DATE OF ISSUE ~~October 3, 2011~~ **January 30, 2019**  
Month / Date / Year

DATE EFFECTIVE ~~Service Rendered On and After September 30, 2011~~ **March 1, 2019**

ISSUED BY   
Signature of Officer

TITLE President/CEO

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION  
IN CASE NO. \_\_\_\_\_ DATED \_\_\_\_\_

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
~~ORIGINAL~~ **REVISION #1** SHEET NO. 18

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
**ORIGINAL** SHEET NO. 18

CLASSIFICATION OF SERVICE

**(SHEET CANCELLED)**  
**(RESERVED FOR FUTURE USE)**

**Section DSM-6**

**INDUSTRIAL COMPRESSED AIR PROGRAM**

**Purpose**

The Industrial Advanced Compressed Air Program is a program designed to reduce electricity consumption through a comprehensive approach to efficient production and delivery of compressed air in industrial facilities. The program includes (1) training of plant staff; (2) a detailed system assessment of the plant's compressed air system including written findings and recommendations; and (3) incentives for capital intensive improvements.

**Availability**

This program is available to commercial and industrial facilities using electric compressed air applications located in all service territory served by EKPC.

**Eligibility**

To qualify for the Industrial Compressed Air Program, the customer must be on a retail industrial rate and must be a manufacturing operation with a compressed air system that is turned on during all the operating hours of the facility. The business must have been in operations for at least two years prior to January 1, 2011, and be current on its power bill payment to the Member System.

**Rebate**


If the customer reduces at least 60% of the compressed air leaks (CFMs), EKPC will reimburse through the Member System to the customer the cost of the original compressed air leakage audit up to \$5,000. The combination of the Member System lost revenue payment and the reimbursement of the compressed air leakage audit costs are limited to \$15,000 for any facility.

**Term**

The Industrial Compressed Air Program is an ongoing program.

DATE OF ISSUE October 3, 2011 **January 30, 2019**  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After **March 1, 2019** September 30, 2011  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION  
IN CASE NO. \_\_\_\_\_ DATED \_\_\_\_\_

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
~~ORIGINAL~~ **REVISION #1** SHEET NO. 19

**INTER-COUNTY ENERGY**  
(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
**ORIGINAL** SHEET NO. 19

CLASSIFICATION OF SERVICE

**(SHEET CANCELLED)  
(RESERVED FOR FUTURE USE)**

**Section DSM-6**

**INDUSTRIAL COMPRESSED AIR PROGRAM**

(continued)

**Verification Procedures**

Determination of the amount of leakage reduction:

1. The leakage reduction will be determined by the measured reduction in compressed air leakage.
2. An ultrasonic compressed air leakage audit shall be performed and the results of this audit provided to the customer and EKPC. The report will contain an estimate of the amount of excess load in kW that the leaks are causing. The report will include a detail of leaks detected. The detail of leaks and the excess kW load will be based on the criteria for leak reporting.
3. Upon completion of repairs to the system, a follow-up ultrasonic compressed air leakage audit will be conducted for the documented leaks to measure the difference in the kW leakage load. The follow-up audit report will show the net kW leakage saved and results provided to the customer and EKPC. A lost revenue reimbursement will be paid to the Member System based on the difference in the kW leakage load and the cost of the original air leakage audit will be reimbursed to the customer if a 60% reduction in CFMs air leakage is achieved.


Criteria for leak reporting:

1. The criteria for reporting leaks shall be at the discretion of the auditor. At a minimum the report must detail the leak location, decibels measured, CFM of air leakage, and kW leakage load for each leak and summed for the facility.
2. The basic rule is that leaks that do not exceed 30 decibels in ultrasonic noise will not be reported or counted in the leakage kW load.
3. Exceptions to the 30 decibels rule are as follows:
  - a. In a quiet environment with a minimal amount of compressed air, the minimum will drop to between 15 to 20 decibels.
  - b. In a high noise environment, especially with robotic welding, the minimum will be raised to 40 to 50 decibels.
  - c. Distance is also a factor. A 25 decibel leak in a trunk pipe in a 20-foot ceiling, in a noisy environment, will be documented and added to the leakage kW according to the distance.

DATE OF ISSUE October 3, 2011 **January 30, 2019**  
Month / Date / Year

**March 1, 2019**

DATE EFFECTIVE Service Rendered On and After September 30, 2011

ISSUED BY   
Signature of Officer

TITLE President/CEO

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION  
IN CASE NO. \_\_\_\_\_ DATED \_\_\_\_\_



FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #1 2 SHEET NO. 20A

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
~~ORIGINAL~~ **REVISION #1** SHEET NO. 20A

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**BUTTON UP WEATHERIZATION PROGRAM**

**Purpose**

The Button-Up Weatherization Program offers an incentive for reducing the heat loss of a home. The retail member may qualify for this incentive by improving *attic* insulation, ~~installing higher efficiency windows and doors, or by~~ *and* reducing the air leakage of their home.

**Availability**

This program is available to home owners or members served by Inter-County Energy Cooperative.

**Eligibility**

This program is targeted at older single-family, multi-family or manufactured dwellings. Eligibility requirements are:

- Home must be 2 years old or older to qualify for the incentive.
- Primary source of heat must be electricity.
- ~~Eligible dwellings may qualify for one of four levels:~~

**Button Up Level I**


~~The insulation portion of the Button Up incentive will promote the reduction of energy usage on the part of the home owner or member by providing an incentive of \$40 per one thousand British thermal unit per hour (Btuh) reduced, up to \$520 resulting from improved insulation or installing higher efficiency windows or doors. Heat loss calculation of Btuh reduced will be made by Inter-County Energy Cooperative using either Manual J 8<sup>th</sup> Edition or through other methods approved by East Kentucky Power Cooperative (EKPC). Heat loss calculations in Btuh are based on the winter design temperature.~~

**Button Up Level I With Air Sealing**

~~The air sealing portion of the Button Up incentive will promote the reduction of energy usage through air sealing on the part of the home owner or member. Typical air sealing could include caulking, improved weather stripping, sealing attic accesses, etc.~~

DATE OF ISSUE November 28, 2012 **January 30, 2019**  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After January 1, 2013  
Month / Date / Year **March 1, 2019**

ISSUED BY   
Signature of Officer

TITLE President/CEO

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION  
IN CASE NO. \_\_\_\_\_ DATED \_\_\_\_\_

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #1 2 SHEET NO. 20B

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
~~ORIGINAL~~ *REVISION #1* SHEET NO. 20B

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**BUTTON UP WEATHERIZATION PROGRAM**

(continued)

To receive this incentive, either an EKPC approved contractor or Inter-County Energy Cooperative representative must perform a "pre" and "post" blower door test to measure actual Btuh reduced. ~~This portion of the Button Up incentive will also pay \$40 per thousand Btuh's reduced and increases the Button Up Level I maximum incentive to \$750.~~

*The attic insulation portion of the Button Up incentive will promote the reduction of energy usage on the part of the retail members. Heat loss calculation of Btuh reduced will be made by using either the Manual J 8<sup>th</sup> Edition or through other methods approved by EKPC. Heat loss calculation in Btuh are based on the winter design temperature. In order to receive an incentive for attic insulation, an air seal must be completed.*

**Button Up Level II**


~~The Button Up Level II portion of this incentive will promote energy conservation through a whole house approach. This level of incentive is targeted at home owners or members experiencing high energy bills as a result of excessive heat loss from multiple causes. The incentive promotes the home owner or member to address all of the problems in their home at one time. Home owners or members who reduce their home's energy needs by 26,500 Btuh are eligible for the full Button up Level I Air Seal incentive, plus an additional \$310 for a total of \$1,060. To receive this incentive, either an EKPC approved contractor or Inter-County Energy Cooperative representative must perform a "pre" and "post" inspection/blower door and duct leakage test of the home to measure actual Btuh reduced. Each home must meet minimum requirements as determined by Inter-County Energy Cooperative.~~

**Button Up Level III**

~~The Button Up Level III portion of this incentive will promote energy conservation through a whole house approach. This level of incentive is targeted at home owners or members experiencing extremely high energy bills as a result of excessive heat loss from multiple causes. The incentive promotes the member to address all of the problems in their home at one time. Home owners or members who reduce their home's energy needs by 34,250 Btuh are eligible for the full Button up Level I Air Seal incentive, plus an additional \$620 for a total of \$1,370. To receive this incentive, either an EKPC approved contractor or Inter-County Energy Cooperative representative must perform a "pre" and "post" inspection/blower door and duct leakage test of the home to measure actual Btuh reduced. Each home must meet minimum requirements as determined by Inter-County Energy Cooperative.~~

DATE OF ISSUE November 28, 2012 *January 30, 2019*  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After January 1, 2013  
Month / Date / Year *March 1, 2019*

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
~~ORIGINAL~~ **REVISION #1** SHEET NO. 20C

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
~~REVISION~~ **ORIGINAL** SHEET NO. 20C

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**BUTTON UP WEATHERIZATION PROGRAM**

(continued)

**Button Up Level I Incentive** ~~Incentives~~

Inter-County Energy Cooperative will provide an incentive to home owners or members of \$40 per one thousand Btuh reduced, ~~up to the maximum rebate incentive of \$750~~ **up to the maximum rebate incentive of \$520**. A blower door test is not required to receive this incentive up to the maximum incentive of \$520.

**Button Up Level I With Air Sealing Incentive**

~~Inter-County Energy Cooperative will provide an incentive to home owners or members of \$40 per one thousand Btuh reduced, up to \$750. To qualify for the increased maximum incentive of \$750 as noted herein, a blower door test is required.~~

**Button Up Level II Incentive**

~~Inter-County Energy Cooperative will provide an incentive of \$1,060 to home owners or members who reduce their home's energy needs by 26,500 Btuh. To qualify for the increased maximum incentive as noted herein, the home must pass a blower door test, duct leakage test, and meet the minimum program requirements.~~

**Button Up Level III Incentive**

~~Inter-County Energy Cooperative will provide an incentive of \$1,370 to home owners or members who reduce their home's energy needs by 34,250 Btuh. To qualify for the increased maximum incentive as noted herein, the home must pass a blower door test, duct leakage test, and meet the minimum program requirements.~~

**Term**

The program is an ongoing program.

DATE OF ISSUE ~~November 28, 2012~~ **January 30, 2019**  
Month / Date / Year

DATE EFFECTIVE ~~Service Rendered On and After January 1, 2013~~ **March 1, 2019**  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION  
IN CASE NO. \_\_\_\_\_ DATED \_\_\_\_\_

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #1 2 SHEET NO. 21A

CANCELLING P.S.C. KY. NO. 7  
~~ORIGINAL~~ **REVISION #1** SHEET NO. 21A

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**HEAT PUMP RETROFIT PROGRAM**

**Purpose**

The Heat Pump Retrofit Program provides incentives for home owners or members to replace their existing resistance heat source with a ~~high efficiency~~ heat pump.

**Availability**

This program is available to home owners or members in all service territory served by Inter-County Energy Cooperative.

**Eligibility**

This program is targeted to home owners or members who currently heat their home with a resistance heat source. This program is targeted to site-built homes, manufactured homes and multi-family dwellings. Eligibility requirements are:


- Incentive only applies when the home owner's or member's primary source of heat is an electric resistance heat furnace, ceiling cable heat, or baseboard heat *or electric thermal storage.*
- Existing heat source must be at least 2 years old.
- New manufactured homes are eligible for the incentive.
- ~~Air Conditioning, Heating and Refrigeration Institute ("AHRI") ratings may range as follows: Seasonal Energy Efficiency Ratio ("SEER") minimum 13; Heating Seasonal Performance Factor ("HSPF") minimum 7.5.~~
- *Two (2) maximum incentive payments per location, per lifetime for centrally ducted systems.*
- *Ducted and Ductless mini-splits applying for the incentive will be incentivized at a rate of \$250 per indoor head unit up to a maximum of three head units per location, per lifetime.*
- *Participants in the Heat Pump Retrofit Program are not eligible for participation in the ENERGY STAR® Manufactured Home Program.*

**Incentives**

Home owners or members replacing their existing resistance heat source with a heat pump will qualify for the following incentive based on the ~~AHRI Rating~~ **equipment type:**

DATE OF ISSUE ~~November 28, 2012~~ *January 30, 2019*  
Month / Date / Year

DATE EFFECTIVE ~~Service Rendered On and After January 1, 2013~~ *March 1, 2019*  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 2 SHEET NO. 21B

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
~~ORIGINAL~~ REVISION #1 SHEET NO. 21B

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**HEAT PUMP RETROFIT PROGRAM**

(continued)

**Equipment Type**

**Rebate**

**Centrally Ducted Systems:**

*Current Energy Conservation Standard established  
by the Federal Department of Energy "DOE"*

*\$500*

*Current ENERGY STAR® level equipment or greater*

*\$750*

**Mini Split Systems:**

*Ducted or Ductless Mini-Splits ENERGY STAR® level  
equipment or greater*

*\$250*

**AHRI Rating** **Incentive To Home Owner Or Member**

~~13 SEER~~

~~7.5 HSPF~~ ~~\_\_\_\_\_~~ ~~\$500~~

~~14 SEER~~

~~8.0 HSPF~~ ~~\_\_\_\_\_~~ ~~\$750~~

> 15 SEER


> 8.5 HSPF \_\_\_\_\_ \$1,000

**Term**

The program is an ongoing program.

DATE OF ISSUE ~~November 28, 2012~~ January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year ~~January 1, 2013~~

ISSUED BY   
Signature of Officer

TITLE President/CEO

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION  
IN CASE NO. \_\_\_\_\_ DATED \_\_\_\_\_



FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
~~ORIGINAL~~ *REVISION #1* SHEET NO. 22

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
*ORIGINAL* SHEET NO. 22

CLASSIFICATION OF SERVICE

*(PAGE CANCELLED)*  
*(RESERVED FOR FUTURE USE)*  
**Demand Side Management (DSM)**

**HVAC DUCT SEALING PROGRAM**

**Purpose**

The HVAC Duct Sealing Program offers blower door tests to evaluate and identify costly duct leaks and an incentive to seal leaking ductwork either with traditional mastic sealers or with the *Aeroseal* duct sealing program. Duct losses are to be reduced to 10% or less, and duct loss measurement requires the use of a blower door test and the blower door subtraction method.

**Availability**

This program is available to residential members in all service territory served by Inter-County Energy Cooperative.

**Eligibility**

This program is targeted at any single-family or multi-family dwelling using an electric furnace or electric heat pumps. Eligibility requirements are:

- Limited to homes that have centrally ducted heating systems in unconditioned areas, using only electricity as a fuel source.
- Duct system must be 2 years old or older.
- Initial duct leakage must test greater than 10% of the fan's rated capacity.
- Contractor or Co-op Representative are required to conduct a "pre" and "post" blower door test to verify reductions. Only contractors trained or approved by East Kentucky Power Cooperative may be used.
- Duct leakage per system must be reduced to below 10% of the fan's rated capacity (assuming 400cfm per ton, ex. 2 ton system = 800 cfm, thus duct leakage must be reduced to 80cfm or less). If duct system cannot be reduced to 10% of fan's rated capacity, contractor is expected to provide a detailed justification.
- All joints in the duct system must be sealed with foil tape and mastic. Foil tape alone does not qualify as properly sealing the duct system.
- For homes that have two separately ducted heat systems, each system will qualify independently for the incentive.

**Incentive**

Inter-County Energy Cooperative will provide a \$250 incentive to residential members (or contractor) that meet the Eligibility requirements listed above.

**Term**

The program is an ongoing program.

DATE OF ISSUE April 30, 2012 *January 30, 2019*  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After May 31, 2012  
Month / Date / Year

ISSUED BY *Jimm L. Jacobus*  
Signature of Officer

TITLE President/CEO

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION  
IN CASE NO. \_\_\_\_\_ DATED \_\_\_\_\_

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #~~3~~ 4 SHEET NO. 55

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
REVISION #~~2~~ 3 SHEET NO. 55

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM - RESIDENTIAL**

**Purpose**

The Direct Load Control Program will encourage the reduction in growth of peak demand, enabling East Kentucky Power Cooperative ("EKPC") to utilize its system more efficiently, manage market purchases, and defer the construction of new generation.

**Availability**

The Direct Load Control Program is available to residential members in the service territories of Inter-County Energy Cooperative and will include the control of *existing* water heaters, *existing and new* air conditioners and heat pumps ~~and pool pumps~~.

Availability may be denied where, in the judgment of Inter-County Energy Cooperative, installation of the load control equipment is impractical.

**Eligibility**


To qualify for this Program, the *new* participant must be located in the service territory of Inter-County Energy Cooperative and have:

- ~~40-gallon (minimum) electric water heating units, and/or~~
- central air conditioning or heat pump units *with single-stage compressors*, ~~and/or~~
- ~~pool pumps.~~

The above appliances may be electrically cycled or interrupted in accordance with the rules of this Tariff. The participant may either own or rent the residence where the qualifying appliances are located. The residence may be either a single-family structure or a multi-family apartment facility. The participant is responsible for obtaining the permission of the owner of the rented residence to participate in the load control program. Inter-County Energy Cooperative may require that a rental property agreement be executed between Inter-County Energy Cooperative and the owner of the rented residence.

DATE OF ISSUE June 10, 2013 *January 30, 2019*  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After July 10, 2013 *March 1, 2019*  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #~~3~~ 4 SHEET NO. 55A

CANCELLING P.S.C. KY. NO. 7  
REVISION #~~2~~ 3 SHEET NO. 55A

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM - RESIDENTIAL**

(continued)

**Program Incentives**

Inter-County Energy Cooperative will provide an incentive to the participants in this program for the following appliances.

Water Heaters. Inter-County Energy Cooperative will credit the residential power bill of the participant \$10.00 per water heater annually. The *existing* participant will receive this credit regardless of whether the water heater is actually controlled.

Air Conditioners and Heat Pumps. Inter-County Energy Cooperative will provide an incentive to the participants in this program. The participant may select one of two alternatives. The participant will receive one of these incentives regardless of whether the air conditioner or heat pump is actually controlled during any program month.


Alternative One. *For each direct load control switch,* Inter-County Energy Cooperative will credit the residential power bill of the participant \$20.00 ~~per air conditioner or heat pump annually (\$5 per summer months of June, July, August and September).~~

Alternative Two. ~~When technically feasible, Inter-County Energy Cooperative will provide and install at no cost one or more digital thermostats as needed for control purposes. After the initial selection of one of the alternatives, the participant may change to the other alternative subject to the following conditions:~~

- ~~From bill credits to digital thermostats — The change in alternative will be permitted in any month except for the summer months of June through September. In addition, the participant will pay 50 percent of the installed cost of each digital thermostat.~~
- ~~From digital thermostats to bill credits — The change in alternative will be permitted in any month except for the summer months of June through September. In addition, the participant will either reimburse EKPC through Inter-County Energy Cooperative an amount equal to 50 percent of the original installed cost of each digital thermostat that was initially installed if the participant keeps the thermostat or pay 50 percent of the cost to remove each digital thermostat that was initially installed.~~
- ~~Only one change in incentive alternatives will be permitted during a 12-month period.~~

DATE OF ISSUE June 10, 2013 *January 30, 2019*  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After July 10, 2013 *March 1, 2019*  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #2 3 SHEET NO. 55B

CANCELLING P.S.C. KY. NO. 7  
REVISION #1 2 SHEET NO. 55B

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM - RESIDENTIAL**

(continued)

~~Alternative Two Pool Pumps.~~ Inter-County Energy Cooperative will credit the residential power bill of the participant \$20.00 ~~per pool pump~~ annually *per qualifying Wi-Fi enabled thermostat provided by the member that controls an air conditioner or heat pump. Inter-County Energy Cooperative will provide a rebate up to \$100 to offset the member's cost to have the thermostat installed by the member's own heating and air-conditioning contractor. The member must have a fixed location, reliable internet for communication.* ~~(\$5.00 per summer months of June, July, August and September).~~ The participant will receive this credit regardless of whether the pool pump is actually controlled. (T)

When the qualifying appliances are located in rental residences, program incentives will be paid to the participant, regardless of whether the participant owns or rents the residence where the qualifying appliances are located. Nothing contained in this tariff will prohibit a further disposition of the program incentive between the participant and the owner of a rented residence.

**Program Special Incentives**

Inter-County Energy Cooperative will provide a special incentive up to \$25 for new participants that install a load control switch on qualifying ~~electric water heaters, air conditioners and heat pumps, and or pool pumps~~ *or member supplied Wi-Fi enabled thermostat.* The one-time per residence incentive will be in the form of a bill credit on the electric bill following the switch installation.

**Time Periods for Direct Load Control Program**


~~Water Heaters.~~ A load control switch will be placed on the water heater and *Existing load control switches* may be electrically interrupted for a maximum time period of six hours *per event* during the May through September months indicated below and for a maximum time period of four hours *per event* during the October through April months indicated below.

EKPC will cycle the water heaters only during the hours listed below:

<u>Months</u>	<u>Hours Applicable for Demand Billing - EPT</u>
October through April	6:00 a.m. to 12:00 noon 4:00 p.m. to 10:00 p.m.
May through September	10:00 a.m. to 10:00 p.m.

DATE OF ISSUE June 10, 2013 *January 30, 2019*  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After *March 1, 2019*  
Month / Date / Year July 10, 2013

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #2 3 SHEET NO. 55C

CANCELLING P.S.C. KY. NO. 7  
REVISION #1 2 SHEET NO. 55C

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM - RESIDENTIAL**

(continued)

Air Conditioners and Heat Pumps. A load control device (switch or *Wi-Fi enabled* thermostat) will be placed on each central air conditioning unit or heat pump that will allow the operating characteristics of the unit to be modified to reduce demand on the system. Communication to the load control device will be accomplished via AMR, or AMI *or Wi-Fi or similar communication technologies* equipment.

EKPC will control the air conditioning units and heat pumps only during its summer on-peak billing hours listed below *and up to (4) four hours per event.*

<u>Months</u>	<u>Hours Applicable for Demand Billing - EPT</u>
May through September	10:00 a.m. to 10:00 p.m.


~~Pool Pumps. A load control switch will be placed on the pool pump and may be controlled for a six-hour curtailment during on peak days May through September. In addition, there may be a 50 percent cycling for the ensuing two-hour recovery period to prevent creating a new peak.~~

**Terms and Conditions**

1. Prior to the installation of load control devices, Inter-County Energy Cooperative may inspect the participant's electrical equipment to insure good repair and working condition, but Inter-County Energy Cooperative shall not be responsible for the repair or maintenance of the electrical equipment.
2. EKPC, on behalf of Inter-County Energy Cooperative, will install, *in some cases*, own, and maintain the load management devices controlling the participant's air conditioner *or* heat pump, ~~or water heater~~ *for Alternatives One and Two as noted in this tariff.* The participant must allow Inter-County Energy Cooperative, or their representative, reasonable access to install, maintain, inspect, test and remove load control devices.

DATE OF ISSUE June 10, 2013 *January 30, 2019*  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After July 10, 2013 *March 1, 2019*  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO



FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #1 SHEET NO. 55D

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
~~ORIGINAL~~ **REVISION #1** SHEET NO. 55D

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM - RESIDENTIAL**


(continued)

Inability of Inter-County Energy Cooperative to gain access to the load management device to perform any of the above activities for a period exceeding 30 days may, at Inter-County Energy Cooperative's option, result in discontinuance of credits under this tariff until such time as Inter-County Energy Cooperative is able to gain the required access.

3. Participants may join the program at any time during the year. ~~Participants with water heaters and/or pool pumps will receive the first annual incentive within 12 months after the installation of the load control device. Participants with air conditioning or heat pump units who join during the months of June through September can select an incentive alternative as described in this Tariff. If the bill credit incentive is selected, bill credits will not begin until after the installation of the load control device and continue for the months remaining in the June to September time period for that year.~~ *Bill credit incentives will be provided annually.*
4. If a participant decides to withdraw from the program or change incentive alternatives, Inter-County Energy Cooperative will endeavor to implement the change as soon as possible.
5. If a participant decides to withdraw from the program, the participant may not apply to rejoin the program for a period of 6 months. Returning participants for air conditioning and heat pump units will be required to initially select the bill credit alternative, but may change alternatives later as described in this Tariff.

DATE OF ISSUE June 10, 2013 *January 30, 2019*  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After July 10, 2013  
Month / Date / Year *March 1, 2019*

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #2 3 SHEET NO. 56

CANCELLING P.S.C. KY. NO. 7  
REVISION #1 2 SHEET NO. 56

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM - COMMERCIAL**

**Purpose**

The Direct Load Control Program will encourage the reduction in growth of peak demand, enabling East Kentucky Power Cooperative ("EKPC") to utilize its system more efficiently, manage market purchases, and defer the construction of new generation.

**Availability**

The Direct Load Control Program is available to commercial members in the service territories of Inter-County Energy Cooperative and will include the control of air conditioners and water heaters.

Availability may be denied where, in the judgment of Inter-County Energy Cooperative, installation of the load control equipment is impractical.

**Eligibility**

To qualify for this Program, the *new* participant must be located in the service territory of Inter-County Energy Cooperative and have a central air conditioning *or heat pump* units ~~and/or a 40-gallon (minimum) electric water heating unit~~. The appliance may be electrically cycled or interrupted in accordance with the rules of this Tariff.


The participant is responsible for obtaining the permission of the commercial property owner to participate in the load control program. Inter-County Energy Cooperative may require that a rental property agreement be executed between Inter-County Energy Cooperative and the owner of the rented commercial property.

**Program Incentives**

Inter-County Energy Cooperative will provide an incentive to the participants in this program for the following appliances.

DATE OF ISSUE June 10, 2013 ~~January 30, 2019~~  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After ~~July 10, 2013~~ **March 1, 2019**  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #1 2 SHEET NO. 56A

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
~~ORIGINAL~~ **REVISION #1** SHEET NO. 56A

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM – COMMERCIAL**

(continued)

Air Conditioners and Heat Pumps. The incentive will be based on the tonnage of the air conditioning unit. Units up to and including five tons will receive a monthly credit of ~~\$5.00~~ **\$20.00** per unit. Units over five tons will receive an additional ~~monthly~~ **annual** credit of ~~\$4.00~~ **\$4.00** per ton per unit. Inter-County Energy Cooperative will credit the commercial power bill of the participant the applicable incentive credit ~~during the months of June through September.~~ The participant will receive the incentive regardless of whether the air conditioner is actually controlled during any program month.

Water Heaters. Inter-County Energy Cooperative will credit the commercial power bill of the participant \$10.00 per water heater ~~per year~~ **annually**. The participant will receive this credit regardless of whether the water heater is actually controlled.

**Time Period for Direct Load Control Program**

Air Conditioners and Heat Pumps. A load control device will be placed on each central air conditioning unit ~~or heat pump~~ that will allow the operating characteristics of the unit to be modified to reduce demand on the system. **The member must have internet for communication. Utility of member supplied Wi-Fi enabled thermostat programs may also be available.** Communication to the load control device ~~or thermostat~~ will be accomplished via AMR, ~~or~~ AMI **or similar communication technologies.**

EKPC will control the air conditioning units only during its summer on-peak billing hours listed below **and up to (4) four hours per event.**

Months

Hours Applicable for Demand Billing - EPT

May through September

10:00 a.m. to 10:00 p.m.

Water Heaters. ~~A load control switch will be placed on the water heater and~~ **Existing load control switches** may be electrically interrupted for a maximum time period of six hours **per event** during the May through September months indicated below and for a maximum time period of four hours **per event** during the October through April months indicated below.

DATE OF ISSUE ~~June 10, 2013~~ **January 30, 2019**  
Month / Date / Year

DATE EFFECTIVE ~~Service Rendered On and After July 10, 2013~~ **March 1, 2019**  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #1 2 SHEET NO. 56B

CANCELLING P.S.C. KY. NO. 7  
~~ORIGINAL~~ REVISION #1 SHEET NO. 56B

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM – COMMERCIAL**

(continued)

EKPC will cycle the water heaters only during the hours listed below.


<u>Months</u>	<u>Hours Applicable for Demand Billing - EPT</u>
October through April	6:00 a.m. to 12:00 noon 4:00 p.m. to 10:00 p.m.
May through September	10:00 a.m. to 10:00 p.m.

**Terms and Conditions**

1. Prior to the installation of load control devices, Inter-County Energy Cooperative may inspect the participant's electrical equipment to insure good repair and working condition, but Inter-County Energy Cooperative shall not be responsible for the repair or maintenance of the electrical equipment.
2. EKPC, on behalf of Inter-County Energy Cooperative, will install, *in some cases*, own, and maintain the load management devices controlling the participant's air conditioner unit or *heat pump water heater*. The participant must allow Inter-County Energy Cooperative, or their representative, reasonable access to install, maintain, inspect, test and remove load control devices. Inability of Inter-County Energy Cooperative to gain access to the load management device to perform any of the above activities for a period exceeding 30 days may, at Inter-County Energy Cooperative's option, result in discontinuance of credits under this tariff until such time as Inter-County Energy Cooperative is able to gain the required access.

DATE OF ISSUE June 10, 2013 *January 30, 2019*  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After July 10, 2013 *March 1, 2019*  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #2 SHEET NO. 56C

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7

~~ORIGINAL~~ **REVISION #1** SHEET NO. 56C

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**


**DIRECT LOAD CONTROL PROGRAM – COMMERCIAL**

(continued)

3. Participants may join the program at any time during the year. Participants with air conditioning *or heat pumps* who join during the months of June through September will receive *the* bill credits *annually*. ~~beginning after the installation of the load control device and continuing for the months remaining in the June to September time period for that year. Participants with water heaters will receive the first annual incentive within 12 months after the installation of the load control device.~~
4. If a participant decides to withdraw from the program, Inter-County Energy Cooperative will endeavor to implement the withdrawal as soon as possible. If a participant decides to withdraw from the program, the participant may not apply to rejoin the program for a period of 6 months.

DATE OF ISSUE ~~June 10, 2013~~ **January 30, 2019**  
Month / Date / Year

DATE EFFECTIVE ~~Service Rendered On and After July 10, 2013~~ **March 1, 2019**  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 2 SHEET NO. 13

CANCELLING P.S.C. KY. NO. 7  
REVISION # 1 SHEET NO. 13

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**TOUCHSTONE ENERGY HOME PROGRAM**

**Purpose**

In an effort to improve new residential home energy performance, Inter-County Energy Cooperative has designed the Touchstone Energy Home Program. This program provides guidance during the building process to guarantee a home that is  $\geq$  25-30% more efficient than the Kentucky standard built home. The standard built new home in rural Kentucky typically receives a 105 on the Home Energy Rating System ("HERS") Index.

T  
T

**Availability**

This program is available to home owners or members served by Inter-County Energy Cooperative.

**Eligibility**

To qualify as a Touchstone Energy Home under Inter-County Energy Cooperative's program, the participating single-family home must be located in the service territory of Inter-County Energy Cooperative and must meet the program guidelines following one of the two available paths of approval. Multi-family dwellings pre-approved by East Kentucky Power Cooperative, Inc. may be eligible.

T

Prescriptive Path:

- Home must meet each efficiency value as prescribed by Inter-County Energy Cooperative.
- Home must receive pre-drywall inspection and complete Inter-County Energy Cooperative's pre-drywall checklist (contact the Energy Advisor at Inter-County Energy Cooperative for a copy of the checklist).
- Home must receive a final inspection, pass a whole house air leakage test and duct leakage test.
- Primary source of heat must be an Air Source Heat Pump  $\geq$  current ENERGY STAR® specification for Seasonal Energy Efficiency Ratio "SEER" and Heating Season Performance Factor "HSPF" or Geothermal.
- Water heater must be an electric storage tank water heater that is  $\geq$  current Energy and Water conservation standards established by the Federal Department of Energy "DOE".

T  
T  
T

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #1        SHEET NO. 13A

CANCELLING P.S.C. KY. NO. 7  
ORIGINAL        SHEET NO. 13A

**INTER-COUNTY ENERGY**

(Name of Utility)

---

CLASSIFICATION OF SERVICE

---

**Demand Side Management (DSM)**

**TOUCHSTONE ENERGY HOME PROGRAM**

(continued)

Performance Path:

- Home must receive a HERS Index score of  $\leq 75$  (At least 30% more efficient than the KY standard built home).
- Home must receive pre-drywall inspection and complete Inter-County Energy Cooperative's pre-drywall checklist. (contact the Energy Advisor at Inter-County Energy Cooperative for a copy of the checklist).
- Home must receive a final inspection, pass a whole house air leakage test, and duct leakage test.
- Primary source of heat must be an Air Source Heat Pump > current Energy and Water conservation standard established by the Federal DOE or Geothermal.
- Home must pass current energy code requirements established in the KY Residential Code.
- Water Heater must be an electric storage tank water heater that is  $\geq$  current Energy and Water conservation standard established by the Federal DOE.

**Incentive** - Inter-County Energy Cooperative will provide an incentive of \$750 to home owner or member that build their new home to meet the requirements of either the Prescriptive or Performance Paths as listed above.

**Term**

The program is an ongoing program.

---

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

T  
T  
T



FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #4 SHEET NO. 14

CANCELLING P.S.C. KY. NO. 7  
REVISION #3 SHEET NO. 14

**INTER-COUNTY ENERGY**

(Name of Utility)

---

CLASSIFICATION OF SERVICE

---


(SHEET CANCELLED)

(RESERVED FOR FUTURE USE)

---

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #5 SHEET NO. 14

CANCELLING P.S.C. KY. NO. 7  
REVISION #4 SHEET NO. 14

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**ENERGY STAR® Manufactured Home Program**

N

**Purpose**

Inter-County Energy Cooperative's ENERGY STAR® Manufactured Home Program ("ESMH") is designed to ensure that members of Inter-County Energy Cooperative purchase an energy efficient manufactured home. Inter-County Energy will accomplish this by providing the purchaser of a manufactured home with an incentive to purchase and install a new ENERGY STAR® certified manufactured home.

**Availability**

This program is available to residential members served by Inter-County Energy Cooperative.

**Eligibility**

To be eligible for this ESMH incentive, new manufactured homes must meet the following criteria:

- United States Environmental Protection Agency ("EPA") and Systems Building Research Alliance ("SBRA") guidelines as an ENERGY STAR® Manufactured Home.
- Primary source of heat must be a heat pump.
- Home must be all electric.
- Home must be installed by the member on lines served by Inter-County Energy Cooperative.
- Participants in the ENERGY STAR® Manufactured Home Program are not eligible for participation in the Heat Pump Retrofit Program.

**Payments**


After new home installation and after receiving certification as an ENERGY STAR® manufactured home, Inter-County Energy will tender a \$1,150 incentive payment to the member. The incentive is intended to help cover the cost of upgrading the home from the standard United States Department of Housing and Urban Development (HUD) construction requirements to the SBRA and EPA ENERGY STAR® manufactured home construction requirements.

**Term**

This program is an ongoing program.

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #3 SHEET NO. 15

CANCELLING P.S.C. KY. NO. 7  
REVISION #2 SHEET NO. 15

**INTER-COUNTY ENERGY**

(Name of Utility)

---

CLASSIFICATION OF SERVICE

---


(SHEET CANCELLED)

(RESERVED FOR FUTURE USE)

---

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #1      SHEET NO. 15A

CANCELLING P.S.C. KY. NO. 7  
ORIGINAL SHEET NO. 15A

**INTER-COUNTY ENERGY**

(Name of Utility)

---

CLASSIFICATION OF SERVICE

---


(SHEET CANCELLED)

(RESERVED FOR FUTURE USE)

---

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #1        SHEET NO. 15B

CANCELLING P.S.C. KY. NO. 7  
ORIGINAL SHEET NO. 15B

**INTER-COUNTY ENERGY**

(Name of Utility)

---

CLASSIFICATION OF SERVICE

---

(SHEET CANCELLED)


(RESERVED FOR FUTURE USE)

---

---

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO











FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 2 SHEET NO. 20A

CANCELLING P.S.C. KY. NO. 7  
REVISION # 1 SHEET NO. 20A

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**BUTTON UP WEATHERIZATION PROGRAM**

**Purpose**

The Button-Up Weatherization Program offers an incentive for reducing the heat loss of a home. The retail member may qualify for this incentive by improving attic insulation and reducing the air leakage of their home.

**Availability**

This program is available to home owners or members served by Inter-County Energy Cooperative.

**Eligibility**

This program is targeted at older single-family, multi-family or manufactured dwellings. Eligibility requirements are:

- Home must be 2 years old or older to qualify for the incentive.
- Primary source of heat must be electricity.


The Button Up incentive will promote the reduction of energy usage through air sealing on the part of the home owner or member. Typical air sealing could include caulking, improved weather stripping, sealing attic accesses, etc.

To receive this incentive, either an EKPC approved contractor or Inter-County Energy Cooperative representative must perform a "pre" and "post" blower door test to measure actual Btuh reduced.

The attic insulation portion of the Button Up incentive will promote the reduction of energy usage on the part of the retail members. Heat loss calculation of Btuh reduced will be made by using either the Manual J 8<sup>th</sup> Edition or through other methods approved by EKPC. Heat loss calculation in Btuh are based on the winter design temperature. In order to receive an incentive for attic insulation, an air seal must be completed.

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION  
IN CASE NO. \_\_\_\_\_ DATED \_\_\_\_\_

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 2 SHEET NO. 20B

CANCELLING P.S.C. KY. NO. 7  
REVISION # 1 SHEET NO. 20B

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**BUTTON UP WEATHERIZATION PROGRAM**

(continued)

**Incentives**


Inter-County Energy Cooperative will provide an incentive to home owners or members of \$40 per one thousand Btuh reduced, up to the maximum rebate incentive of \$750. T

**Term**

The program is an ongoing program

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION  
IN CASE NO. \_\_\_\_\_ DATED \_\_\_\_\_

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION #1 SHEET NO. 20C

CANCELLING P.S.C. KY. NO. 7  
ORIGINAL SHEET NO. 20C

**INTER-COUNTY ENERGY**

(Name of Utility)

---

CLASSIFICATION OF SERVICE

---


(PAGE CANCELLED)

(RESERVED FOR FUTURE USE)

---

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION  
IN CASE NO. \_\_\_\_\_ DATED \_\_\_\_\_

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 2 SHEET NO. 21A

CANCELLING P.S.C. KY. NO. 7  
REVISION # 1 SHEET NO. 21A

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**HEAT PUMP RETROFIT PROGRAM**

**Purpose**

The Heat Pump Retrofit Program provides incentives for home owners or members to replace their existing resistance heat source with a heat pump. T

**Availability**

This program is available to home owners or members in all service territory served by Inter-County Energy Cooperative.

**Eligibility**

This program is targeted to home owners or members who currently heat their home with a resistance heat source. This program is targeted to site-built homes, manufactured homes and multi-family dwellings. Eligibility requirements are:


- Incentive only applies when the home owner's or member's primary source of heat is an electric resistance heat furnace, ceiling cable heat, baseboard heat or electric thermal storage. T
- Existing heat source must be at least 2 years old.
- New manufactured homes are eligible for the incentive.
- Two (2) maximum incentive payments per location, per lifetime for centrally ducted systems. T
- Ducted and Ductless mini-splits applying for the incentive will be incentivized at a rate of \$250 per indoor head unit up to a maximum of three head units per location, per lifetime.
- Participants in the Heat Pump Retrofit Program are not eligible for participation in the ENERGY STAR® Manufactured Home Program.

**Incentives**

Home owners or members replacing their existing resistance heat source with a heat pump will qualify for the following incentive based on the equipment type: T

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 2 SHEET NO. 21B

CANCELLING P.S.C. KY. NO. 7  
REVISION # 1 SHEET NO. 21B

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**HEAT PUMP RETROFIT PROGRAM**

(continued)

**Equipment Type**

**Rebate**

**Centrally Ducted Systems:**

Current Energy Conservation Standard established  
by the Federal Department of Energy "DOE"

\$500

Current ENERGY STAR® level equipment or greater

\$750

**Mini Split Systems:**

Ducted or Ductless Mini-Splits ENERGY STAR® level  
equipment or greater


\$250

**Term**

The program is an ongoing program.

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION  
IN CASE NO. \_\_\_\_\_ DATED \_\_\_\_\_





FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 4 SHEET NO. 55

CANCELLING P.S.C. KY. NO. 7  
REVISION # 3 SHEET NO. 55

**INTER-COUNTY ENERGY**

(Name of Utility)

---

CLASSIFICATION OF SERVICE

---

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM - RESIDENTIAL**

**Purpose**

The Direct Load Control Program will encourage the reduction in growth of peak demand, enabling East Kentucky Power Cooperative ("EKPC") to utilize its system more efficiently, manage market purchases, and defer the construction of new generation.

**Availability**

The Direct Load Control Program is available to residential members in the service territories of Inter-County Energy Cooperative and will include the control of existing water heaters, existing and new air conditioners and heat pumps.

Availability may be denied where, in the judgment of Inter-County Energy Cooperative, installation of the load control equipment is impractical.

**Eligibility**

To qualify for this Program, the new participant must be located in the service territory of Inter-County Energy Cooperative and have:


- central air conditioning or heat pump units with single-stage compressors

The above appliances may be electrically cycled or interrupted in accordance with the rules of this Tariff. The participant may either own or rent the residence where the qualifying appliances are located. The residence may be either a single-family structure or a multi-family apartment facility. The participant is responsible for obtaining the permission of the owner of the rented residence to participate in the load control program. Inter-County Energy Cooperative may require that a rental property agreement be executed between Inter-County Energy Cooperative and the owner of the rented residence.

---

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 4 SHEET NO. 55A

CANCELLING P.S.C. KY. NO. 7  
REVISION # 3 SHEET NO. 55A

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM - RESIDENTIAL**

(continued)

**Program Incentives**

Inter-County Energy Cooperative will provide an incentive to the participants in this program for the following appliances.

Water Heaters. Inter-County Energy Cooperative will credit the residential power bill of the participant \$10.00 per water heater annually. The existing participant will receive this credit regardless of whether the water heater is actually controlled.

Air Conditioners and Heat Pumps. Inter-County Energy Cooperative will provide an incentive to the participants in this program. The participant may select one of two alternatives. The participant will receive one of these incentives regardless of whether the air conditioner or heat pump is actually controlled during any program month.

Alternative One. For each direct load control switch, Inter-County Energy Cooperative will credit the residential power bill of the participant \$20.00 annually.

Alternative Two. Inter-County Energy Cooperative will credit the residential power bill of the participant \$20.00 annually per qualifying Wi-Fi enabled thermostat provided by the member that controls an air conditioner or heat pump. Inter-County Energy Cooperative will provide a rebate up to \$100 to offset the member's cost to have the thermostat installed by the member's own heating and air-conditioning contractor. The member must have a fixed location, reliable internet for communication. (T)

When the qualifying appliances are located in rental residences, program incentives will be paid to the participant, regardless of whether the participant owns or rents the residence where the qualifying appliances are located. Nothing contained in this tariff will prohibit a further disposition of the program incentive between the participant and the owner of a rented residence

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 3 SHEET NO. 55B

CANCELLING P.S.C. KY. NO. 7  
REVISION # 2 SHEET NO. 55B

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM - RESIDENTIAL**

(continued)

**Program Special Incentives**

Inter-County Energy Cooperative will provide a special incentive up to \$25 for new participants that install a load control switch on qualifying air conditioners and heat pumps, or member supplied Wi-Fi enabled thermostat. The one-time per residence incentive will be in the form of a bill credit on the electric bill following the switch installation.

**Time Periods for Direct Load Control Program**

Water Heaters. Existing load control switches may be electrically interrupted for a maximum time period of six hours per event during the May through September months indicated below and for a maximum time period of four hours per event during the October through April months indicated below.

EKPC will cycle the water heaters only during the hours listed below:

<u>Months</u>	<u>Hours Applicable for Demand Billing - EPT</u>
October through April	6:00 a.m. to 12:00 noon 4:00 p.m. to 10:00 p.m.
May through September	10:00 a.m. to 10:00 p.m.

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 3 SHEET NO. 55C

CANCELLING P.S.C. KY. NO. 7  
REVISION # 2 SHEET NO. 55C

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM - RESIDENTIAL**

(continued)

Air Conditioners and Heat Pumps. A load control device (switch or Wi-Fi enabled thermostat) will be placed on each central air conditioning unit or heat pump that will allow the operating characteristics of the unit to be modified to reduce demand on the system. Communication to the load control device will be accomplished via AMR, AMI or Wi-Fi or similar communication technologies.

EKPC will control the air conditioning units and heat pumps only during its summer on-peak billing hours listed below and up to (4) four hours per event:


<u>Months</u>	<u>Hours Applicable for Demand Billing - EPT</u>
May through September	10:00 a.m. to 10:00 p.m.

**Terms and Conditions**

1. Prior to the installation of load control devices, Inter-County Energy Cooperative may inspect the participant's electrical equipment to insure good repair and working condition, but Inter-County Energy Cooperative shall not be responsible for the repair or maintenance of the electrical equipment.
2. EKPC, on behalf of Inter-County Energy Cooperative, will install, in some cases, own, and maintain the load management devices controlling the participant's air conditioner or heat pump for Alternatives One and Two as noted in this tariff. The participant must allow Inter-County Energy Cooperative, or their representative, reasonable access to install, maintain, inspect, test and remove load control devices.

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 2 SHEET NO. 55D

CANCELLING P.S.C. KY. NO. 7  
REVISION # 1 SHEET NO. 55D

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM - RESIDENTIAL**

(continued)

Inability of Inter-County Energy Cooperative to gain access to the load management device to perform any of the above activities for a period exceeding 30 days may, at Inter-County Energy Cooperative's option, result in discontinuance of credits under this tariff until such time as Inter-County Energy Cooperative is able to gain the required access.

3. Participants may join the program at any time during the year. Participants with air conditioning or heat pump units who join during the months of June through September can select an incentive alternative as described in this Tariff. Bill credit incentives will be provided annually.
4. If a participant decides to withdraw from the program or change incentive alternatives, Inter-County Energy Cooperative will endeavor to implement the change as soon as possible.
5. If a participant decides to withdraw from the program, the participant may not apply to rejoin the program for a period of 6 months. Returning participants for air conditioning and heat pump units will be required to initially select the bill credit alternative, but may change alternatives later as described in this Tariff.

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED

Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 3 SHEET NO. 56

**INTER-COUNTY ENERGY**

(Name of Utility)

CANCELLING P.S.C. KY. NO. 7  
REVISION # 2 SHEET NO. 56

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM - COMMERCIAL**

**Purpose**

The Direct Load Control Program will encourage the reduction in growth of peak demand, enabling East Kentucky Power Cooperative ("EKPC") to utilize its system more efficiently, manage market purchases, and defer the construction of new generation.

**Availability**

The Direct Load Control Program is available to commercial members in the service territories of Inter-County Energy Cooperative and will include the control of air conditioners and water heaters.

Availability may be denied where, in the judgment of Inter-County Energy Cooperative, installation of the load control equipment is impractical.

**Eligibility**

To qualify for this Program, the new participant must be located in the service territory of Inter-County Energy Cooperative and have a central air conditioning or heat pump units. The appliance may be electrically cycled or interrupted in accordance with the rules of this Tariff.


The participant is responsible for obtaining the permission of the commercial property owner to participate in the load control program. Inter-County Energy Cooperative may require that a rental property agreement be executed between Inter-County Energy Cooperative and the owner of the rented commercial property.

**Program Incentives**

Inter-County Energy Cooperative will provide an incentive to the participants in this program for the following appliances.

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

T



FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 2 SHEET NO. 56A

CANCELLING P.S.C. KY. NO. 7  
REVISION # 1 SHEET NO. 56A

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM – COMMERCIAL**

(continued)

Air Conditioners and Heat Pumps. The incentive will be based on the tonnage of the air conditioning unit. Units up to and including five tons will receive a monthly credit of \$20.00 per unit. Units over five tons will receive an additional annual credit of \$4.00 per ton per unit. Inter-County Energy Cooperative will credit the commercial power bill of the participant the applicable incentive credit or provide the incentive via other payment means including, but not limited to, a check. The participant will receive the incentive regardless of whether the air conditioner is actually controlled during any program month.

T

Water Heaters. Inter-County Energy Cooperative will credit the commercial power bill of the participant \$10.00 per water heater annually or provide the incentive via other payment means including, but not limited to, a check. The participant will receive this credit regardless of whether the water heater is actually controlled.

T

**Time Period for Direct Load Control Program**

Air Conditioners and Heat Pumps. A load control device will be placed on each central air conditioning unit or heat pump that will allow the operating characteristics of the unit to be modified to reduce demand on the system. The member must have internet for communication. Utility of member supplied Wi-Fi enabled thermostat programs may also be available. Communication to the load control device or thermostat will be accomplished via AMR, AMI or similar communication technologies.

T

EKPC will control the air conditioning units only during its summer on-peak billing hours listed below and up to (4) four hours per event:

T

Months

Hours Applicable for Demand Billing - EPT

May through September


10:00 a.m. to 10:00 p.m.

Water Heaters. Existing load control switches may be electrically interrupted for a maximum time period of six hours per event during the May through September months indicated below and for a maximum time period of four hours per event during the October through April months indicated below.

T

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION 2 SHEET NO. 56B

CANCELLING P.S.C. KY. NO. 7  
REVISION #1 SHEET NO. 56B

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**

**DIRECT LOAD CONTROL PROGRAM – COMMERCIAL**

(continued)

EKPC will cycle the water heaters only during the hours listed below.


<u>Months</u>	<u>Hours Applicable for Demand Billing - EPT</u>
October through April	6:00 a.m. to 12:00 noon 4:00 p.m. to 10:00 p.m.
May through September	10:00 a.m. to 10:00 p.m.

**Terms and Conditions**

1. Prior to the installation of load control devices, Inter-County Energy Cooperative may inspect the participant's electrical equipment to insure good repair and working condition, but Inter-County Energy Cooperative shall not be responsible for the repair or maintenance of the electrical equipment.
2. EKPC, on behalf of Inter-County Energy Cooperative, will install, in some cases, own, and maintain the load management devices controlling the participant's air conditioner or heat pump. The participant must allow Inter-County Energy Cooperative, or their representative, reasonable access to install, maintain, inspect, test and remove load control devices. Inability of Inter-County Energy Cooperative to gain access to the load management device to perform any of the above activities for a period exceeding 30 days may, at Inter-County Energy Cooperative's option, result in discontinuance of credits under this tariff until such time as Inter-County Energy Cooperative is able to gain the required access.

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO

T

FOR ENTIRE TERRITORY SERVED  
Community, Town or City

P.S.C. KY. NO. 7  
REVISION # 2 SHEET NO. 56C

CANCELLING P.S.C. KY. NO. 7  
REVISION # 1 SHEET NO. 56C

**INTER-COUNTY ENERGY**

(Name of Utility)

CLASSIFICATION OF SERVICE

**Demand Side Management (DSM)**


**DIRECT LOAD CONTROL PROGRAM – COMMERCIAL**

(continued)

3. Participants may join the program at any time during the year. Participants with air conditioning or heat pumps who join during the months of June through September will receive the bill credits annually. T
4. If a participant decides to withdraw from the program, Inter-County Energy Cooperative will endeavor to implement the withdrawal as soon as possible. If a participant decides to withdraw from the program, the participant may not apply to rejoin the program for a period of 6 months.

DATE OF ISSUE January 30, 2019  
Month / Date / Year

DATE EFFECTIVE Service Rendered On and After March 1, 2019  
Month / Date / Year

ISSUED BY   
Signature of Officer

TITLE President/CEO