



Andy Beshear
Governor

Rebecca W. Goodman
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Michael J. Schmitt
Chairman

Robert Cicero
Vice Chairman

Talina R. Mathews
Commissioner

February 12, 2020

J. Christopher Hopgood
Dorsey, Gray, Norment, & Hopgood
318 Second Street
Henderson, KY 42420

RE: Henderson County Water District
Case No. 2020-00035- Filing Deficiency

The Commission Staff has reviewed the application in the above case. This filing is rejected for the reason set forth below.

Filing deficiency pursuant to:

- (1) 807 KAR 5:068: Section 4 – Satisfactorily completed Purchased Water Adjustment Form 1; Utilities are required to submit PWA Applications no more than 30 days from the date of suppliers proposed increase. Henderson Water Utility, North and South propose a rate increase on March 31, 2020.

You are requested to re-submit the PWA application with a cover letter referencing the deficiency after March 1, 2020.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

Kent A. Chandler
Executive Director

*J. Christopher Hopgood
Dorsey, Gray, Norment & Hopgood
318 Second Street
Henderson, KENTUCKY 42420

*Henderson County Water District
655 South Main Street
P. O. Box 655
Henderson, KY 42419-0655