

Andy Beshear
Governor

Rebecca W. Goodman
Secretary
Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission

211 Sower Blvd.
P.O. Box 615
Frankfort Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Michael J. Schmitt
Chairman

Kent A. Chandler
Vice Chairman

Talina R. Mathews
Commissioner

October 21, 2020

PARTIES OF RECORD

RE: Case No. **2020-00342**

CitiPower, L.L.C.
(Alternative Rate Filing Adjustment)

This letter is to acknowledge receipt of notice of election of use of electronic filing procedures to file an application in the above case. The notice was date-stamped received October 21, 2020, and has been assigned Case No. 2020-00342. In all future correspondence or filings in connection with this case, please reference the above case number.

All documents submitted to the Commission in this proceeding must comply with the rules of procedure adopted by the Commission found in 807 KAR 5:001. Any deviation from these rules must be submitted in writing to the Commission for consideration. Additionally, confidential treatment of any material submitted must follow the requirements found in 807 KAR 5:001 (13).

Materials submitted to the Commission which do not comply with the rules of procedure, or that do not have an approved deviation, are subject to rejection by Commission pursuant to 807 KAR 5:001 (3). In order to insure cases are processed in a timely manner and accurate reliable records are created, please make sure that the rules of procedure are followed. Should you have any questions, please contact Brandon Bruner in the Filings Branch at 502-564-3940.

Sincerely,

A handwritten signature in blue ink, appearing to read "L. Flora".

Lindsey L. Flora
Deputy Executive Director

LLF/AH

*CitiPower, L.L.C.
37 Court Street
P. O. Box 1309
Whitley City, KY 42653

*Adam Forsberg
Controller
Citipower L.L.C.
2122 Enterprise Road
Greensboro, NORTH CAROLINA 27408

*L Allyson Honaker
Goss Samford, PLLC
2365 Harrodsburg Road, Suite B325
Lexington, KENTUCKY 40504