

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

MAXIMUM PLUMBING INC.)	
)	
_____)	CASE NO.
)	2021-00361
ALLEGED VIOLATION OF UNDERGROUND)	
FACILITY DAMAGE PREVENTION ACT)	

ORDER AND NOTICE OF HEARING

The Commission, on its own motion, HEREBY ORDERS that:

1. Maximum Plumbing Inc. shall appear on February 11, 2022, at 9 a.m. Eastern Standard Time, in the Richard Raff Hearing Room of the Commission's offices at 211 Sower Boulevard in Frankfort, Kentucky, for the purpose of presenting evidence concerning the alleged violation of the Underground Facility Damage Prevention Act.
2. The February 11, 2022 hearing shall be conducted via video conferencing.
3. Maximum Plumbing Inc. shall attend the hearing by using the following link: <https://global.gotomeeting.com/join/308551245>; information and instructions are attached to this Order in an Appendix.
4. Maximum Plumbing Inc. shall notify the Commission at least ten days prior to the hearing if Maximum Plumbing Inc. is unable to appear by video conferencing and will therefore appear in person.
5. Any partnership, corporation, or business entity (including a limited liability company) must be represented by an attorney licensed to practice law in Kentucky, and

such representation includes the filing of papers with the Commission and appearances at hearings before the Commission.

6. The February 11, 2022 hearing shall be recorded by video only.

[REMAINDER OF PAGE INTENTIONALLY LEFT BLANK]

By the Commission

ENTERED
NOV 15 2021 rcs
KENTUCKY PUBLIC
SERVICE COMMISSION

ATTEST:


Executive Director

Case No. 2021-00361

APPENDIX

APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE
COMMISSION IN CASE NO. 2021-00361 DATED NOV 15 2021

TWO PAGES TO FOLLOW

Information and Instructions for Hearing

You are required to attend a formal hearing with the Kentucky Public Service Commission. Please note the hearing is scheduled in the **Eastern Time Zone**, and the hearing date and time are on the Order that accompanied these instructions.

You are **strongly encouraged** to download the GoToMeeting app now and be ready for your hearing. If you cannot appear via video using this app, at least ten days prior to your scheduled hearing you must call the Commission's offices at the number provided below. You will receive instructions on appearing in person in the Richard Raff Hearing Room of the Commission's offices at 211 Sower Boulevard in Frankfort, Kentucky at the time and date of your scheduled hearing.

Please direct any questions to Ashley Rhodes, Commission Division of Inspections. AshleyB.Rhodes@ky.gov or 502-782-2578.

To download the GoToMeeting app go to:

<https://global.gotomeeting.com/install/258846301>

On the day of your hearing using your computer, tablet, or video enabled smartphone. **Access the proceeding at:**

<https://global.gotomeeting.com/join/308551245>

More information about using GoToMeeting can be found at:

GoToMeeting - Attendee Quick Start

<https://www.youtube.com/embed/8VaHHVP0FCU?autoplay=1&showinfo=0&controls=0&rel=0>

GoToMeeting - How to Join a Meeting

https://www.youtube.com/embed/Ojl1q_sPrP0?autoplay=1&showinfo=0&controls=0&rel=0

Technical Requirements for Using GoToMeeting

Operating System:

Windows 7 – Windows 10

Mac OS X 10.9 (Mavericks) – mac OS Big Sur (11)

Linux/Ubuntu (Web App only)

Google Chrome OS (Web App only)

iOS 11 – iOS 13

Android OS 5 (Lollipop) – Android 10

Web Browser: (Applies to Web App only)

Google Chrome v72 or newer

Microsoft Edge v77 or newer

Internet Connection:

Computer: 1 Mbps or better (broadband recommended)

Mobile device and Chromebook: 3G or better (WiFi recommended for VoIP)

Software:

GoToMeeting desktop app (JavaScript enabled)

GoToMeeting app from the Apple Store, Google Play Store, or Windows Store

Hardware:

2GB of RAM (minimum), 4GB or more of RAM (recommended)

Webcam device*

Microphone and speakers** (USB headset recommended)

Mobile Device:

iPhone 5 or newer

iPad 3rd gen or newer

Note: * You MUST have a camera on your device or connected to your device to appear at the hearing.

** Most devices have built-in speakers, but you will get better audio quality while connected via VoIP if you use a headset

*Maximum Plumbing Inc.
13553 Salem Creek Road
Crittenden, KENTUCKY 41030