

COMMONWEALTH OF KENTUCKY  
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

DONALD ROBERTS	)	
	)	
COMPLAINANT	)	
	)	
V.	)	CASE NO.
	)	2021-00319
	)	
DEXTER-ALMO HEIGHTS WATER DISTRICT	)	
	)	
DEFENDANT	)	

COMMISSION STAFF'S FIRST REQUEST FOR INFORMATION  
TO DONALD ROBERTS

Donald Roberts (Mr. Roberts), pursuant to 807 KAR 5:001, is to file with the Commission a paper version of the following information. The information requested is due on December 7, 2021. The Commission directs Mr. Roberts to the Commission's July 22, 2021 Order in Case No. 2020-00085<sup>1</sup> regarding filings with the Commission. Electronic documents shall be in portable document format (PDF), shall be searchable, and shall be appropriately bookmarked.

Each response shall include the question to which the response is made and shall include the name of the witness responsible for responding to the questions related to the information provided. Each response shall be answered under oath or, for

---

<sup>1</sup> Case No. 2020-00085, *Electronic Emergency Docket Related to the Novel Coronavirus COVID-19* (Ky. PSC July 22, 2021), Order (in which the Commission mandated electronic filing, with exception to *pro se* formal complaints filed against utilities). *Pro se* parties in formal complaint cases may file responses either in paper medium or by electronic email sent to [PSCED@ky.gov](mailto:PSCED@ky.gov). Responses filed using electronic email should include the case number in the subject line of the message and a read receipt to ensure the Commission received the message and documents.

representatives of a public or private corporation or a partnership or association or a governmental agency, be accompanied by a signed certification of the preparer or the person supervising the preparation of the response on behalf of the entity that the response is true and accurate to the best of that person's knowledge, information, and belief formed after a reasonable inquiry.

Mr. Roberts shall make timely amendment to any prior response if he obtains information that indicates the response was incorrect when made or, though correct when made, is now incorrect in any material respect. For any request to which Mr. Roberts fails or refuses to furnish all or part of the requested information, he shall provide a written explanation of the specific grounds for his failure to completely and precisely respond.

Careful attention shall be given to copied material to ensure that it is legible. When the requested information has been previously provided in this proceeding in the requested format, reference may be made to the specific location of that information in responding to this request. When applicable, the requested information shall be separately provided for total company operations and jurisdictional operations. When filing a paper containing personal information, Mr. Roberts shall, in accordance with 807 KAR 5:001, Section 4(10), encrypt or redact the paper so that personal information cannot be read.

1. Provide copies of all bills Mr. Roberts has received from Dexter-Almo Heights Water District since filing his complaint.

2. Provide all documentation that supports Mr. Roberts' assertion contained in his complaint on unnumbered page 4, that there are no plumbing leaks on the property located at 112 O'Bryan Circle, Almo, Kentucky 42020.

3. Provide all invoices, reports, or other documentation provided to Mr. Roberts by any plumber, other service company, or home inspector who performed work on the property located at 112 O'Bryan Circle, Almo, Kentucky 42020 from April 2, 2019, through the current date.



---

Linda C. Bridwell, PE  
Executive Director  
Public Service Commission  
P.O. Box 615  
Frankfort, KY 40602

DATED NOV 15 2021

cc: Parties of Record

Case No. 2021-00319

Donald Roberts  
112 O'Bryan Circle  
Almo, KENTUCKY 42020

\*Dexter-Almo Heights Water District  
351 Almo Road  
Almo, KY 42020