COMMONWEALTH OF KENTUCKY BEFORE THE PUBLIC SERVICE COMMISSION

n the Matter of:		
MAXIMUM PLUMBING, INC.)	
ALLEGED VIOLATION OF UNDERGROUND FACILITY DAMAGE PREVENTION ACT)))	CASE NO. 2021-00361

NOTICE OF FILING

Notice is given to all parties that evidence of successful service of process has been filed into the record of this proceeding.

Linda C. Bridwell, PE Executive Director

Public Service Commission

P.O. Box 615

Frankfort, KY 40602

DATED NOV 10 2021

cc: Parties of Record

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece. or on the front if space permits.
- 1. Article Addressed to:

Maximum Plumbing Inc. 13553 Salem Creek Road Crittenden, KENTUCKY 41030



9590 9402 6901 1104 3996 87

- 2 Article Number (Transfer from service label)
- 5050 37PO 0007 9754

COMPLETE THIS SECTION ON DELIVERY

A. Signature ☐ Agent Addresses B. Received by (Printed Name) C. Date of Delivery

D. Is delivery address different from item 1? If YES, enter delivery address below:

OC1 05 2021

- 3. Service Type ☐ Adult Signature
- ☐ Adult Signature Restricted Delivery Certified Mail®
- ☐ Certified Mail Restricted Delivery ☐ Collect on Delivery
- ☐ Collect on Delivery Restricted Delivery ☐ Insured Mail
- ☐ Insured Mail Restricted Delivery (over \$500)

☐ Priority Mail Express®

Yes

No

- ☐ Registered Mail™ ☐ Registered Mail Restricts Delivery
- ☐ Signature Confirmation™ □ Signature Confirmation Restricted Delivery





First-Class Mail Postage & Fees Paid USPS Permit No. G-10

United States Postal Service • Sender: Please print your name, address, and ZIP+4® in this box•

PUBLIC SERVICE COMMISSION 211 SOWER BLVD. P.O. BOX 615 FRANKFORT, KY 40602 *Maximum Plumbing Inc. 13553 Salem Creek Road Crittenden, KENTUCKY 41030