



Andy Beshear  
Governor

Rebecca W. Goodman  
Secretary  
Energy and Environment Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

Kent A. Chandler  
Chairman

Amy D. Cabbage  
Vice Chairman

Marianne Butler  
Commissioner

December 22, 2021

W. Randall Jones  
Rubin & Hays  
450 South Third Street  
Louisville, KY 40202

RE: Bracken County Water District

Case No. 2021-00467 - Filing Deficiencies

The Commission Staff has reviewed the application in the above case. This filing is rejected for the reasons set forth below.


Filing deficiencies pursuant to:

- (1) 807 KAR 5:001 Section 15 (2) (a): The facts relied upon to show that the proposed construction or extension is or will be required by public convenience or necessity. Please provide a map of the project to scale and of sufficient size and resolution to be examined.
- (2) 807 KAR 5:001 Section 15 (2) (d) (1): Three (3) copies (one (1) in portable document format on electronic storage medium and two (2) in paper medium) of maps to suitable scale showing the location or route of the proposed construction or extension, as well as the location to scale of like facilities owned by others located anywhere within the map area with adequate identification as to the ownership of the other facilities. Please provide a more complete project description and explain how this project is different from and complements the project the Commission approved in Case No. 2020-00271.
- (3) 807 KAR 5:001 Section 15 (2) (d) (2): Plans and specifications and drawings of the proposed plant, equipment, and facilities. Please provide plans and drawing of the proposed project, similar to the plans and drawings that were submitted with the application in Case No. 2020-00271.

You are requested to submit the information necessary to cure the deficiency within 10 days of the date of this letter. Please be advised that the Commission will exercise its best efforts to issue an order in this proceeding by the date requested (January 24, 2022). However, the Commission offers no assurances that this will be possible.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

A handwritten signature in blue ink that reads "Linda C. Bridwell". The signature is written in a cursive style with a large initial 'L'.

Linda C. Bridwell  
Executive Director

\*Diana Moran  
Office Manager  
Bracken County Water District  
P. O. Box 201  
Brooksville, KY 41004

\*Bracken County Water District  
1324 Brooksville Germantown Road  
P. O. Box 201  
Brooksville, KY 41004

\*Kristen Millard  
Raymond James Financial Services  
300 West Vine Street  
Lexington, KENTUCKY 40507

\*Paul Reynolds  
Kentucky Engineering Group  
PO Box 1034  
Versailles, KENTUCKY 40383

\*Honorable W. Randall Jones  
Attorney at Law  
Rubin & Hays  
Kentucky Home Trust Building  
450 South Third Street  
Louisville, KENTUCKY 40202