

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

VICTORY GARDENS OF KENTUCKY, LLC)	
_____)	
ALLEGED VIOLATION OF UNDERGROUND)	CASE NO.
FACILITY DAMAGE PREVENTION ACT)	2023-00164

INITIATING ORDER FOR ALLEGED 811 VIOLATION OF THE KENTUCKY
UNDERGROUND FACILITY DAMAGE PREVENTION ACT

(Se proporciona la traducción al español de este documento como anexo/apéndice C.)

Victory Gardens of Kentucky, LLC (Victory Gardens) has been named as a party to an investigation before the Kentucky Public Service Commission (Commission) for allegedly violating the Kentucky Underground Facility Damage Prevention Act (Act).¹ The Commission, on its own motion, finds that the hearing in this matter previously scheduled for July 28, 2023, should be rescheduled to October 27, 2023.

Pursuant to KRS 278.495(2), the Commission has jurisdiction to regulate the safety of natural gas facilities in Kentucky and to enforce minimum federal pipeline safety standards. Under the Act, the Commission has authority to investigate and assess civil penalties for any violation of the Act that results in excavation damage to an underground facility used to transport natural gas or hazardous liquid subject to federal pipeline safety laws, 49 U.S.C. § 60101, *et seq.* Any person who violates any provision of the Act is subject to assessment of a civil penalty in the amount of \$250 for the first offense, no

¹ KRS 367.4901 through KRS 367.4917.

more than \$1,000 for the second offense within one year, and no more than \$3,000 for the third and any subsequent offense. Additionally, any person whose violation of the Act results in damage to an underground facility containing any flammable, toxic, corrosive, or hazardous material or results in the release of any flammable, toxic, corrosive, or hazardous material is subject to an additional penalty of up to \$1,000.

Following receipt of a report of excavation damage to its underground gas pipeline from an operator, Commission Staff (Staff) conducted an investigation and prepared an Incident Report, a copy of which is attached to this Order as Appendix A. In its Incident Report, Staff cites Victory Gardens for violation of the following provision of the Act:

KRS 367.4911(1)(a) – Each excavator, or person responsible for an excavation, planning excavation or demolition work shall, not less than two (2) full working days nor more than ten (10) full working days prior to commencing work, notify each affected operator of the excavator's intended work and work schedule. Contacting the applicable protection notification centers shall satisfy this requirement.

Based on its review of the Incident Report and being otherwise sufficiently advised, the Commission finds prima facie evidence that Victory Gardens violated the Underground Facility Damage Prevention Act. The Commission further finds that a formal investigation into the excavation damage incident shall be conducted.

IT IS THEREFORE ORDERED that:

1. Victory Gardens shall submit to the Commission, via email sent to PSCED@ky.gov with the case number of this proceeding in the subject line of the message, a written response to the allegations contained in the Staff Incident Report within 20 days of receipt of this Order.
2. The July 28, 2023 hearing for this case is rescheduled.

3. Victory Gardens shall appear on October 27, 2023, at 9 a.m. Eastern Daylight Time, in the Richard Raff Hearing Room of the Commission's offices at 211 Sower Boulevard in Frankfort, Kentucky, for the purpose of presenting evidence concerning the alleged violation of the Underground Facility Damage Prevention Act.

4. The October 27, 2023 hearing shall be conducted via video conferencing.

5. Victory Gardens shall attend the hearing by using the following link: <https://meet.goto.com/pscformalhearing/psc-damage-prevention-hearing>; information and instructions are attached to this Order as Appendix B.

6. Victory Gardens shall notify the Commission at least ten days prior to the hearing if Victory Gardens is unable to appear by video conferencing and will therefore appear in person.

7. Any partnership, corporation, or business entity (including a limited liability company) must be represented by an attorney licensed to practice law in Kentucky, and such representation includes the filing of papers with and appearances at hearings before the Commission.

8. An individual may submit a response to the allegations contained in the Staff Incident Report without the representation of an attorney.

9. The Staff Incident Report 43501, attached to this Order as Appendix A, is made a part of the record in this case.

10. The October 27, 2023 hearing shall be recorded by video only.

11. Please note parties who fail to appear after service will be subject to entry of a default judgment against them.


PUBLIC SERVICE COMMISSION



Chairman



Vice Chairman



Commissioner



ATTEST:



Executive Director

APPENDIX A

APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE
COMMISSION IN CASE NO. 2023-00164 DATED JUL 25 2023

FIVE PAGES TO FOLLOW

PIPELINE DAMAGE INVESTIGATION REPORT

Investigation Information

Investigator Eric Tout **Incident ID** 43501 **Investigation** 8460
Incident Date 3/17/2021 4:21:00 AM **Report Submitted** 4/8/2021

Operator Information

Operator Louisville Gas and Electric Company **Reported By** Mike Jones
Phone (502) 364-8281 **Email** Mike.Jones@lge-KU.com

Incident Location 1960 Eastview Ave **Locate Ticket Number** NA
Louisville KY 40205

County Jefferson

Excavator Information

Excavator Victory Gardens of Kentucky, LLC **Organization ID** 1045842
Victory Gardens of Kentucky
Phone 502-291-8628 **Email**
Address PO Box 4085 **Locate Ticket Number** NA
Louisville KY 40204

Damage Report (DR) Summary

Excavation Within 18" (Tolerance Zone)	Gas Or Hazardous Liquids		Type Of Equipment Used	Cost of Damage	Amount Billed
	Contained	Released			
No call to 811	Yes	Yes	Non-mechanized/Shovel	\$487.00	\$0.00

The Operator reports the Excavator damaged a ½ inch gas service with a shovel attempting to remove a root ball and failed to contact the KY Contact Center (811).

The DR is included as Attachment 1.

INVESTIGATION

On 02/28/22 the Excavator, Victory Gardens of Kentucky's David Zoller, stated that no call was made to 811 prior to the damage. Mr. Zoller was receptive to attending the Damage Prevention Course and paying the reduced penalty of \$250.00.

VIOLATIONS¹

KRS 367.4911(a) Each excavator, or person responsible for an excavation, planning excavation or demolition work shall, not less than two (2) full working days nor more than ten (10) full working days prior to commencing work, notify each affected operator of the excavator's intended work and work schedule. Contacting the applicable protection notification centers shall satisfy this requirement.

of Offences Within 365 Days

(Including this incident)

¹ A revision of the Underground Facility Damage Prevention Act took effect on January 1, 2022. All incidents of damage dated prior to January 1, 2022 will be reviewed under the former version of the Act

PIPELINE DAMAGE INVESTIGATION REPORT

Excavator	Last Offence Incident #	Last Offence Incident Date	Revert to 1 st Offence Date (Last Offence Date +366 Days)
1 st	43501	03/17/21	03/18/22

Attachment 1

Gas Excavation Damage Report

Louisville Gas and Electric Company

Submitted 4/8/2021 Incident ID: 43501

[Set back to Edit](#)[Staff Edit](#)[Print \(PDFForm.aspx?Rpt=GasInvestigation&IG=43501\)](#)

Reported By:

Name: Mike Jones
Phone: (502) 364-8281
Email: Mike.Jones@lge-KU.com

Gas Line Incident Occured:

Date: 3/17/2021
Time: 4:21 AM

Details:

Reported Date: 4/8/2021 9:29 AM

Incident Location Address:

Location:

Address: 1960 Eastview Ave
City: Louisville
State: KY
County: Jefferson
Zip: 40205
Confirm Code: Y

Number of Customers out: 1

Was gas or hazardous liquids contained in the underground facility?

Was gas or hazardous liquids released into the atmosphere? *

Locate Request Ticket No.: NA

Excavator: Contractor

Excavator Address:

First Name: Victory Gardens
Last Name: of Kentucky
Organization ID:
Company: Victory Gardens of Kentucky
Phone: 502-291-8628
Email:

Address: PO Box 4085
City: Louisville
State: KY
Zip: 40204
Confirm Code: Y
Excavation Damage: No notification made to the One
Call Center

Description of Incident ?Excavator damaged service digging without locates or locate request.

Summary Information

4/8/2021

Full details such as the cause	Contractor damaged unmarked 1/2" plastic customer service with a shovel while attempting to remove a root ball. Landscape crew was only supposed to remove overgrown bamboo above ground per David Zoller. He said he calls 811 when digging. David said he wasn't on site at time of damage, and his crew wasn't supposed to be digging.
Extent of the damage	Damaged 1/2" plastic gas service
Cost of the damage	\$487.00
Steps taken to prevent re-occurrence	Excavator seemed to know he needs locate request but stated his crew was not supposed to be digging.
Amount billed to excavator	\$0.00

APPENDIX B

APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE
COMMISSION IN CASE NO. 2023-00164 DATED JUL 25 2023

Information and Instructions for Hearing

You are required to attend a formal hearing with the Kentucky Public Service Commission. Please note the hearing is scheduled in the **Eastern Time Zone**, and the hearing date and time are on the Order that accompanied these instructions.

You are **strongly encouraged** to download the GoToMeeting app now and be ready for your hearing. If you cannot appear via video using this app, at least ten days prior to your scheduled hearing you must call the Commission's offices at the number provided below. You will receive instructions on appearing in person in the Richard Raff Hearing Room of the Commission's offices at 211 Sower Boulevard in Frankfort, Kentucky at the time and date of your scheduled hearing.

Please direct any questions to Andrea Wise, Commission Division of Inspections: Andrea.Wise@ky.gov or 502-782-2656.

To download the GoToMeeting app go to:

<https://global.gotomeeting.com/install/258846301>

On the day of your hearing using your computer, tablet, or video enabled smartphone. **Access the proceeding at:**

<https://meet.goto.com/pscformalhearing/psc-damage-prevention-hearing>

More information about using GoToMeeting can be found at:

GoToMeeting - Attendee Quick Start

<https://www.youtube.com/embed/8VaHHVP0FCU?autoplay=1&showinfo=0&controls=0&rel=0>

GoToMeeting - How to Join a Meeting

https://www.youtube.com/embed/Ojl1q_sPrP0?autoplay=1&showinfo=0&controls=0&rel=0

Technical Requirements for Using GoToMeeting

Operating System:

Windows 7 – Windows 10

Mac OS X 10.9 (Mavericks) – mac OS Big Sur (11)

Linux/Ubuntu (Web App only)

Google Chrome OS (Web App only)

iOS 11 – iOS 13

Android OS 5 (Lollipop) – Android 10

Web Browser: (Applies to Web App only)

Google Chrome v72 or newer

Microsoft Edge v77 or newer

Internet Connection:

Computer: 1 Mbps or better (broadband recommended)

Mobile device and Chromebook: 3G or better (WiFi recommended for VoIP)

Software:

GoToMeeting desktop app (JavaScript enabled)

GoToMeeting app from the Apple Store, Google Play Store, or Windows Store

Hardware:

2GB of RAM (minimum), 4GB or more of RAM (recommended)

Webcam device*

Microphone and speakers** (USB headset recommended)

Mobile Device:

iPhone 5 or newer

iPad 3rd gen or newer

Note: * You MUST have a camera on your device or connected to your device to appear at the hearing.

** Most devices have built-in speakers, but you will get better audio quality while connected via VoIP if you use a headset

APPENDIX C

APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE
COMMISSION IN CASE NO. 2023-00164 DATED JUL 25 2023

FOUR PAGES TO FOLLOW

ESTADO DE KENTUCKY
ANTE LA COMISIÓN DE SERVICIOS PÚBLICOS

Concerniente:

VICTORY GARDENS OF KENTUCKY, LLC)	
_____)	
PRESUNTA INFRACCIÓN DE LA LEY DE)	CASO NO.
PREVENCIÓN DE DAÑOS EN INSTALACIONES)	2023-00164
SUBTERRÁNEAS)	

ORDEN DE INICIACIÓN POR LA PRESUNTA INFRACCIÓN DE TIPO 811 DE LA LEY DE PREVENCIÓN DE DAÑOS EN INSTALACIONES SUBTERRÁNEAS DE KENTUCKY

Victory Gardens of Kentucky, LLC (Victory Gardens) ha sido implicado como parte de una investigación ante la Comisión de Servicios Públicos de Kentucky (Comisión) por la presunta infracción de la Ley de Prevención de Daños a Instalaciones Subterráneas de Kentucky (la Ley).² La Comisión, de oficio, considera que la audiencia sobre este asunto previamente programada para el 28 de Julio de 2023 debe reprogramarse para el 27 de Octubre de 2023.

Conforme a la norma KRS 278.495(2), la Comisión tiene jurisdicción para regular la seguridad de las instalaciones de gas natural en Kentucky y para hacer cumplir las normas federales mínimas de seguridad de las tuberías. En virtud de la Ley, la Comisión tiene autoridad para investigar y evaluar las sanciones civiles por cualquier infracción de la Ley que resulte en daños de excavación a una instalación subterránea utilizada para transportar gas natural o líquidos peligrosos sujetos a las leyes federales de seguridad

² KRS 367.4901 a KRS 367.4917.

de tuberías, 49 U.S.C. §. 60101 *et seq.* Toda persona que infrinja cualquier disposición de la Ley está sujeta a la imposición de una sanción civil por un importe de 250 dólares por la primera infracción, no más de 1,000 dólares por la segunda infracción en el plazo de un año, y no más de 3,000 dólares por la tercera infracción y las siguientes. Además, cualquier persona cuya infracción de la ley provoque daños en una instalación subterránea que contenga cualquier material inflamable, tóxico, corrosivo o peligroso, o que provoque la liberación de cualquier material inflamable, tóxico, corrosivo o peligroso, está sujeta a una sanción adicional de hasta 1,000 dólares.

Tras recibir un informe de daños por excavación en su gasoducto subterráneo por parte de un operador, el personal de la Comisión (el Personal) llevó a cabo una investigación y preparó un Informe de Incidentes, cuya copia se adjunta a esta Orden como Apéndice A. En su Informe de Incidentes, el Personal cita a Victory Gardens por la infracción de la siguiente disposición de la Ley:

KRS 367.4911(1)(a) Cada excavador, o persona responsable de una excavación, que planifique un trabajo de excavación o demolición deberá notificar a cada operador afectado sobre el trabajo previsto del excavador y el cronograma de trabajo no menos de dos (2) días hábiles completos ni más de diez (10) días hábiles completos antes de comenzar el trabajo. Hacer contacto con los centros de notificación de protección aplicables satisfará este requisito.

Basándose en su revisión del Informe de Incidentes y estando suficientemente informada, la Comisión encuentra pruebas prima facie de que Victory Gardens violó la Ley de Prevención de Daños a Instalaciones Subterráneas. La Comisión considera, además, que debe llevarse a cabo una investigación formal sobre el incidente de los daños causados por la excavación.

POR LO TANTO SE ORDENA que:

1. Victory Gardens deberá presentar a la Comisión una respuesta por escrito a las alegaciones contenidas en el Informe de Incidencia del Personal en un plazo de 20 días a partir de la recepción de esta Orden a través de un correo electrónico enviado a PSCED@ky.gov con el número de caso de este procedimiento en el asunto del mensaje.
2. La audiencia del 28 de Julio de 2023 para este caso se reprograma.
3. Victory Gardens comparecerá el 27 de Octubre de 2023, a las 9 a.m. hora del este, en la sala de audiencias Richard Raff de las oficinas de la Comisión en 211 Sower Boulevard en Frankfort, Kentucky, con el fin de presentar pruebas relativas a la supuesta violación de la Ley de Prevención de Daños a Instalaciones Subterráneas.
4. La audiencia October 27, 2023 se llevará a cabo por videoconferencia.
5. Victory Gardens deberá asistir a la audiencia utilizando el siguiente enlace: <https://meet.goto.com/pscformalhearing/psc-damage-prevention-hearing>; la información y las instrucciones se adjuntan a esta Orden como Apéndice B.
6. Victory Gardens notificará a la Comisión, al menos diez días antes de la audiencia, si Victory Gardens no puede comparecer por videoconferencia y, por lo tanto, comparecerá en persona.
7. **Cualquier sociedad, corporación o entidad comercial (incluyendo una sociedad de responsabilidad limitada) debe ser representada por un abogado con licencia para ejercer la abogacía en Kentucky y dicha representación incluye la presentación de documentos y las comparecencias en las audiencias ante la Comisión.**

8. Un individuo puede presentar una respuesta a las alegaciones contenidas en el Informe de Incidentes del Personal sin la representación de un abogado.

9. El Informe de Incidentes del Personal 43501, que se adjunta a esta Orden como Apéndice A, forma parte del expediente de este caso.

10. La audiencia October 27, 2023 se grabará únicamente por vídeo.

11. **Tenga en cuenta que las partes que no comparezcan después de la notificación estarán sujetas a que se asiente una sentencia en rebeldía contra ellos.**

COMISIÓN DE SERVICIOS PÚBLICOS

Presidente

Vicepresidente

Comisionado/a

HACE CONSTAR:

Director/a Ejecutivo/a

APÉNDICE A

APÉNDICE DE UNA ORDEN DE LA COMISIÓN DE SERVICIOS
PÚBLICOS DE KENTUCKY EN EL CASO No. 2023-00164 FECHADO

QUATRO PÁGINA(S) A SEGUIR

APÉNDICE B

APÉNDICE DE UNA ORDEN DE LA COMISIÓN DE SERVICIOS PÚBLICOS DE KENTUCKY EN EL CASO No. 2023-00164 FECHADO

Información e instrucciones para la audiencia

Se le obliga a asistir a una audiencia formal con la Comisión de Servicios Públicos de Kentucky. Tenga en cuenta que la audiencia está programada en la **huso horario del este**, y que la fecha y la hora de la audiencia figuran en la Orden que acompaña a estas instrucciones.

Se le recomienda encarecidamente que descargue la aplicación GoToMeeting ahora y esté preparado para su audiencia. Si no puede comparecer por vídeo utilizando esta aplicación, debe llamar a las oficinas de la Comisión al número que se indica a continuación al menos diez días antes de la audiencia programada. Recibirá instrucciones para presentarse en persona en la sala de audiencias Richard Raff de las oficinas de la Comisión en el 211 Sower Boulevard en Frankfort, Kentucky, a la hora y fecha de su audiencia programada.

Sírvase dirigir cualquier pregunta a Andrea Wise, División de Inspecciones de la Comisión: Andrea.Wise@ky.gov o 502-782-2656.

Para descargar la aplicación GoToMeeting vaya a:

<https://global.gotomeeting.com/install/258846301>

El día de su audiencia utilizando su computadora, tableta o teléfono inteligente con capacidad de vídeo. **Acceda al procedimiento en:**

<https://meet.goto.com/pscformalhearing/psc-damage-prevention-hearing>

Puede encontrar más información sobre el uso de GoToMeeting en
GoToMeeting - Inicio rápido del asistente

<https://www.youtube.com/embed/8VaHHVP0FCU?autoplay=1&showinfo=0&controls=0&rel=0>

GoToMeeting - Cómo unirse a una reunión

https://www.youtube.com/embed/Ojl1q_sPrP0?autoplay=1&showinfo=0&controls=0&rel=0

Requisitos técnicos para utilizar GoToMeeting

Sistema operativo:

Windows 7 – Windows 10
Mac OS X 10.9 (Mavericks) – Mac OS Big Sur (11)
Linux/Ubuntu (sólo aplicación web)
Google Chrome OS (sólo aplicación web)
iOS 11 - iOS 13
Android OS 5 (Lollipop) - Android 10

Navegador web: (Sólo se aplica a la aplicación web)

Google Chrome v72 o más reciente
Microsoft Edge v77 o más reciente

Conexión a Internet:

Computadora: 1 Mbps o superior (se recomienda la banda ancha)
Dispositivo móvil y Chromebook: 3G o superior (se recomienda WiFi para VoIP)

Software:

Aplicación de escritorio de GoToMeeting (con JavaScript activado)
La aplicación GoToMeeting de Apple Store, Google Play Store o Windows Store

Hardware:

2 GB de RAM (mínimo), 4 GB o más de RAM (recomendado)
Dispositivo de cámara web*
Micrófono y altavoces** (se recomiendan auriculares USB)

Dispositivo móvil:

iPhone 5 o más reciente
iPad de 3ª generación o más reciente

Nota: * Para comparecer en la audiencia, ES PRECISO tener una cámara en su dispositivo o conectada a él.

** La mayoría de los dispositivos tienen altavoces incorporados, pero obtendrás una mejor calidad de audio mientras estés conectado por VoIP si utilizas unos auriculares.

Victory Gardens of Kentucky, LLC
PO Box 4085
Louisville, KENTUCKY 40204