Andy Beshear Governor

Rebecca W. Goodman Secretary Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
psc.ky.gov

Angie Hatton Chair

Mary Pat Regan Commissioner

Andrew W. Wood Commissioner

July 14, 2025

PARTIES OF RECORD

Re: Case No. 2025-00094

Notice is given to all parties that the attached Motion to Dismiss for H Bury and Bore, LLC has been filed into the record of this proceeding.

If you have any comments you would like to make regarding the contents of the document, please do so within five days of receipt of this letter. If you have any questions, please contact Jessica Norris-Canfield, Staff Attorney at jnorriscanfield@ky.gov.

Sincerely,

Linda C. Bridwell, PE Executive Director

Attachment



COMMONWEALTH OF KENTUCKY BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:		
H BURY AND BORE LLC)	CASE NO
ALLEGED VIOLATION OF UNDERGROUND FACILITY DAMAGE PREVENTION ACT)))	CASE NO. 2025-00094

MOTION TO DISMISS

This matter was originally established by an Order of the Commission dated April 24, 2025. The hearing in this matter was set for July 24, 2025, by an Order of the Commission, dated April 24, 2025. After further review of the documentation obtained in this investigation, Staff has determined not to proceed and requests the above-styled case be dismissed with prejudice.

WHEREFORE, Staff respectfully requests that the Commission's investigation of Damage Incident 55301 be dismissed with prejudice, that any hearing scheduled in this case be canceled, and that this case be removed from the Commission's docket.

Respectfully submitted,

Jessica D. Norris-Canfield

Staff Attorney

KY Public Service Commission

211 Sower Blvd. Frankfort, KY 40601

COMMONWEALTH OF KENTUCKY BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:		
H BURY AND BORE)))	CASE NO. 2025-00094
ALLEGED VIOLATION OF UNDERGROUND FACILITY DAMAGE PREVENTION ACT)))	

<u>ORDER</u>

This matter was originally established by an Order of the Commission dated April 24, 2025. Based on the documentation obtained in this investigation, the Commission finds good cause that above-styled case should be dismissed with prejudice.

IT IS HEREBY ORDERED that the Commission's investigation of Damage Incident 55301 is hereby dismissed with prejudice, any hearing scheduled in this case is canceled, and this case is removed from the Commission's docket.

	Chairman
	Commissioner
	Commissioner
ATTEST:	
Executive Director	

PUBLIC SERVICE COMMISSION

*Ulyses Hernandez H Bury & Bore LLC 3502 E Indian Trail Louisville, KY 40213