

Andy Beshear
Governor

Rebecca W. Goodman
Secretary
Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
psc.ky.gov

Angie Hatton
Chair

Mary Pat Regan
Commissioner

Andrew W. Wood
Commissioner

November 20, 2025

PARTIES OF RECORD

RE: Case No. 2025-00366
Sharpsburg Water District
(Purchased Water Adjustment)

Commission Staff has reviewed the filing submitted November 20, 2025 and has determined that the application in the above case now meets the minimum filing requirements. Enclosed, please find a file-stamped copy of the first page of the filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact Brian Thomas at 502-564-3940.

Sincerely,

A handwritten signature in blue ink that reads "Linda C. Bridwell".

Linda C. Bridwell, PE
Executive Director

Enclosure

FILED
NOV 20 2025
PUBLIC SERVICE
COMMISSION

Sharpsburg Water District
P O Box 248
Sharpsburg, KY 40374

November 17, 2025

Public Service Commission
ATTN: Rate Department
211 Sower Blvd.
Frankfort, KY 40602


RE: Purchase Water Adjustment

Sharpsburg Water District is submitting an application for a purchase water rate adjustment. This adjustment is necessary to recover an increase in the cost of water attributable to our supplier (Bath County Water District).

Enclosed, along with the application are the following items:

- Notice from Bath County Water District (supplier)
- Revised tariff sheet
- Notice
- Worksheet
- Copy of rate from the City of Carlisle (supplier)
- Copy of board minutes approving rates

Sincerely,

A handwritten signature in dark ink, appearing to read "Gayle Haney", is written over a horizontal line.

Gayle Haney, Manager

*Ms. Gayle Haney
Manager/Distribution Operator
Sharpsburg Water District
16 East Mill Street
P. O. Box 248
Sharpsburg, KY 40374

*Sharpsburg Water District
16 East Mill Street
P. O. Box 248
Sharpsburg, KY 40374