

Andy Beshear
Governor

John Lyons
Secretary
Energy and Environment Cabinet

Angie Hatton
Chair



Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
Frankfort, Kentucky 40601-8294
Telephone: (502) 564-3940
psc.ky.gov

Mary Pat Regan
Vice Chair

Andrew W. Wood
Commissioner

Barry L. Mayfield
Commissioner

July 29, 2026

PARTIES OF RECORD

RE: Case No. 2026-00186
Jessamine-South Elkhorn Water District
(Treated Sewage Adjustment)

Commission Staff has reviewed the filing submitted July 28, 2026 and has determined that the application in the above case now meets the minimum filing requirements. Enclosed, please find a file-stamped copy of the first page of the application. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact Brian Thomas at 502-564-3940.

Sincerely,

A handwritten signature in blue ink that reads "Linda C. Bridwell".

Linda C. Bridwell, PE
Executive Director

Enclosure

FILED

JUL 28 2026

**PUBLIC SERVICE
COMMISSION**

**TREATED SEWAGE ADJUSTMENT
FOR SEWER UTILITIES
(807 KAR 5:075)**

Name of Utility	Jessamine-South Elkhorn Water District, Sewer Division	
Date	July 17, 2026	
Address	P.O. Box 731, 802 South Main Street	
City, State, Zip	Nicholasville, Kentucky	40340
Telephone Number	(859) 881-0589	
Email address	Jessamine.South@JSEWD.com	

1.a. Name of all providers and the base (current) rate and changed rate of each. In the event the utility is billed by the provider on a rate that is not a flat rate schedule, the entire rate schedule must be shown. Attach additional sheets if necessary.

Provider(s)	Base Rate	Changed Rate
LFUCG	\$8.45/100 cubic feet	\$8.77/100 cubic feet

1.b. A copy of the provider's notice of the changed rate showing the effective date of the increase is attached as **Exhibit A**

2. Twelve-month period upon which the treated sewage adjustment is based. (This twelve-month period must end within 90 days of this filing).

From	June, 2025	through	May, 2026
	(month and year)		(month and year)

3. Statement of sewage treated. Where sewage treatment is from more than one provider, sewage treatment from each provider must be shown separately. When water purchases are the basis for sewage treatment charges and the water is

Service List for Case 2026-00186

* Henry E. Smith

Attorney

Bruce E. Smith Law Offices, PLLC

201 South Main Street

Nicholasville, KY 40356

* Jessamine-South Elkhorn Water District

802 S Main Street

P. O. Box 731

Nicholasville, KY 40356